Check for updates

OPEN ACCESS

EDITED AND REVIEWED BY Tony D. James, University of Bath, United Kingdom

*CORRESPONDENCE

Tangxin Xiao, i xiaotangxin@cczu.edu.cn Robert Elmes, i robert.elmes@mu.ie Yong Yao, i yaoyong1986@ntu.edu.cn

SPECIALTY SECTION

This article was submitted to Supramolecular Chemistry, a section of the journal Frontiers in Chemistry

RECEIVED 09 February 2023 ACCEPTED 14 February 2023 PUBLISHED 21 February 2023

CITATION

Xiao T, Elmes R and Yao Y (2023), Editorial: Host–guest chemistry of macrocycles– Volume II. *Front. Chem.* 11:1162019. doi: 10.3389/fchem.2023.1162019

COPYRIGHT

© 2023 Xiao, Elmes and Yao. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Host-guest chemistry of macrocycles- Volume II

Tangxin Xiao¹*, Robert Elmes^{2,3}* and Yong Yao⁴*

¹School of Petrochemical Engineering, Changzhou University, Changzhou, China, ²Department of Chemistry, Maynooth University, National University of Ireland, Maynooth, Ireland, ³Synthesis and Solid-State Pharmaceutical Centre (SSPC), Maynooth University, National University of Ireland, Maynooth, Ireland, ⁴School of Chemistry and Chemical Engineering, Nantong University, Nantong, China

KEYWORDS

host-guest chemistry, macrocyclic molecules, supramolecular self-assembly, pillar[n] arenes, cucurbit[n]urils

Editorial on the Research Topic Host-guest chemistry of macrocycles- Volume II

The field of macrocyclic host-guest chemistry was born with the discovery of crown ethers (CEs) by Pederson and has been the catalyst that led to the field of supramolecular chemistry more generally (Pedersen, 1967). Apart from CEs, the diversity of macrocyclic hosts with different shapes and cavities is staggering and many other examples such as cyclodextrins (CDs), (Szejtli, 1998; Harada, 2001; Davis and Brewster, 2004; Antoniuk and Amiel, 2016) cucurbit[n]urils (CB[n]s), (Lagona et al., 2005; Masson et al., 2012; Ni et al., 2014; Murray et al., 2017; Palma et al., 2017; Chen et al., 2022a) calix[n]arenes (CA[n]s), (Diamond and McKervey, 1996; Baldini et al., 2007; Kim and Quang, 2007; Guo and Liu, 2014) pillar[n]arenes (PA[n]s) (Ogoshi et al., 2008; Xue et al., 2012; Kakuta et al., 2018; Ogoshi et al., 2018; Xiao et al., 2018; Xiao et al., 2019a; Xiao et al., 2019b; Xiao et al., 2019c; Ma et al., 2022; Wang et al., 2022) and other macrocyclic molecules have been reported (Chen and Han, 2018; Wang et al., 2020a; Peng et al., 2020; Wu et al., 2022; Zhang and Li, 2022). The dynamic binding behaviour of many different hosts and guests endows these materials with useful properties including stimuli-responsiveness, self-healing, degradability and recyclability. As a result, host-guest chemistry plays an important role in many research areas, such as supramolecular polymers, (Harada et al., 2009; Xiao et al., 2020a; Wu and Xiao, 2020; Hua et al., 2022) supramolecular networks/frameworks, (Wang et al., 2018; Wang et al., 2020b; Huang et al., 2020; Li et al., 2021) drug delivery, (Duan et al., 2013; Braegelman and Webber, 2019) artificial light-harvesting systems, (Xiao et al., 2019d; Xiao et al., 2022; Xiao et al., 2023) and dynamic hydrogels (Xiao et al., 2019e; Chen et al., 2022b) etc. In this context, we organized the Research Topic "host-guest chemistry of macrocycles" in 2020 which led to the publication of 15 important articles demonstrating the latest research in this area (Xiao et al., 2020b). Because of the importance and popularity of this Research Topic, we have now organised a second volume on this topic. Herein, we briefly introduce the works in this new Research Topic.

The structure of molecules in the solution is determined by the intrinsic properties of the molecules and their interaction with the surrounding solvent. Therefore, the protonation site of a molecule depends on both their intrinsic strengths and different stabilizations by the solvent. The complexation of a guest molecule with multiple basic sites and a macrocyclic host could stabilize, probe, or facilitate the formation of a specific protomer. To verify this, Alcázar et al. investigated the impact of CB[7] on the synthetic dyes 7-(dialkylamino)-aza-

coumarin derivatives (SACs), which bear two basic sites in their structure (Alcázar et al., 2022). They first synthesized three styrylderived SACs, namely SAC1, SAC2, and SAC3, which were fully characterized by HR ESI-MS, IR, and NMR. The spectral behavior of the SACs in the absence and presence of CB7 was studied. In contrast to the heterocyclic nitrogen, the dialkylamino nitrogen in SAC1 (pKa = 1.30) and SAC2 (pKa = 2.35) are more likely to be protonated. However, the protonation of SAC3 could take place both in the heterocyclic nitrogen (pKa = 1.67) and dialkylamino nitrogen (pKa = 1.75) independently. These protomers of the SACs were confirmed by UV-vis absorbance experiments and DFT calculations. Intriguingly, in the presence of CB[7], the heterocyclic nitrogen was favored to be protonated over the dialkylamino nitrogen, which may be due to a change in the protonation preference of SACs induced by CB[7] upon host-guest interaction. Notably, a bathochromic shift of \approx 4500 cm⁻¹ (SAC1-3) was observed in the presence of CB[7].

Fluorescent indicator displacement (FID) assays are an excellent method to probe analytes via the conversion of receptors into optical sensors that can sense binding of different guests. Given the rapid development of supramolecular host-guest chemistry, macrocyclebased FID assays have received considerable attention due to their potential in the area of chemical sensing. Food additives based on phenolic compound play a key role in the food industry on account of their remarkable antibacterial and antioxidant properties. However, the excessive use and accumulation of food additives in the environment is gradually increasing and is responsible for significant environmental concern. In this context, Duan et al. prepared a novel FID assay based on a cationic PA[6] (CP6) for the detection of some vital phenolic food additives, such as *p*-gallic acid (GA), trans-ferulic acid (FA) and coumaric acid (CA) (Duan et al., 2022a). The 6-p-toluidinylnaphthalene-2-sulfonate (TNS) was used as the fluorescent indicator in this FID system due to its enhanced emission in non-polar environments. Upon the host-guest complexation of CP6 and TNS, the fluorescence of TNS was switched on. However, in the presence of GA, FA and CA, the fluorescence was turned off due to the guest's displacement from the cavity of CP6. As a result, the host-guest chemistry-based FID system can be used as a sensor towards these phenolic food additives.

In a minireview paper, Duan et al. further summarized recent progresses on FID assays based on macrocyclic arenes (Duan et al., 2022b). The authors mainly divided the content to two parts: CA[n]based FID assays and PA[n]-based FID assays. Due to their unique macrocyclic structure and versatile host–guest binding behaviors, the combination of CA[n]s or PA[n]s with various fluorophores is broadly used in FID assays for the specific and selective sensing of analytes. There is a larger diversity of reported analytes including neutral molecules, anions, cations, and biomolecules. Finally, the authors discussed the prospect and remaining challenges in this research area.

References

Alcázar, J. J., Márquez, E., García-Río, L., Robles-Muñoz, A., Fierro, A., Santos, J. G., et al. (2022). Changes in protonation sites of 3-styryl derivatives of 7-(dialkylamino)-aza-coumarin dyes induced by cucurbit[7]uril. *Front. Chem.* 10, 870137. doi:10.3389/fchem.2022.870137

Hydrophobic interactions are another important non-covalent force in supramolecular chemistry. Nanoparticles (NPs) formed by surfactants in water are usually driven by hydrophobic interactions. In this Research Topic, Zhu et al. reported that multiple W/O/W (W: water, O: oil) emulsions can be obtained by using CaCO₃ NPs and a surfactant (SDS) of different concentrations (Zhu et al., 2022). Once the low surface-activity CaCO₃ NPs are treated, they become surface-active *in situ* with the addition of SDS. These emulsions possess very high stability, which can stand for at least 1 month without coalescence. The strategy provided in this work not only promotes stabilization of multiple emulsions but also avoids the tedious synthesis often associated with colloidal NPs.

In conclusion, this Research Topic collects some new advances in macrocycle-based host-guest chemistry covering a broad range of supramolecular chemistry research. As the field further develops, we believe host-guest chemistry will continue to be a source of intrigue for basic science and gradually, with investment and critical thinking provide real-world applications across health, environmental and materials science.

Author contributions

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

Funding

We acknowledge financial support by the National Natural Science Foundation of China (21702020, 21801139) and Science Foundation Ireland (SFI) co-funded under the European Regional Development Fund under Grant number 12/RC/2275_P2.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Antoniuk, I., and Amiel, C. (2016). Cyclodextrin-Mediated Hierarchical selfassembly and its potential in drug delivery applications. *J. Pharm. Sci.* 105, 2570–2588. doi:10.1016/j.xphs.2016.05.010 Baldini, L., Casnati, A., Sansone, F., and Ungaro, R. (2007). Calixarene-based multivalent ligands. *Chem. Soc. Rev.* 36, 254–266. doi:10.1039/B603082N

Braegelman, A. S., and Webber, M. J. (2019). Integrating stimuli-responsive properties in host-guest supramolecular drug delivery systems. *Theranostics* 9, 3017–3040. doi:10.7150/thno.31913

Chen, C. F., and Han, Y. (2018). Triptycene-derived macrocyclic arenes: From Calixarenes to Helicarenes. *Acc. Chem. Res.* 51, 2093–2106. doi:10.1021/acs.accounts. 8b00268

Chen, F., Huang, Z., Li, T., Xiao, T., Wang, S., Bai, G., et al. (2022). Highly Deformable and Durable hydrogels through Synergy of covalent Crosslinks and Nanosheet-Reinforced dynamic interactions toward Flexible sensor. *Adv. Mater. Technol.* 8, 2200745. doi:10.1002/admt.202200745

Chen, X., Huang, Z., Sala, R. L., McLean, A. M., Wu, G., Sokolowski, K., et al. (2022). On-resin Recognition of aromatic Oligopeptides and Proteins through host-enhanced Heterodimerization. J. Am. Chem. Soc. 144, 8474–8479. doi:10.1021/jacs.2c02287

Davis, M. E., and Brewster, M. E. (2004). Cyclodextrin-based pharmaceutics: Past, present and future. *Nat. Rev. Drug Discov.* 3, 1023–1035. doi:10.1038/nrd1576

Diamond, D., and McKervey, M. A. (1996). Calixarene-based sensing agents. Chem. Soc. Rev. 25, 15–24. doi:10.1039/CS9962500015

Duan, Q., Wang, F., and Lu, K. (2022). Recent advances in macrocyclic arenes-based fluorescent indicator displacement assays. *Front. Chem.* 10, 973313. doi:10.3389/fchem. 2022.973313

Duan, Q., Xing, Y., and Guo, K. (2022). The detection of food additives using a fluorescence indicator based on 6– p–Toluidinylnaphthalence-2-sulfonate and cationic pillar[6]arene. *Front. Chem.* 10, 925881. doi:10.3389/fchem.2022.925881

Duan, Q., Cao, Y., Li, Y., Hu, X., Xiao, T., Lin, C., et al. (2013). pH-Responsive supramolecular vesicles based on water-soluble pillar[6]arene and ferrocene derivative for drug delivery. J. Am. Chem. Soc. 135, 10542–10549. doi:10.1021/ja405014r

Guo, D.-S., and Liu, Y. (2014). Supramolecular chemistry of p-Sulfonatocalix[n] arenes and its Biological applications. *Acc. Chem. Res.* 47, 1925–1934. doi:10.1021/ar500009g

Harada, A. (2001). Cyclodextrin-based molecular Machines. Acc. Chem. Res. 34, 456-464. doi:10.1021/ar0001741

Harada, A., Takashima, Y., and Yamaguchi, H. (2009). Cyclodextrin-based supramolecular polymers. *Chem. Soc. Rev.* 38, 875–882. doi:10.1039/B705458K

Hua, B., Shao, L., Li, M., Liang, H., and Huang, F. (2022). Macrocycle-based Solid-State supramolecular polymers. *Acc. Chem. Res.* 55, 1025–1034. doi:10.1021/acs. accounts.2c00011

Huang, Z., Chen, X., Wu, G., Metrangolo, P., Whitaker, D., McCune, J. A., et al. (2020). Host-enhanced Phenyl-Perfluorophenyl Polar- π interactions. J. Am. Chem. Soc. 142, 7356–7361. doi:10.1021/jacs.0c02275

Kakuta, T., Yamagishi, T.-a., and Ogoshi, T. (2018). Stimuli-Responsive supramolecular assemblies constructed from pillar[n]arenes. Acc. Chem. Res. 51, 1656–1666. doi:10.1021/acs.accounts.8b00157

Kim, J. S., and Quang, D. T. (2007). Calixarene-derived fluorescent probes. Chem. Rev. 107, 3780-3799. doi:10.1021/cr068046j

Lagona, J., Mukhopadhyay, P., Chakrabarti, S., and Isaacs, L. (2005). The Cucurbit[n] uril Family. Angew. Chem. Int. Ed. 44, 4844–4870. doi:10.1002/anie.200460675

Li, Y., Li, Q., Miao, X., Qin, C., Chu, D., and Cao, L. (2021). Adaptive Chirality of an Achiral cucurbit[8]uril-based supramolecular organic framework for Chirality Induction in water. *Angew. Chem. Int. Ed.* 60, 6744–6751. doi:10.1002/anie.202012681

Ma, L., Tang, R., Zhou, Y., Bei, J., Wang, Y., Chen, T., et al. (2022). Pillar[5]arenebased [1]rotaxanes with salicylaldimine as the stopper: Synthesis, characterization and application in the fluorescence turn-on sensing of Zn(2+) in water. *Chem. Commun.* 58, 8978–8981. doi:10.1039/d2cc02893j

Masson, E., Ling, X., Joseph, R., Kyeremeh-Mensah, L., and Lu, X. (2012). Cucurbituril chemistry: A tale of supramolecular success. *RSC Adv.* 2, 1213–1247. doi:10.1039/C1RA00768H

Murray, J., Kim, K., Ogoshi, T., Yao, W., and Gibb, B. C. (2017). The aqueous supramolecular chemistry of cucurbit[n]urils, pillar[n]arenes and deep-cavity cavitands. *Chem. Soc. Rev.* 46, 2479–2496. doi:10.1039/c7cs00095b

Ni, X.-L., Xiao, X., Cong, H., Zhu, Q.-J., Xue, S.-F., and Tao, Z. (2014). Self-Assemblies based on the "Outer-surface interactions" of cucurbit[n]urils: New Opportunities for supramolecular Architectures and materials. *Acc. Chem. Res.* 47, 1386–1395. doi:10. 1021/ar5000133

Ogoshi, T., Kakuta, T., and Yamagishi, T. A. (2018). Applications of pillar[n]arenebased supramolecular assemblies. *Angew. Chem. Int. Ed.* 58, 2197–2206. doi:10.1002/ anie.201805884

Ogoshi, T., Kanai, S., Fujinami, S., Yamagishi, T.-A., and Nakamoto, Y. (2008). para-Bridged Symmetrical pillar[5]arenes: Their Lewis acid Catalyzed synthesis and host-guest property. J. Am. Chem. Soc. 130, 5022–5023. doi:10.1021/ja711260m Palma, A., Artelsmair, M., Wu, G., Lu, X., Barrow, S. J., Uddin, N., et al. (2017). Cucurbit[7]uril as a supramolecular artificial Enzyme for Diels-Alder Reactions. *Angew. Chem. Int. Ed.* 56, 15688–15692. doi:10.1002/anie.201706487

Pedersen, C. J. (1967). Cyclic polyethers and their complexes with metal salts. J. Am. Chem. Soc. 89, 7017–7036. doi:10.1021/ja01002a035

Peng, S., He, Q., Vargas-Zúñiga, G. I., Qin, L., Hwang, I., Kim, S. K., et al. (2020). Strapped calix[4]pyrroles: From syntheses to applications. *Strapped calix*[4]pyrroles syntheses Appl. Chem. Soc. Rev. 49, 865–907. doi:10.1039/C9CS00528E

Szejtli, J. (1998). Introduction and general Overview of cyclodextrin chemistry. *Chem. Rev.* 98, 1743–1754. doi:10.1021/cr970022c

Wang, J., Cen, M., Wang, J., Wang, D., Ding, Y., Zhu, G., et al. (2022). Water-soluble pillar[4]arene[1]quinone: Synthesis, host-guest property and application in the fluorescence turn-on sensing of ethylenediamine in aqueous solution, organic solvent and air. *Chin. Chem. Lett.* 33, 1475–1478. doi:10.1016/j.cclet.2021.08.044

Wang, L., Cheng, L., Li, G., Liu, K., Zhang, Z., Li, P., et al. (2020). A self-Cross-Linking supramolecular polymer network Enabled by crown-Ether-based molecular Recognition. J. Am. Chem. Soc. 142, 2051–2058. doi:10.1021/jacs.9b12164

Wang, S., Xu, Z., Wang, T., Xiao, T., Hu, X.-Y., Shen, Y.-Z., et al. (2018). Warm/cooltone switchable thermochromic material for smart windows by orthogonally integrating properties of pillar[6]arene and ferrocene. *Nat. Commun.* 9, 1737. doi:10.1038/s41467-018-03827-3

Wang, X., Jia, F., Yang, L. P., Zhou, H., and Jiang, W. (2020). Conformationally adaptive macrocycles with flipping aromatic sidewalls. *Conformationally Adapt. macrocycles Flip. aromatic sidewalls. Chem. Soc. Rev.* 49, 4176–4188. doi:10.1039/ d0cs00341g

Wu, H., and Xiao, T. (2020). Supramolecular polymers with AIE property fabricated from a Cyanostilbene Motif-derived Ditopic Benzo-21-crown-7 and a Ditopic Dialkylammonium Salt. *Front. Chem.* 8, 610093. doi:10.3389/fchem.2020.610093

Wu, J. R., Wu, G., and Yang, Y. W. (2022). Pillararene-inspired macrocycles: From Extended pillar[n]arenes to Geminiarenes. *Acc. Chem. Res.* 55, 3191–3204. doi:10.1021/acs.accounts.2c00555

Xiao, T., Chen, D., Qian, H., Shen, Y., Zhang, L., Li, Z.-Y., et al. (2023). Pillar[5]arenebased light-harvesting assemblies with sequential energy-transfer for tunable emission and photocatalysis. *Dyes Pigments* 210, 110958. doi:10.1016/j.dyepig.2022.110958

Xiao, T., Elmes, R., and Yao, Y. (2020). Editorial: Host-Guest chemistry of macrocycles. Front. Chem. 8, 628200. doi:10.3389/fchem.2020.628200

Xiao, T., Qi, L., Zhong, W., Lin, C., Wang, R., and Wang, L. (2019). Stimuli-responsive nanocarriers constructed from pillar[n]arene-based supra-amphiphiles. *Mater. Chem. Front.* 3, 1973–1993. doi:10.1039/c9qm00428a

Xiao, T., Qian, H., Shen, Y., Wei, C., Ren, D., Zhang, L., et al. (2022). A tunable artificial light-harvesting system based on host-guest interaction exhibiting ultrahigh antenna effect and narrowed emission band. *Mater. Today Chem.* 24, 100833. doi:10. 1016/j.mtchem.2022.100833

Xiao, T., Xu, L., Zhong, W., Zhou, L., Sun, X.-Q., Hu, X.-Y., et al. (2018). Advanced Functional materials constructed from pillar[n]arenes. *Isr. J. Chem.* 0, 1219–1229. doi:10.1002/ijch.201800026

Xiao, T., Xu, L., Zhou, L., Sun, X.-Q., Lin, C., and Wang, L. (2019). Dynamic hydrogels mediated by macrocyclic host-guest interactions. *J. Mater. Chem. B* 7, 1526–1540. doi:10.1039/C8TB02339E

Xiao, T., Zhong, W., Xu, L., Sun, X.-Q., Hu, X.-Y., and Wang, L. (2019). Supramolecular vesicles based on pillar[n]arenes: Design, construction, and applications. *Supramol. vesicles based pillar*[n]arenes Des. Constr. Appl. Org. Biomol. Chem. 17, 1336–1350. doi:10.1039/C80B03095B

Xiao, T., Zhong, W., Zhou, L., Xu, L., Sun, X.-Q., Elmes, R. B. P., et al. (2019). Artificial light-harvesting systems fabricated by supramolecular host-guest interactions. *Chin. Chem. Lett.* 30, 31–36. doi:10.1016/j.cclet.2018.05.034

Xiao, T., Zhou, L., Sun, X.-Q., Huang, F., Lin, C., and Wang, L. (2020). Supramolecular polymers fabricated by orthogonal self-assembly based on multiple hydrogen bonding and macrocyclic host-guest interactions. *Chin. Chem. Lett.* 31, 1–9. doi:10.1016/j.cclet.2019.05.011

Xiao, T., Zhou, L., Xu, L., Zhong, W., Zhao, W., Sun, X.-Q., et al. (2019). Dynamic materials fabricated from water soluble pillar[n]arenes bearing triethylene oxide groups. *Chin. Chem. Lett.* 30, 271–276. doi:10.1016/j.cclet.2018.05.039

Xue, M., Yang, Y., Chi, X., Zhang, Z., and Huang, F. (2012). Pillararenes, A new Class of macrocycles for supramolecular chemistry. *Acc. Chem. Res.* 45, 1294–1308. doi:10. 1021/ar2003418

Zhang, Z. Y., and Li, C. (2022). Biphen[n]arenes: Modular synthesis, Customizable cavity Sizes, and Diverse Skeletons. *Acc. Chem. Res.* 55, 916–929. doi:10.1021/acs. accounts.2c00043

Zhu, Y., Chen, T., and Cui, Z. (2022). Multiple Pickering emulsions stabilized by the same particles with different extent of hydrophobization *in situ. Front. Chem.* 10, 950932. doi:10.3389/fchem.2022.950932