



OPEN ACCESS

EDITED BY

Xiaolong Ji,
Zhengzhou University of Light
Industry, China

REVIEWED BY

Lili Wang,
Institute of Food Science and
Technology (CAAS), China
Dianzhi Hou,
Beijing Technology and Business
University, China
Xijuan Yang,
Qinghai University, China

*CORRESPONDENCE

Qiang Ma
maqiang@ccqmg.edu.cn
Yang Yao
yaoyang@caas.cn

SPECIALTY SECTION

This article was submitted to
Food Chemistry,
a section of the journal
Frontiers in Nutrition

RECEIVED 11 June 2022

ACCEPTED 15 July 2022

PUBLISHED 16 September 2022

CITATION

Shi Z, Li S, Wei Z, Wang Y, Zhou N,
Ma Q and Yao Y (2022)
Immunomodulatory activity of
glycoproteins isolated from chickpea
(*Cicer arietinum* L.).
Front. Nutr. 9:966705.
doi: 10.3389/fnut.2022.966705

COPYRIGHT

© 2022 Shi, Li, Wei, Wang, Zhou, Ma
and Yao. This is an open-access article
distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s)
are credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Immunomodulatory activity of glycoproteins isolated from chickpea (*Cicer arietinum* L.)

Zhenxing Shi^{1,2,3}, Shiyu Li¹, Zuchen Wei^{1,4}, Yuanji Wang¹,
Nong Zhou⁴, Qiang Ma^{2*} and Yang Yao^{1*}

¹Institute of Crop Science, Chinese Academy of Agricultural Sciences, Beijing, China, ²Department of Basic Medicine, Chongqing Three Gorges Medical College, Chongqing, China, ³School of Food Science and Technology, Henan University of Technology, Zhengzhou, China, ⁴Laboratory for Green Cultivation and Deep Processing of Three Gorges Reservoir Area's Medicinal Herbs, College of Life Science and Engineering, Chongqing Three Gorges University, Chongqing, China

Chickpea (*Cicer arietinum* L.) is a well-known legume widely used as traditional medicine. This study aimed to characterize the structure and evaluate the immunomodulatory activity of one glycoprotein [crude chickpea glycoprotein-1 (CAG-1)] isolated from chickpea. CAG-1 was extracted with hot alkaline water and purified with DEAE-Sepharose Fast Flow and Superdex-200 column chromatography. CAG-1, with a molecular weight of 8,106 Da, contained 57.12% polysaccharide and 35.41% protein. The polysaccharide part was mainly composed of glucose (Glc). The protein part was connected mainly by aspartic (Asp) and glutamic (Glu). The results of nuclear magnetic resonance (NMR) analysis indicated the presence of α -d-Glcp-(1 \rightarrow 4)- α -d-Glcp-(1 \rightarrow 4)- α -d-Glcp-(1 \rightarrow). In addition, the sugar chains of the glycoprotein were not hydrolyzed under alkaline conditions, suggesting that the glycoprotein was N-glycosidic; thus, the sugar chain was linked to the protein chain by Asp. An immunological study showed that CAG-1 stimulated the production of nitric oxide (NO), interleukin-6 (IL-6), tumor necrosis factor- α (TNF- α), and monocyte chemotactic protein 1 (MCP-1) in RAW 264.7 macrophages in a dose-dependent manner.

KEYWORDS

glycoprotein, structural characterization, immunomodulatory, RAW 264.7 murine macrophage cell, chickpea

Introduction

An innate immune system is the body's first line of defense against harmful foreign substances, such as bacteria, viruses, and fungi (1). Macrophages are important effector cells of the immune system. Activation of macrophages to release molecules with immunomodulatory activity, such as nitric oxide (NO), interleukin-1 β (IL-1 β), and tumor necrosis factor- α (TNF- α), has been reported to play a key role in the resistance to external pathogens (2). In recent years, various natural products from plants were demonstrated to exhibit immunomodulatory activity through the stimulation of the release of proinflammatory cytokines, with low toxicity and side effects (3, 4).

Glycoprotein is composed of two parts of sugar and protein connected by covalent bonds. Plant-derived glycoprotein performs various pharmacological activities in the body, such as anti-inflammatory (5), antihyperglycemia (6), antiproliferation (7), antioxidant (8), antiallergy (9), and immunomodulatory. Among them, immunomodulatory activity was the most widely reported. Niu et al. (10) demonstrated the immunomodulatory activity of Chinese yam glycoprotein by evaluating its effect on the production of TNF- α , interleukin-6 (IL-6), and NO in peritoneal macrophages. Nowadays, studies on the relationship between the chemical structure and bioactivity of glycoproteins have attracted great attention. In a previous study, the hypoglycemic activity of glycoproteins isolated from pea was found to be related to molecular weight (6).

As one of the most consumed legumes worldwide, chickpea (*Cicer arietinum* L.) represents nearly 20% of global legume production (11). Chickpea has a long history of planting and application in China due to its pharmacology activities, especially in Uygur traditional Chinese medicine (12). Accumulated studies showed that chickpea is rich in functional phytochemicals, such as isoflavones and peptides, which have physiological effects such as antidiabetic (9) and antiproliferative activities (13). The water-extracted polysaccharide in chickpea was claimed to have many biological activities, such as antioxidant activity (14) and angiotensin I converting enzyme (ACE-I) inhibitory activity (15). In addition, three polysaccharides were obtained under neutral conditions and performed a strong immunomodulatory activity in immunodeficient mice (16). However, to the best of our knowledge, there is a rare study that focuses on the chemical structure and immunomodulatory activity of chickpea glycoprotein. Therefore, in this study, a glycoprotein fraction was isolated from chickpea [crude chickpea glycoprotein-1 (CAG-1)] and purified with ion-exchange chromatography and gel-filtration chromatography, and the chemical structure was characterized by multiple methods. Then, the *in vitro* immunomodulatory activity was evaluated.

Materials and methods

Materials and reagents

Chickpea seeds (Xinying No. 3) were obtained from the Xinjiang Academy of Agricultural Sciences. DEAE-Sepharose Fast Flow and Superdex-200 were obtained from GE Healthcare Bio-Sciences Co. (Piscataway, NJ, USA). Griess reagent, arabinose (Ara), rhamnose (Rha), xylose (Xyl), galacturonic acid (GalA), galactose (Gal), glucose (Glc), glucuronic acid (GlcA), amino acid standard solution (AAS18), and 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) were purchased from Sigma-Aldrich (St. Louis, Miss., USA). RPMI-1640 media, Dulbecco's modified Eagle's medium

(DMEM), lipopolysaccharide (LPS), phosphate-buffered saline (PBS), and fetal bovine serum (FBS) were obtained from Gibco BRL Life Technologies (Grand Island, NY, USA). The RAW 264.7 murine macrophage cell line was purchased from the Cell Resources Centre of the Chinese Academy of Sciences (Shanghai, China). OptEIA enzyme-linked immunosorbent assay (ELISA) kits for detecting tumor necrosis factor- α (TNF- α), monocyte chemotactic protein 1 (MCP-1), and IL-6 were purchased from BD Biosciences (San Diego, CA, USA). All other chemicals and solvents used were of analytical grade unless otherwise specified.

Extraction of CAG

The CAG was extracted according to our previous method (3) with some modifications. Chickpea seed powder was extracted with 95% ethanol (1:10 w/v) for 24 h and then with alkaline water (1:20 w/v, pH 9.0) two times for 4 h (50°C). Non-extractable solid was removed by centrifugation (4,000 g, 15 min). The supernatant was precipitated with 95% ice-cold ethanol (1:4, v/v) overnight. The precipitate was collected and redissolved in distilled water. The Sevage method was used to remove free protein. The supernatant was collected and precipitated with 95% ice-cold ethanol (1:4, v/v) overnight, again, to obtain the CAG.

Purification of glycoproteins

The CAG was dissolved in distilled water with centrifugation (10,000 g, 10 min), and then, the supernatant was loaded onto an ÄKTA explorer 100 purification system with a DEAE-Sepharose Fast Flow column (2.6 cm² × 100 cm), which was first washed with distilled water and the bound polysaccharides were eluted with a 0–2.0 M NaCl gradient at a flow rate of 4 ml/min. Two elution peaks were obtained in the profile, and only the first fraction was studied due to its high yield. After that, the first fractions were dialyzed, lyophilized, and further purified with a Superdex-200 column. A high-performance liquid chromatography system (LC-20AT, Shimadzu, Japan) with a Shimadzu RID-10A refractive index detector (Kyoto, Japan) was used to monitor the elution. One glycoprotein, named CAG-1, was collected, dialyzed, and lyophilized. Polysaccharide content and protein content were determined, respectively, by the Kjeldah method and the phenol–sulfuric acid reaction method.

Determination of molecular weight

The molecular weight of CAG-1 was measured using a high performance size exclusion chromatography system coupled with a multi-angle laser light scattering and refractive index

(HPSEC-MALLS-RID) detector, which consisted of a pump (LC-20AD, Shimadzu, Kyoto, Japan), an HPSEC column (SB-805HQ, Shodex, Kyoto, Japan), a MALLS detector (DAWN HELEOS-II, Wyatt Technology, Santa Barbara, CA, USA), and an RI detector (Optilab Rex, Wyatt Technology, Santa Barbara, CA, USA). Samples were filtered through a 0.45- μm pore membrane before injection (200 μl) and eluted with 0.1 M NaCl (0.5 ml/min). The column temperature was maintained at 40°C.

Determination of monosaccharide composition

The method of determining the composition of monosaccharides was carried out in a previous study (17). Approximately 2 mg of CAG-1 was mixed with 1 ml of trifluoroacetic acid (TFA) (2M) to hydrolyze (120°C, 90 min) and evaporated to dryness on a rotary evaporator. Approximately 2 ml of double-distilled water and 100 mg of sodium borohydride were added to reduce the residue, and glacial acetic acid to neutralize it, and then, it was evaporated by rotary steam and oven dried at 110°C. Approximately 1 ml of acetic anhydride was added and heated at 100°C for 1 h and 3 ml of toluene was added and evaporated to dryness after cooling, repeated four to five times to remove excess acetic anhydride. The acetylated product was dissolved in 3 ml of chloroform and transferred to a separatory funnel. After adding distilled water and shaking completely, the upper aqueous solution was removed for five times. The chloroform layer was dried with an appropriate amount of anhydrous sodium sulfate to a constant volume of 10 ml. The gas chromatography-mass spectrometer (GC-MS) (Shimadzu, GCMS-QP 2010, Kyoto, Japan) was used for sample analysis of the acetylation product.

Determination of amino acid composition

Gas chromatography-mass spectrometry was used to determine the amino acid composition of samples (18). Briefly, the sample was mixed with 6M HCl in a hydrolysis tube and hydrolyzed at 100°C for 12 h. The solvent was removed from HCl by rotary evaporation, n-butanol was added, incubated at 100°C for 1 h, and then rotated to dryness. Acetylate trifluoroacetic anhydride was mixed with the sample at 50°C for 10 min. The standards used the same derivation method. The reaction was stopped with water and extracted with dichloromethane (CH_2Cl_2). In addition, the conditions of GC-MS were listed as follows: the chromatographic column was 30 m \times 0.25 mm \times 0.25 μm (RXI-5 SIL MS, Shimadzu, Tokyo, Japan); the temperature program conditions were an initial temperature of 60°C, heating at 4°C/min up to 280°C/min

and maintained for 5 min, the inlet temperature was 250°C, the detector temperature was 250°C/min, the carrier gas was helium, and the flow rate was 1 ml/min.

Analysis of Fourier transform infrared spectroscopy spectra

Functional groups of CAG-1 were analyzed by Fourier transform infrared (FT-IR) spectroscopy (Bruker, Rheinstetten, Germany). Approximately 2 mg of the sample was mixed with 200 mg of KBr and completely ground. The KBr powder was considered blank. They were placed in the pellets for scanning and recording in the range of 4,000–400 cm^{-1} .

Methylation analysis

Methylation analysis was carried out according to a previously described method (19). Briefly, 10 mg of CAG-1 was added with 100 μl of dimethyl sulfoxide and 2 mg of NaOH, sealed and ultrasonically dissolved. Approximately 1 ml of methyl iodide (CH_3I) was added and reacted at 30°C for 60 min. Finally, 2 ml of ultrapure water was added to the above mixture to terminate the methylation reaction.

The methylated sample was mixed with 1 ml of 2M TFA and hydrolyzed for 90 min and subsequently evaporated by a rotary evaporator. The residue was reduced by adding 2 ml of double-distilled water and 60 mg of sodium borohydride for 8 h, followed by adding glacial acetic acid for neutralization and rotary steaming at 101°C. Approximately 1 ml of acetic anhydride was added into the solution and reacted at 100°C for 1 h and cooled. Then, 3 ml of toluene was added to remove excess acetic anhydride for five times. The acetylated sample was dissolved with 3 ml of CH_2Cl_2 and transferred to a separatory funnel. After adding a small amount of distilled water and shaking sufficiently, the upper aqueous solution was removed four times. The CH_2Cl_2 layer was dried with an appropriate amount of anhydrous sodium sulfate, fixed to a volume of 10 ml, and placed in a liquid phase vial. The Shimadzu GCMS-QP 201 GC-MS was used to determine the acetylated product samples.

^1H and ^{13}C nuclear magnetic resonance analysis

The purified CAG-1 sample (20 mg) was dissolved in a D_2O solution at 20°C. Bruker Avance 600 and Bruker Avance 500 nuclear magnetic resonance (NMR) spectrometers (Bruker, Ettlingen Germany) were used (operating frequencies of ^1H : 600.1 and 499.8 MHz, operating frequencies of ^{13}C : 150.9 and 125.7 MHz). ^1H and ^{13}C spectra, Dept135, HSQC, HHCOSY, and HMBC spectra, and CWP and CWP-0.2 spectra were

recorded at 30 MHz with an MBC spectrometer (Bruker, Rheinstetten, Germany).

Immunostimulatory activity analysis

The evaluation of the immunostimulatory activity was performed by the previous method in the laboratory (3). RAW 264.7 cells in the logarithmic growth phase were washed two times with PBS, digested with trypsin, and then centrifuged (4°C, 1,000 rpm, 4 min). After resuspending the cell, the cell density was adjusted to 2.5×10^6 cells/ml in RPMI-1640 complete medium. Then, 100 μ l of cells were added to a 96-well plate, placed in a CO₂ incubator (5% CO₂, 37°C, saturated humidity), cultured for 24 h, and the medium was subsequently discarded. Approximately 100 μ l of cells and 100 μ l of samples (20, 40, 60, 80, and 100 μ g/ml) were added in a 96-well plate, and the LPS solution was used as a control group with the concentration of 1 μ g/ml. Roughly 100 μ l of culture medium was considered as a blank group. Among them, they were placed in a CO₂ incubator (5% CO₂, 37°C, saturated humidity) for 24 h, and 50 μ l of each of the supernatants of each group was taken after 24 h adding 50 μ l of Griess reagent, then reacted at room temperature for 15 min. After removing the bubbles, the absorbance at 540 nm was measured, and the amount of immune mediator (NO) in the supernatant was calculated. The production of TNF- α , MCP-1, and IL-6 cytokines was measured by ELISA kits according to the instructions (Becton, Dickinson and Company, NJ, USA).

Cytotoxicity of CAG-1 on RAW 264.7 cell was evaluated according to the previous method with some modifications (20). Cells in the logarithmic growth phase were washed two times with PBS, digested with trypsin, and then centrifuged (4°C, 1,000 rpm, 4 min). After resuspending the cell, the cell density was adjusted to 2.5×10^6 cells/ml in RPMI-1640 complete medium. Then, 100 μ l of cells were added to a 96-well plate, placed in a CO₂ incubator (5% CO₂, 37°C, saturated humidity), and cultured for 24 h, and the medium was subsequently discarded. Approximately 100 μ l of RPMI-1640 complete medium contained in samples (20, 40, 60, 80, and 100 μ g/ml) was added in each well after washing two times with PBS cultured for 24 h. Approximately 10 μ l of MTT reagent (5 mg/ml) was added and placed in a CO₂ incubator and was continued to culture for 4 h. Dimethyl sulfoxide was added to each well after washing two times with PBS and incubated for 1 h. The absorbance of each well solution was measured at a wavelength of 570 nm, and the cell viability was calculated based on the absorbance.

$$\text{Cell survival rate (\%)} = \left(\frac{\text{absorbance of sample}}{\text{absorbance of control group}} \right) \times 100 \quad (1)$$

Statistical analysis

Data were presented as mean \pm standard deviation (SD). Statistical analysis was performed by GraphPad Prism 8.0.2 (GraphPad Software, San Diego, CA, USA) Statistical significance of differences was considered statistically significant at a $p < 0.05$ and assessed by a one-way analysis of variance (ANOVA) test.


Results and discussion

Purification of CAG

Chickpea seed powder was extracted under alkali conditions to obtain alkali-extracted crude chickpea glycoprotein. CAG was further purified with a DEAE-Sepharose column with a yield of 2.15% (Figure 1A). Then, it was filtered again through a Superdex-200 column, and one glycoprotein (CAG-1) was obtained (Figure 1B) with a yield of 16.8%. The polysaccharide content and protein content of CAG-1 were determined as 57.12 and 35.41% (Table 1), respectively. Glycoproteins contain more proteins than polysaccharides, and Qin et al. (6) reported that glycoproteins isolated from legumes (peas) with hot water contained 55.98–85.93% protein and 12.0–41.94% of polysaccharide. However, the extraction condition significantly influences the composition of the extracted products. Chen et al. (21) found that alkali-soluble polysaccharide/protein conjugates contained more neutral sugar and uronic acid than protein. In previous studies, the molecular weight of plant-derived glycoproteins was reported to be 14.4–897.4 kDa (6, 22). In the present study, the molecular weight of CAG-1 was determined to be 8,106 Da (Table 1), which is lower than the previous results. The slight differences with our results could also be due to differences in extraction methods.

FT-IR spectra analysis

Fourier transform infrared spectroscopy spectra indicated chemical functional groups in the samples. As seen in Figure 2, the results of CAG-1 indicated that the absorption peak at 3,415 and 2,925 cm^{-1} were the O-H stretching vibration and the C-H stretching vibration, whose absorption peak at 3,415 was the characteristic peak of sugars (23). Meanwhile, the absorption peak at 1,656 cm^{-1} was induced by C=O asymmetric stretching vibration (6, 24). In the range from 1,420 to 1,200 cm^{-1} , the absorption peaks were caused by the variable-angle vibration of C-H (6). The main absorption peaks in this region were 1,413 and 1,243 cm^{-1} . In addition, the absorption peak at 1,200–1,000 cm^{-1} was a wide peak, which was mainly caused by C-O stretching vibrations, namely C-O-H and C-O-C (6).



The asymmetric ring stretching vibration was performed at absorption peaks of 919 cm^{-1} .



Monosaccharide composition and glycosidic linkage analysis

Seven monosaccharides were used as a standard to measure the monosaccharide composition of CAG-1 by GC-MS analysis. As seen in [Figure 3](#), only Glc was found. A previous study showed that arabinan (Ara) was rich in chickpea hull (25); however, Ara was not detected in CAG-1, which may be in part because CAG-1 originated from chickpea seeds rather than chickpea hulls. On the contrary, the alkali solution was

TABLE 1 The polysaccharide content, protein content, and molecular weight of crude chickpea glycoprotein-1 (CAG-1).

Sample ID	Polysaccharide content (%)	Protein content (%)	Mw (Da)
CAG-1	57.1 ± 2.3	35.4 ± 3.2	8,106

beneficial for the dissolution of Glc. Through methylation analysis, it has been found that CAG-1 has five kinds of glycosidic bonds. Among them, $\rightarrow 4\text{-Glc}p\text{-}(1 \rightarrow$ and $\rightarrow 4,6\text{-Glc}p\text{-}(1 \rightarrow$ were the main glycosidic bonds detected ([Table 2](#)).



Amino acid composition analysis

A total of eight amino acids, which included alanine (Ala), threonine (Thr), serine (Ser), leucine (Leu), proline (Pro), aspartic (Asp), phenylalanine (Phe), and glutamic (Glu), were found in CAG-1 (Figure 4). Based on the peak area, the relative

amino acid content was calculated. As seen in Table 3, the content of Glu and Asp was higher than that of others. The bulky side chains of Glu affected the activity of acetylcholinesterase, which was important in the treatment of Alzheimer's disease (26). In addition, Ala, Thr, and Ser existed in CAG-1. More information was obtained by analytical NMR.

TABLE 2 Glycosidic bonds and types of linkage in CAG-1.

RT (min)	Glycosidic bonds	Mass fragments (m/z)	Molar ratios	Type of linkage
16.239	2,3,4,6-Me ₄ -Glc _p	43,71,87,101,117,129,145,161,205	0.14	Glc _p -(1 →
21.378	2,3,6-Me ₃ -Glc _p	43,87,99,101,113,117,129,131,161,173,233	0.53	→ 4)-Glc _p -(1 →
24.723	2,6-Me ₂ -Glc _p	43,87,97,117,159,185	0.10	→ 3,4)-Glc _p -(1 →
27.242	2,3-Me ₂ -Glc _p	43,71,85,87,99,101,117,127,159,161,201	0.20	→ 4,6)-Glc _p -(1 →
30.09	2-Me ₁ -Glc _p	43,58,87,97,117,139	0.03	→ 3,4,6)-Glc _p -(1 →




TABLE 3 Amino acids in CAG-1.

RT (min)	Type	Content (g/100 g)
13.348	Ala	1.1
15.537	Thr	0.7
16.27	Ser	1.8
19.195	Leu	1.8
23.385	Pro	1.6
29.901	Asp	7.1
30.124	Phe	0.8
33.664	Glu	20.4

NMR spectroscopy analysis

The ¹H NMR spectrum, ¹³C NMR spectrum, DEPT135 one-dimensional spectrum, and two-dimensional spectrum were measured with an NMR instrument, and the results of CAG-1 are illustrated in Figure 5. These signal peaks were distributed mainly in the 1–8 ppm area according to the ¹H NMR spectrum (Figure 5A). In addition, the 0–3.2, 3.2–5.2, and 6.5–8 ppm regions were mainly attributed to aliphatic alkane hydrogen signal peaks, polysaccharide hydrogen signal

peaks, and the aromatic hydrogen signal peaks, respectively (Figure 5A). According to the ¹³C NMR spectrum, 130.1 and 130.5 ppm were attributed to the aromatic benzene ring peaks and 158.1 and 162.2 ppm to the amide bond carbon. Moreover, 174.2, 174.9, 179.1, and 182.7 ppm were the amino acid carboxyl group, and 97.1 and 101.1 ppm were the dextran anomeric hydrogen signal peaks (Figure 5B). According to the ¹³C NMR and DEPT135 spectra, methylene signal peaks were mainly 23.50, 25.92, 27.75, 29.01, 32.54, 34.92, 35.04, 39.96, 40.66, 41.98, 43.98, 49.37, 61.73, 62.56, and 63.02 ppm, of which 61.73, 62.56, and 63.02 ppm were the sugar C₆ signal peaks (Figure 5C). Others were the methylene signal peaks in the polypeptide, while 14.51, 19.93, and 21.61 ppm were methyl signals. The results of methylation demonstrated that the glycosidic bond of the polysaccharide part of the glycoprotein was mainly composed of Glc_p-(1 → 4)-Glc_p-(1 →), so the polysaccharide part of the glycoprotein was mainly 1,4-linked dextran sugar.

According to the HSQC spectrum, δ101.23 was observed, which was the anomeric carbon signal, and the corresponding anomeric hydrogen signal in the HSQC spectrum was δ5.29 (Figure 5D). The HH-COSY, used to mark the signal of H_{1–2}, H_{2–3}, and H_{3–4}, indicated that H₁, H₂, H₃, and H₄ were δ5.29, δ3.5, δ3.89, and δ3.57, respectively (Figure 5E). The corresponding chemical shifts of C_{1–4} were δ101.23, δ72.75,




FIGURE 5
Nuclear magnetic resonance (NMR) spectra of CAG-1 in D₂O. (A) ¹H spectra; (B) ¹³C spectra; (C) DEPT₁₃₅; (D) HSQC (in blue) + HMBC spectra (in red); and (E) COSY spectra.

TABLE 4 ¹H and ¹³C nuclear magnetic resonance (NMR) chemical shifts in CAG-1 (ppm).

Glycosyl residues	H1a,b	H2	H3	H4	H5	H6a	H6b
	C1	C2	C3	C4	C5	C6	
Residue A	4.89	3.5	3.92	3.66	3.35	3.68	
α -d-Glcp-(1 \rightarrow)	99.71	73.052	74.88	73.88	70.5	63.02	
Residue B	5.29	3.5	3.89	3.57	3.76	3.73	3.76
\rightarrow 4)- α -d-Glcp-(1 \rightarrow)	101.23	72.75	74.66	78.6	72.45	61.73	
Residue C	4.57	3.2	3.68	3.58	3.53	3.77	
\rightarrow 4)- β -d-Glcp	97.2	75.07	77.58	78.75	75.9	61.99	

δ 74.66, and δ 78.6. The corresponding C₅ was δ 72.45, and its chemical shift of C₆ was δ 61.73. Therefore, the signal attributed to the glycosidic bond \rightarrow 4)- α -Glcp-(1 \rightarrow). It was observed that the anomeric carbon signal was δ 99.71, and the corresponding anomeric hydrogen signal in the HSQC spectrum was δ 4.89 (Figure 5D). When the HH-COSY appeared, the signal of H₁₋₂ was 4.89/3.50, and the signal of H₂₋₃ was 3.50/3.92. Meanwhile, the signal of H₃₋₄ was 3.92/3.66 (Figure 5E). It was deduced that H₁, H₂, H₃, and H₄ were δ 4.89, δ 3.5, δ 3.92, and δ 3.66, respectively. The corresponding chemical shifts from C₁-C₄ were δ 99.71, δ 73.052, δ 74.88, and δ 73.88. The corresponding C₅ was 70.50, and the chemical shift of C₆ was δ 63.02. Therefore, the signal should be attributed to the glycosidic bond α -Glcp-(1 \rightarrow), and the correlation peaks are presented in Table 4.

HMBC analysis showed that the anomeric hydrogen of the polysaccharide has a correlation peak with its own C₄, indicating the existence of \rightarrow 4)- α -d-Glcp-(1 \rightarrow 4)- α -d-Glcp-(1 \rightarrow glycosidic bond. The anomeric carbon of α -d-Glcp-(1 \rightarrow and its \rightarrow 4)- α -d-Glcp-(1 \rightarrow H4) have correlation peaks, indicating the presence of α -d-Glcp-(1 \rightarrow 4)- α -d-Glcp-(1 \rightarrow). In addition, the protein component of the glycoprotein was mainly connected by Asp acid and Glu acid and contains some Ala, Thr, Ser, Leu, Pro, and Phe. As the sample was extracted with alkaline water, similar to the β -elimination reaction, the sugar chains in the glycoprotein were not hydrolyzed under alkaline conditions, indicating that the polysaccharide had an N-glycosidic bond. The sugar chain was linked to the protein chain by Asp acid.

Immunomodulatory activity

With an increase in sample concentration, the survival rate of RAW264.7 macrophages did not change significantly ($p < 0.05$) (data not shown). Immune activity was evaluated by cell viability, cellular NO release, TNF- α , MCP-1, and IL-6 (Figure 6). As an important signaling molecule, NO regulates a diverse range of physiological processes in many tissues. LPS caused cells to swell by increasing NO release, so the LPS group




FIGURE 6 (Continued)
(MCP-1), and interleukin-6 (IL-6) in macrophages RAW 264.7 cells. (A) NO; (B) TNF- α ; (C) MCP-1; and (D) IL-6. Values are mean \pm standard deviation (SD) ($n = 3$). ## $p < 0.01$ compared to control and ** $p < 0.01$ compared to lipopolysaccharide (LPS).

was considered a positive control (10). NO production in the control and LPS groups was 5.02 and 32.07 μ M, respectively. At the experimental concentration (20–100 μ g/ml), the production of NO was associated with the concentration of CAG-1. The production of NO in CAG-1 was 8.07 μ M at 20 μ g/ml, while it increased to 24.53 μ M at 100 μ g/ml, indicating its strong effect on macrophage activation. Associated with proinflammatory properties, TNF- α plays a key role in innate and adaptive immunity, especially in host defense mechanisms that terminate intracellular bacteria (27). Accumulating studies uncovered that TNF- α also plays important immunoregulatory roles and is directly associated with the maintenance of immune homeostasis (28). This indicates that the net effect of TNF- α is balanced between its immunosuppressive and proinflammatory functions and is decided by the cellular microenvironment and differs (29). In this study, TNF- α , MCP-1, and IL-6 were also significantly increased in the LPS group as the inflammation was caused by LPS (30, 31). In this study, the release of cytokines (TNF- α , MCP-1, and IL6) was significantly increased by 232.61, 162.09, and 86.52% compared to CAG-1 at 10 μ g/ml, respectively. It indicated that CAG-1 moderated inflammation by LPS, which was also observed in glycoproteins isolated from *Cudrania tricuspidata* Bureau (32). In CAG-1 at 10 μ g/ml, the TNF- α , MCP-1, and IL-6 levels were detected to be 428.30, 55.85, and 413.11 pg/ml, respectively.

Conclusion

One alkali-soluble glycoprotein (CAG-1), with a molecular weight of 8,106 Da, was purified from chickpea seeds. Glc was found to be the main component of the polysaccharide part of CAG-1, and $\rightarrow 4$ -Glc p -(1 \rightarrow and $\rightarrow 4,6$ -Glc p -(1 \rightarrow were the main glycosidic bonds detected in CAG-1. A total of eight amino acids were detected in CAG-1; among them, Asp and Glu were the two most important amino acids. The results of NMR analysis indicated the presence of α -d-Glc p -(1 \rightarrow 4)- α -d-Glc p -(1 \rightarrow 4)- α -d-Glc p -(1 \rightarrow . Moreover, the sugar chains in glycoproteins were not hydrolyzed under alkaline conditions, suggesting that the polysaccharide had an N-glycosidic bond, by which the sugar chain was linked to the protein chain by Asp acid. An immunological study showed that CAG-1 stimulated the production of NO, IL-6, TNF- α , and MCP-1 in RAW 264.7 macrophages in a dose-dependent manner. These results suggest that alkali-extracted glycoprotein

of chickpea had immunomodulatory activities and could be beneficial for health.

Data availability statement

The original contributions presented in the study are included in the article/supplementary material, further inquiries can be directed to the corresponding authors.

Author contributions

ZS, SL, and ZW contributed to conception and design of the study. YW organized the database. NZ performed the statistical analysis. ZS wrote the first draft of the manuscript. SL, ZW, YW, and NZ wrote sections of the manuscript. All authors contributed to manuscript revision, read, and approved the submitted version.

Funding

This work was supported by the National Key R&D Program of China (2021YFD1600100), the earmarked

fund for the China Agriculture Research System (CARS-08-G21), the Key Laboratory of Grain Crop Genetic Resources Evaluation and Utilization, and the Science and Technology Research Projects of Chongqing Education Commission (KJQN202102705).

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

- Chavez-Sanchez L, Espinosa-Luna JE, Chavez-Rueda K, Legorreta-Haquet MV, Montoya-Diaz E, Blanco-Favela F. Innate immune system cells in atherosclerosis. *Arch Med Res.* (2014) 45:1–14. doi: 10.1016/j.arcmed.2013.11.007
- Franken L, Schiwon M, Kurts C. Macrophages: sentinels and regulators of the immune system. *Cell Microbiol.* (2016) 18:475–87. doi: 10.1111/cmi.12580
- Yao Y, Zhu YY, Ren GX. Antioxidant and immunoregulatory activity of alkali-extractable polysaccharides from mung bean. *Int J Biol Macromol.* (2016) 84:289–94. doi: 10.1016/j.ijbiomac.2015.12.045
- Yu X, Yang X, Cui B, Wang L, Ren G. Antioxidant and immunoregulatory activity of alkali-extractable polysaccharides from North American ginseng. *Int J Biol Macromol.* (2014) 65:357–61. doi: 10.1016/j.ijbiomac.2014.01.046
- Sheng XT, Yan JM, Meng Y, Kang YY, Han Z, Tai GH, et al. Immunomodulatory effects of *Hericium erinaceus* derived polysaccharides are mediated by intestinal immunology. *Food Funct.* (2017) 8:1020–7. doi: 10.1039/C7FO00071E
- Qin GYX, Xu W, Liu JP, Zhao LY, Chen GT. Purification, characterization and hypoglycemic activity of glycoproteins obtained from pea (*Pisum sativum* L.). *Food Sci Hum Wellness.* (2021) 10:297–307. doi: 10.1016/j.fshw.2021.02.021
- Tsai PF, Ma CY, Wu JSB. A novel glycoprotein from mushroom *Hypsizygus marmoreus* (Peck) Bigelow with growth inhibitory effect against human leukaemic U937 cells. *Food Chem.* (2013) 141:1252–8. doi: 10.1016/j.foodchem.2013.04.024
- Oh PS, Lim KT. Antioxidant activity of *Dioscorea batatas* Decne glycoprotein. *Eur Food Res Technol.* (2008) 226:507–15. doi: 10.1007/s00217-007-0563-6
- Oh PS, Lim KT. Glycoprotein isolated from *Dioscorea batatas* Decne modulates expressions of IL-4 and IL-10 in primary-cultured mouse lymphocytes. *Cell Biochem Funct.* (2009) 27:316–22. doi: 10.1002/cbf.1577
- Niu X, He Z, Li W, Wang X, Zhi W, Liu F, et al. Immunomodulatory activity of the glycoprotein isolated from the Chinese Yam (*Dioscorea opposita* Thunb). *Phytother Res.* (2017) 31:1557–63. doi: 10.1002/ptr.5896
- Martinez KAA, Mejia EG. Comparison of five chickpea varieties, optimization of hydrolysates production and evaluation of biomarkers for type 2 diabetes. *Food Res Int.* (2021) 147:110572. doi: 10.1016/j.foodres.2021.110572
- Ma HR, Wang J, Qi HX, Gao YH, Pang LJ, Yang Y, et al. Assessment of the estrogenic activities of chickpea (*Cicer arietinum* L.) sprout isoflavone extract in ovariectomized rats. *Acta Pharmacol Sin.* (2013) 34:380–6. doi: 10.1038/aps.2012.160
- Giron-Calle J, Alaiz M, Vioque J. Effect of chickpea protein hydrolysates on cell proliferation and in vitro bioavailability. *Food Res Int.* (2010) 43:1365–70. doi: 10.1016/j.foodres.2010.03.020
- Ye ZP, Wang W, Yuan QX, Ye H, Sun Y, Zhang HC, et al. Box-Behnken design for extraction optimization, characterization and *in vitro* antioxidant activity of *Cicer arietinum* L. hull polysaccharides. *Carbohydr Polym.* (2016) 147:354–64. doi: 10.1016/j.carbpol.2016.03.092
- Ghribi AM, Sila A, Gafsi IM, Blecker C, Danthine S, Attia H, et al. Structural, functional, and ACE inhibitory properties of water-soluble polysaccharides from chickpea flours. *Int J Biol Macromol.* (2015) 75:276–82. doi: 10.1016/j.ijbiomac.2015.01.037
- Akhtar HMS, Ye ZP, Abidin M, Hamed YS, Chen GJ, Zeng XX. Immunomodulatory activity in vitro and *in vivo* of polysaccharides from Kabuli Chickpea (*Cicer arietinum* L.) Hull. *Food Technol Biotechnol.* (2020) 58:370–80. doi: 10.17113/ftb.58.04.20.6634
- Ji X, Guo J, Pan F, Kuang F, Chen H, Guo X, et al. Structural elucidation and antioxidant activities of a neutral polysaccharide from *Areca catechu* L.). *Front Nutr.* (2022) 9:853115. doi: 10.3389/fnut.2022.853115
- Li ZR, Wang B, Chi CF, Gong YD, Tang JJ, Luo HY. Purification and characterization of an antioxidant glycoprotein from the hydrolysate of *Mustelus griseus*. *Int J Biol Macromol.* (2013) 52:267–74. doi: 10.1016/j.ijbiomac.2012.10.025
- Ji X, Cheng Y, Tian J, Zhang S, Shi M. Structural characterization of polysaccharide from jujube (*Ziziphus jujuba* Mill.) fruit. *Chem Biol Technol Agric.* (2021) 8:54. doi: 10.1186/s40538-021-00255-2
- Rusanov AL, Lutzgina NG, Lisitsa AV. Sodium dodecyl sulfate cytotoxicity towards HaCaT keratinocytes: comparative analysis of methods for evaluation of cell viability. *Bull Exp Biol Med.* (2017) 163:284–8. doi: 10.1007/s10517-017-3785-z

21. Chen X, Lin Z, Ye Y, Zhang R, Yin J, Jiang Y, et al. Suppression of diabetes in non-obese diabetic (NOD) mice by oral administration of water-soluble and alkali-soluble polysaccharide conjugates prepared from green tea. *Carbohydr Polym.* (2010) 82:28–33. doi: 10.1016/j.carbpol.2010.04.017
22. Zhou Y, Ma Y, Li L, Yang X. Purification, characterization, and functional properties of a novel glycoprotein from tartary buckwheat (*Fagopyrum tartaricum*) seed. *Food Chem.* (2020) 309:125671. doi: 10.1016/j.foodchem.2019.125671
23. Kacurakova M, CAGek P, Sasinkova V, Wellner N, Ebringerova A. FT-IR study of plant cell wall model compounds: pectic polysaccharides and hemicelluloses. *Carbohydr Polym.* (2000) 43:19. doi: 10.1016/S0144-8617(00)00151-X
24. Cui FJ, Li YH, Zan XY, Yang Y, Sun WJ, Qian JY, et al. Purification and partial characterization of a novel hemagglutinating glycoprotein from the cultured mycelia of *Hericium erinaceus*. *Process Biochem.* (2014) 49:1362–9. doi: 10.1016/j.procbio.2014.04.008
25. Sathyanarayana S, Prashanth KVH. Malting process has minimal influence on the structure of arabinan-rich rhamnogalacturonan pectic polysaccharides from chickpea (*Cicer arietinum* L.) hull. *J Food Sci Technol.* (2019) 56:1732–43. doi: 10.1007/s13197-019-03600-4
26. Tsai CH, Yen YH, Yang JPW. Finding of polysaccharide-peptide complexes in *Cordyceps militaris* and evaluation of its acetylcholinesterase inhibition activity. *J Food Drug Anal.* (2015) 23:63–70. doi: 10.1016/j.jfda.2014.05.006
27. Pfeffer K. Biological functions of tumor necrosis factor cytokines and their receptors. *Cytokine Growth Factor Rev.* (2003) 14:185–91. doi: 10.1016/S1359-6101(03)00022-4
28. De Bandt M, Sibilia J, Le Loet X, Prouzeau S, Fautrel B, Marcelli C, et al. Systemic lupus erythematosus induced by anti-tumour necrosis factor alpha therapy: a French national survey. *Arthritis Res Ther.* (2005) 7:R545–51. doi: 10.1186/ar1715
29. Hernandez T, Mayadas TN. Immunoregulatory role of TNF alpha in inflammatory kidney diseases. *Kidney Int.* (2009) 76:262–76. doi: 10.1038/ki.2009.142
30. Kim HL, Ha AW, Kim WK. Effect of saccharin on inflammation in 3T3-L1 adipocytes and the related mechanism. *Nutr Res Pract.* (2020) 14:109–16. doi: 10.4162/nrp.2020.14.2.109
31. Scheller J, Chalaris A, Schmidt-Arras D, Rose-John S. The pro- and anti-inflammatory properties of the cytokine interleukin-6. *Biochim Biophys Acta Mol Cell Res.* (2011) 1813:878–88. doi: 10.1016/j.bbamcr.2011.01.034
32. Joo HY, Lim KT. Glycoprotein isolated from *Cudrania tricuspidata* bureau inhibits iNO and COX-2 expression through modulation of NF-kappa B in LPS-stimulated RAW 264.7 cells. *Environ Toxicol Pharmacol.* (2009) 27:247–52. doi: 10.1016/j.etap.2008.10.014