

Supplementary Material

Next-generation Adjuvant Systems containing Furfurman Drives Potent Adaptive Immunity and Host Defense as a Foot-and-Mouth Disease Vaccine Adjuvant

**Hyeong Won Kim, Seokwon Shin, So Hui Park, Jong-Hyeon Park, Su-Mi Kim, Yoon-Hee Lee,
Min Ja Lee***

* Correspondence: Min Ja Lee: herb12@korea.kr

1 Supplementary Tables and Figures


1.1 Supplementary Table

Supplementary Table 1. List of primer sequences for qRT-PCR.


Target	Forward/Reverse	Sequence (5'- 3')	Length (mer)
<i>ifnα</i>	<i>ifnα</i> F	CATCTGCTCTGGGCTGTG	20
	<i>ifnα</i> R	TGAGGGGATCCAAGTCCCT	20
<i>ifnβ</i>	<i>ifnβ</i> F	TGCAACCACACAATTCCAGA	21
	<i>ifnβ</i> R	GGTTTCATTCCAGCCAGTGC	20
<i>ifnγ</i>	<i>ifnγ</i> F	GCCATTCAAAGGAGCATGGAT	21
	<i>ifnγ</i> R	CTGATGGCTTGCGCTGGAT	20
<i>il-1β</i>	<i>il-1β</i> F	AGCCAGTCTTCATTGTTCAGGT	22
	<i>il-1β</i> R	TCATCTCTTGGGCCATCAG	21
<i>il-6</i>	<i>il-6</i> F	CTGCAGTCACAGAACGAGTG	20
	<i>il-6</i> R	CGGCATCAATCTCAGGTGCC	20
<i>il-12p40</i>	<i>il-12p40</i> F	GGAGTATAAGAAGTACAGAGTGG	23
	<i>il-12p40</i> R	GATGTCCTGATGAAGAACG	20
<i>hprt</i>	<i>hprt</i> F	CCCAGCGTCGTGATTAGTGA	20
	<i>hprt</i> R	GCCGTTCAAGTCCTGTCCATA	20

1.2 Supplementary Figure


A




B




C




D




E




F



G



H



Supplementary Figure 1. Vaccine containing furfurman induces broad-duration host protection against viral infection in mice.

C57BL/6 mice were administered the test vaccine with furfurman (Exp group) or without (PC group). The negative control (NC) group was injected with an equal volume of phosphate-buffered saline (PBS). The test vaccines were injected via the intramuscular route into mice that were later challenged with foot-and-mouth disease virus (FMDV) O (100 lethal dose 50% [LD₅₀] O/VET/2013) or FMDV A (100 LD₅₀ A/Malay/97) at 7, 28, 84, and 168 days post-vaccination (dpv) via the intraperitoneal (IP) route. Survival rates and body weights were monitored for 7 days post-challenge (dpc). (A–H) Body weights post-challenge with O/VET/2013 (A) and A/Malay/97 (B) at 7 dpv; body weights post-challenge with O/VET/2013 (C) and A/Malay/97 (D) at 28 dpv; body weights post-challenge with O/VET/2013 (E) and A/Malay/97 (F) at 84 dpv; body weights post-challenge with O/VET/2013 (G) and A/Malay/97 (H) at 168 dpv. Data are represented as the mean ± SEM of triplicate measurements ($n = 5/\text{group}$).