



Corrigendum: Dissecting the Niche for Alveolar Type II Cells With Alveolar Organoids

Danying Liao¹ and Huaibiao Li^{2*}

¹ Department of Haematology, Union Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China, ² Institute of Reproductive Health, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China

Keywords: lung, alveolar epithelium, alveolar type II epithelial cell, alveolar stem cell, alveolar organoid, Wnt pathway, FGF pathway, coronavirus

OPEN ACCESS

Edited and reviewed by:

Eumorphia Remboutsika,
National and Kapodistrian University
of Athens, Greece

*Correspondence:

Huaibiao Li
lihuaibiao@hust.edu.cn

Specialty section:

This article was submitted to
Stem Cell Research,
a section of the journal
*Frontiers in Cell and Developmental
Biology*

Received: 23 March 2021

Accepted: 30 March 2021

Published: 20 May 2021

Citation:

Liao D and Li H (2021) Corrigendum:
Dissecting the Niche for Alveolar Type
II Cells With Alveolar Organoids.
Front. Cell Dev. Biol. 9:684641.
doi: 10.3389/fcell.2021.684641

A Corrigendum on

Dissecting the Niche for Alveolar Type II Cells With Alveolar Organoids

by Liao, D., and Li, H. (2020). *Front. Cell Dev. Biol.* 8:419. doi: 10.3389/fcell.2020.00419

In the original article, there was a mistake in **Supplementary Table 1** as published. In the original article, the correspondence author inappropriately included a table of an unpublished manuscript. The corrected **Supplementary Table 1** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2021 Liao and Li. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

SUPPLEMENTARY TABLE 1 | Organotypic culture methods of AEC2 cells.

Supporting cells	Culture method	GFs/inhibitors included in basic medium	References
Primary lung Fibroblasts	AEC2 cells were cultured on top of a single layer of fibroblasts in Matrigel matrix	–	Sucre et al., 2018
Primary fibroblasts or fibroblast cell line	AEC2 cells were mixed with supporting cells in Matrigel/culture medium, seeded into transwell insert for coculture. Culture medium supplemented with growth factors and inhibitors was changed regularly for organoid growth.	Y-27632, ITS, SB431542	Chen et al., 2012; Barkauskas et al., 2013; Zacharias et al., 2018
Lung mesenchymal cells		ITS	McQualter et al., 2010
lung endothelial cells		ITS	Lee et al., 2014
CD45+;F4/80+ Macrophages		ITS, EGF, KGF, FGF2, HGF	Lechner et al., 2017
Supporting cell-free	AEC2 cells were embedded in Matrigel matrix for culture. Growth factors and inhibitors were added into the culture medium to stimulate the growth of AEC2 cells.	Jagged-1, Noggin, SB431542, CHIR-99021, KGF, Y-27632	Shiraishi et al., 2019a,b
		A83-1, Noggin, Rspo1, Wnt3a, EGF, KGF, FGF10, Y-27632	Weiner et al., 2019

ITS, insulin, transferrin and selenium; KGF, keratinocyte growth factor; EGF, epidermal growth factor; FGF2, fibroblast growth factor 2; FGF10, fibroblast growth factor 10; HGF, Hepatocyte growth factor; Rspo1, R-spondin 1.