



Corrigendum: The Internal, External and Extended Microbiomes of Hominins

Robert R. Dunn^{1,2*}, Katherine R. Amato³, Elizabeth A. Archie⁴, Mimi Arandjelovic⁵, Alyssa N. Crittenden⁶ and Lauren M. Nichols¹

¹ Department of Applied Ecology, North Carolina State University, Raleigh, NC, United States, ² Centre for Evolutionary Hologenomics, The GLOBE Institute, University of Copenhagen, Copenhagen, Denmark, ³ Department of Anthropology, Northwestern University, Evanston, IL, United States, ⁴ Department of Biological Sciences, University of Notre Dame, Notre Dame, IN, United States, ⁵ Max Planck Institute for Evolutionary Anthropology, Leipzig, Germany, ⁶ Department of Anthropology, University of Nevada, Las Vegas, Las Vegas, NV, United States

OPEN ACCESS

Edited and reviewed by:

Peter H. W. Biedermann,
University of Freiburg, Germany

*Correspondence:

Robert R. Dunn
rrdunn@ncsu.edu

Specialty section:

This article was submitted to
Social Evolution,
a section of the journal
Frontiers in Ecology and Evolution

Received: 16 June 2020

Accepted: 29 June 2020

Published: 19 August 2020

Citation:

Dunn RR, Amato KR, Archie EA,
Arandjelovic M, Crittenden AN and
Nichols LM (2020) Corrigendum: The
Internal, External and Extended
Microbiomes of Hominins.
Front. Ecol. Evol. 8:236.
doi: 10.3389/fevo.2020.00236

Keywords: fermentation, primates, prosocial microbes, feces, food, armpits, alcohol

A Corrigendum on

The Internal, External and Extended Microbiomes of Hominins

by Dunn, R. R., Amato, K. R., Archie, E. A., Arandjelovic, M., Crittenden, A. N., and Nichols, L. M. (2020). *Front. Ecol. Evol.* 8:25. doi: 10.3389/fevo.2020.00025

In the original article, there was a mistake in **Figure 1**. Colobus monkeys and Langur monkeys were misclassified as omnivores rather than as folivores; and “Sykes monkeys” was misspelled and misclassified as an herbivore rather than as an omnivore. The corrected **Figure 1** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2020 Dunn, Amato, Archie, Arandjelovic, Crittenden and Nichols. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 1 | Stomach pH as a function of animal species. A pH of 7 is neutral. Data for chimpanzees come from a single laboratory study of a single individual chimpanzee. A sampling of acidic foods eaten by modern humans is included for reference.