



Corrigendum: Expression Level of the *DREB2*-Type Gene, Identified with Amplifluor SNP Markers, Correlates with Performance, and Tolerance to Dehydration in Bread Wheat Cultivars from Northern Kazakhstan

Yuri Shavrukov^{1,2*}, Aibek Zhumalin³, Dauren Serikbay³, Makpal Botayeva³, Ainur Otemisova³, Aiman Absattarova⁴, Grigoriy Sereda⁵, Sergey Sereda⁵, Vladimir Shvidchenko³, Arysul Turbekova³, Satyvaldy Jatayev³, Sergiy Lopato¹, Kathleen Soole² and Peter Langridge¹

OPEN ACCESS

Edited and reviewed by:

Mathew G. Lewsey,
La Trobe University, Australia

*Correspondence:

Yuri Shavrukov
yuri.shavrukov@flinders.edu.au;
yuri.shavrukov@adelaide.edu.au

Specialty section:

This article was submitted to
Plant Genetics and Genomics,
a section of the journal
Frontiers in Plant Science

Received: 23 August 2017

Accepted: 28 August 2017

Published: 07 September 2017

Citation:

Shavrukov Y, Zhumalin A, Serikbay D, Botayeva M, Otemisova A, Absattarova A, Sereda G, Sereda S, Shvidchenko V, Turbekova A, Jatayev S, Lopato S, Soole K and Langridge P (2017) Corrigendum: Expression Level of the *DREB2*-Type Gene, Identified with Amplifluor SNP Markers, Correlates with Performance, and Tolerance to Dehydration in Bread Wheat Cultivars from Northern Kazakhstan. *Front. Plant Sci.* 8:1571. doi: 10.3389/fpls.2017.01571

¹ School of Agriculture, Food and Wine, Faculty of Sciences, University of Adelaide, Urrbrae, SA, Australia, ² School of Biological Sciences, Flinders University, Bedford Park, SA, Australia, ³ Faculty of Agronomy, S. Seifullin Kazakh AgroTechnical University, Astana, Kazakhstan, ⁴ National Agricultural Research Education Centre, Astana, Kazakhstan, ⁵ Karaganda Research Institute of Plant Industry and Breeding, Karaganda, Kazakhstan

Keywords: Amplifluor SNP, bread wheat, dehydration, *DREB2*, gene expression, genotyping, grain yield

A corrigendum on

Expression Level of the *DREB2*-Type Gene, Identified with Amplifluor SNP Markers, Correlates with Performance, and Tolerance to Dehydration in Bread Wheat Cultivars from Northern Kazakhstan

by Shavrukov, Y., Zhumalin, A., Serikbay, D., Botayeva, M., Otemisova, A., Absattarova, A., et al. (2016). *Front. Plant Sci.* 7:1736. doi: 10.3389/fpls.2016.01736

In the original article, we neglected to acknowledge that data presented in the Supplementary Table S1 and Table 1 for grain yield were generated by Dr. Grigoriy Sereda in the framework of the project “Adaptawheat,” supervised by Dr. Yerlan Turuspekov, Institute of Plant Biology and Biotechnology, Almaty, Kazakhstan.

The authors apologize for this missing information and state that this does not change the scientific conclusions of the article in any way.

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2017 Shavrukov, Zhumalin, Serikbay, Botayeva, Otemisova, Absattarova, Sereda, Sereda, Shvidchenko, Turbekova, Jatayev, Lopato, Soole and Langridge. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.