



Corrigendum: A Pilot Study on the Cutoff Value of Related Brain Metabolite in Chinese Elderly Patients With Mild Cognitive Impairment Using MRS

Lihua Zhao^{1†}, Jinlong Teng¹, Wei Mai^{1†}, Jiahui Su¹, Bihan Yu¹, Xiucheng Nong¹, Chong Li¹, Yichen Wei², Gaoxiong Duan², Xiangming Deng^{1*}, Demao Deng^{2*} and Shangjie Chen^{3*}

¹ Department of Acupuncture, First Affiliated Hospital, Guangxi University of Chinese Medicine, Nanning, China, ² Department of Radiology, First Affiliated Hospital, Guangxi University of Chinese Medicine, Nanning, China, ³ Department of Rehabilitation, Bao'an Hospital, Southern Medical University, Shenzhen, China

Keywords: N-acetyl aspartate, creatine, choline hippocampus, posterior cingulate gyrus, mild cognitive impairment

OPEN ACCESS

Edited and reviewed by:

Rubem C.A. Guedes,
Federal University of
Pernambuco, Brazil

*Correspondence:

Xiangming Deng
448774558@qq.com
Demao Deng
demaodeng@163.com
Shangjie Chen
csjme@163.com

[†]These authors have contributed
equally to this work

Received: 16 August 2021

Accepted: 23 August 2021

Published: 12 October 2021

Citation:

Zhao L, Teng J, Mai W, Su J, Yu B,
Nong X, Li C, Wei Y, Duan G, Deng X,
Deng D and Chen S (2021)
Corrigendum: A Pilot Study on the
Cutoff Value of Related Brain
Metabolite in Chinese Elderly Patients
With Mild Cognitive Impairment Using
MRS.
Front. Aging Neurosci. 13:759482.
doi: 10.3389/fnagi.2021.759482

A Corrigendum on

A Pilot Study on the Cutoff Value of Related Brain Metabolite in Chinese Elderly Patients With Mild Cognitive Impairment Using MRS

Zhao, L., Teng, J., Mai, W., Su, J., Yu, B., Nong, X., Li, C., Wei, Y., Duan, G., Deng, X., Deng, D., and Chen, S. (2021). *Front. Aging Neurosci.* 13:617611. doi: 10.3389/fnagi.2021.617611

In the original article, there were mistakes in **Table 1** and **Table 2** as published. Due to the negligence of the inputter, the standard deviation of MMSE in MCI group in **Table 1** was wrong. These values should instead be 25.87 ± 1.07 . The MMSE and MoCA data should also be removed from **Table 1**, and instead placed in **Table 2**. Additionally, **Table 2** incorrectly showed the data calculation results of 64 patients with MCI and 30 patients with NC. The corrected **Table 2** shows the 69 patients with MCI and 67 patients with NC, and the N value is 136. The corrected **Tables 1** and **2** appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Zhao, Teng, Mai, Su, Yu, Nong, Li, Wei, Duan, Deng, Deng and Chen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

TABLE 1 | Descriptive data for the general characteristics (N = 136).

Variable	MCI (n = 69)	NC (n = 67)	p-value	t-value
Sex (% male)	20 (29.0%)	25 (37.3%)	0.722	
Age (y)	64.59 ± 6.66	64.76 ± 5.73	0.876	-0.157
Education level (y)	10.78 ± 2.61	11.85 ± 3.04	0.030	-2.199

Data are expressed as mean ± SD (range) except where frequencies are used for categorical data.

TABLE 2 | MRS test results and cognitive scale scores by diagnostic group (N = 136).

Variable	MCI (n = 69)	NC (n = 67)	P-value	t-value
MMSE	25.87 ± 1.07	29.13 ± 0.76	<0.001	-20.593
MoCA	21.61 ± 2.76	26.03 ± 2.01	<0.001	-10.703
HIP.L NAA/tCr	1.10 ± 0.21	1.38 ± 0.23	<0.001	-7.267
HIP.L Cho/tCr	0.96 ± 0.23	1.00 ± 0.18	0.275	-1.096
HIP.R NAA/tCr	1.09 ± 0.16	1.36 ± 0.25	<0.001	-7.545
HIP.R Cho/tCr	0.90 ± 0.19	1.04 ± 0.19	<0.001	-4.614
PCG.L NAA/tCr	1.87 ± 0.22	2.07 ± 0.21	<0.001	-5.346
PCG.L Cho/tCr	1.02 ± 0.25	1.07 ± 0.18	0.249	-1.158
PCG.R NAA/tCr	1.83 ± 0.25	2.00 ± 0.24	<0.001	-4.088
PCG.R Cho/tCr	1.02 ± 0.20	1.07 ± 0.22	0.184	-1.335

Data are expressed as mean ± SD (range) except where frequencies are used for categorical data.