



OPEN ACCESS

EDITED BY

Yiyang Zhang,
Massachusetts General Hospital and
Harvard Medical School, United States

REVIEWED BY

Chen Chen,
Indiana University Bloomington,
United States

*CORRESPONDENCE

Mian Peng
sophie_pm@msn.com

SPECIALTY SECTION

This article was submitted to
Neuroinflammation and Neuropathy,
a section of the journal
Frontiers in Aging Neuroscience

RECEIVED 03 May 2022

ACCEPTED 18 August 2022

PUBLISHED 05 September 2022

CITATION

Zhou Y, Wang J, Li X, Li K, Chen L,
Zhang Z and Peng M (2022)
Corrigendum: Neuroprotectin D1
protects against postoperative
delirium-like behavior in aged mice.
Front. Aging Neurosci. 14:934855.
doi: 10.3389/fnagi.2022.934855

COPYRIGHT

© 2022 Zhou, Wang, Li, Li, Chen,
Zhang and Peng. This is an
open-access article distributed under
the terms of the [Creative Commons
Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other
forums is permitted, provided the
original author(s) and the copyright
owner(s) are credited and that the
original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution
or reproduction is permitted which
does not comply with these terms.

Corrigendum: Neuroprotectin D1 protects against postoperative delirium-like behavior in aged mice

Ying Zhou, Jiayu Wang, Xiaofeng Li, Ke Li, Lei Chen,
Zongze Zhang and Mian Peng*

Department of Anesthesiology, Zhongnan Hospital of Wuhan University, Wuhan, China

KEYWORDS

macrophage polarization, neuroinflammation, neuroprotectin D1, specialized proresolving lipid mediators, postoperative delirium

A corrigendum on

Neuroprotectin D1 protects against postoperative delirium-like behavior in aged mice

by Zhou, Y., Wang, J., Li, X., Li, K., Chen, L., Zhang, Z., and Peng, M. (2020). *Front. Aging Neurosci.* 12:582674. doi: 10.3389/fnagi.2020.582674

In the original article, there was a mistake in **Figure 4** as published. The bar graph for Claudin-5 protein expression (**Figure 4G**) incorrectly repeated the bar graph for Occludin expression (**Figure 4F**). The corrected Figure 4 appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.




FIGURE 4 NPD1 modulates the expression of tight junction (TJ)-associated proteins in the hippocampus and prefrontal cortex after surgery. Representative Western blotting bands of the expression of occludin, claudin-5, and ZO-1 in the hippocampus and prefrontal cortex at 6 and 9 h after surgery (A,B). Quantification analyses of the expression of occludin, claudin-5, and ZO-1 were normalized to that of β-actin as internal control (C–H). Data are presented as mean ± SEM. Statistics: two-way ANOVA followed by Bonferroni *post hoc* comparison. (C–H) $n = 4–5$ per group. ** $P < 0.01$ vs. the control group, # $P < 0.05$ vs. the surgery group, ## $P < 0.01$ vs. the surgery group.