



OPEN ACCESS

EDITED AND REVIEWED BY
Pedro M. Baptista,
Health Research Institute of Aragon (IIS
Aragon), Spain

*CORRESPONDENCE

Yi Tang,
tangyi6688@163.com
Xiaojuan Ji,
jixiaojuan2003@163.com

SPECIALTY SECTION

This article was submitted
to Biomechanics,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

RECEIVED 05 September 2022
ACCEPTED 16 September 2022
PUBLISHED 30 September 2022

CITATION

Chen X, Xiao H, Yang C, Chen J, Gao Y,
Tang Y and Ji X (2022), Corrigendum:
Doppler evaluation of hepatic
hemodynamics after living donor liver
transplantation in infants.
Front. Bioeng. Biotechnol. 10:1036918.
doi: 10.3389/fbioe.2022.1036918

COPYRIGHT

© 2022 Chen, Xiao, Yang, Chen, Gao,
Tang and Ji. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Corrigendum: Doppler evaluation of hepatic hemodynamics after living donor liver transplantation in infants

Xiping Chen¹, Huan Xiao¹, Chunjiang Yang¹, Jingyu Chen¹,
Yang Gao¹, Yi Tang^{1*} and Xiaojuan Ji^{1,2*}

¹Department of Ultrasound, National Clinical Research Center for Child Health and Disorders, Ministry of Education Key Laboratory of Child Development and Disorders, Children's Hospital of Chongqing Medical University, Chongqing, China, ²Department of Ultrasound, Chongqing General Hospital, Chongqing, China

KEYWORDS

Doppler ultrasound, hemodynamics, liver transplantation, hepatic artery, portal vein, child

A Corrigendum on:

Doppler evaluation of hepatic hemodynamics after living donor liver transplantation in infants

by Chen, X., Xiao, H., Yang, C., Chen, J., Gao, Y., Tang, Y., and Ji, X. (2022). *Front. Bioeng. Biotechnol.* 10:903385. doi: 10.3389/fbioe.2022.903385

In the published article, there was an error in **Supplementary Figure 2A**, an incorrect image was used. The updated **Supplementary Figure 2A** appears in the **Supplementary Material**.

The authors apologize for this error and state that this does not change the scientific conclusion of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.