



OPEN ACCESS

EDITED AND REVIEWED BY
Vasif Nejat Hasirci,
Acibadem University, Turkey

*CORRESPONDENCE
Jinlong Ma,
majinlong99@hotmail.com
Weifen Zhang,
zhangwf@wfmcc.edu.cn

SPECIALTY SECTION
This article was submitted to Tissue
Engineering and Regenerative Medicine,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

RECEIVED 08 November 2022
ACCEPTED 14 November 2022
PUBLISHED 23 November 2022

CITATION
Zhao H, Xu Y, Wang S, Li P, Wang T,
Zhang F, Li J, Zhang Y, Ma J and
Zhang W (2022), Corrigendum:
“Jianbing” styling multifunctional
electrospinning composite membranes
for wound healing.
Front. Bioeng. Biotechnol. 10:1092706.
doi: 10.3389/fbioe.2022.1092706

COPYRIGHT
© 2022 Zhao, Xu, Wang, Li, Wang,
Zhang, Li, Zhang, Ma and Zhang. This is
an open-access article distributed
under the terms of the [Creative
Commons Attribution License \(CC BY\)](#).
The use, distribution or reproduction in
other forums is permitted, provided the
original author(s) and the copyright
owner(s) are credited and that the
original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution
or reproduction is permitted which does
not comply with these terms.

Corrigendum: “Jianbing” styling multifunctional electrospinning composite membranes for wound healing

Hanqiang Zhao¹, Youguang Xu², Saisai Wang¹, Pan Li¹,
Ting Wang¹, Fang Zhang¹, Juan Li¹, Yapei Zhang³,
Jinlong Ma^{1,4,5*} and Weifen Zhang^{1,4,5*}

¹School of Pharmacy, Weifang Medical University, Weifang, Shandong, China, ²Department of Pharmacy, Weifang Hospital of Traditional Chinese Medicine, Weifang, China, ³Department of Biomedical Engineering, Michigan State University, East Lansing, MI, United States, ⁴Collaborative Innovation Center for Target Drug Delivery System, Weifang Medical University, Weifang, Shandong, China, ⁵Shandong Engineering Research Center for Smart Materials and Regenerative Medicine, Weifang Medical University, Weifang, Shandong, China

KEYWORDS

wound dressing, composite membranes, antibacterial, remove excess biofluid, antioxidant

A Corrigendum on “Jianbing” styling multifunctional electrospinning composite membranes for wound healing

by Zhao H, Xu Y, Wang S, Li P, Wang T, Zhang F, Li J, Zhang Y, Ma J and Zhang W (2022). *Front. Bioeng. Biotechnol.* 10:943695. doi: 10.3389/fbioe.2022.943695

In the published article, there was an error in [Figure 6](#). The H&E stained picture of the control and CM groups were repeated. The corrected [Figure 6](#) and its caption appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.




FIGURE 6

Picture of tissue stained with H&E and immunofluorescence. **(A)** H&E stained pictures of peri-wound skin tissue on days 3, 7, 14, and 21 after treatment (scale bar represents 500 μm). **(B)** Representative immunofluorescence images of wound sections stained with collagen I of different treatment groups on days 3 and 7. (scale bar represents 100 μm ; blue represents nucleus and red depicts antibody expression).