



Corrigendum: Resilient and Self-Healing Hyaluronic Acid/Chitosan Hydrogel With Ion Conductivity, Low Water Loss, and Freeze-Tolerance for Flexible and Wearable Strain Sensor

OPEN ACCESS

Approved by:

Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*Correspondence:

Tao Zhang
james155@foxmail.com
Xiufeng Xiao
xfxiao@fjnu.edu.cn

[†]These authors have contributed
equally to this work and share first
authorship

Specialty section:

This article was submitted to
Biomaterials,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

Received: 22 February 2022

Accepted: 03 March 2022

Published: 26 April 2022

Citation:

Hu Y, Liu N, Chen K, Liu M, Wang F,
Liu P, Zhang Y, Zhang T and Xiao X
(2022) Corrigendum: Resilient and
Self-Healing Hyaluronic Acid/Chitosan
Hydrogel With Ion Conductivity, Low
Water Loss, and Freeze-Tolerance for
Flexible and Wearable Strain Sensor.
Front. Bioeng. Biotechnol. 10:880942.
doi: 10.3389/fbioe.2022.880942

Yunping Hu^{1†}, Nannan Liu^{2†}, Kai Chen¹, Mingxiang Liu¹, Feng Wang¹, Pei Liu¹,
Yiyuan Zhang², Tao Zhang^{2*} and Xiufeng Xiao^{1*}

¹Fujian Provincial Key Laboratory of Advanced Materials Oriented Chemical Engineering, College of Chemistry and Materials
Science, Fujian Normal University, Fuzhou, China, ²Fuzhou Second Hospital of Xiamen University, Fuzhou, China

Keywords: hydrogel, self-healing, ionic conductivity, anti-freezing, anti-drying, flexible strain sensor

A Corrigendum on

Resilient and Self-Healing Hyaluronic Acid/Chitosan Hydrogel With Ion Conductivity, Low Water Loss, and Freeze-Tolerance for Flexible and Wearable Strain Sensor

by Hu, Y., Liu, N., Chen, K., Liu, M., Wang, F., Liu, P., Zhang, Y., Zhang, T., and Xiao, X. (2022).
Front. Bioeng. Biotechnol. 10:837750. doi: 10.3389/fbioe.2022.837750

In the published article Nannan Liu was not listed as a co-first author. This has now been rectified.

In addition, there was an error in **affiliation 2**. The name of the hospital just “Fuzhou Second Hospital of Xiamen University” and not “Fuzhou Second Hospital Affiliated to Xiamen University”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Hu, Liu, Chen, Liu, Wang, Liu, Zhang, Zhang and Xiao. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.