



Corrigendum: Hypoxia Onset in Mesenchymal Stem Cell Spheroids: Monitoring With Hypoxia Reporter Cells

Carola Schmitz¹, Ekaterina Potekhina², Teresa Irianto¹, Vsevolod V. Belousov^{3,4} and Antonina Lavrentieva^{1*}

¹Institute of Technical Chemistry, Gottfried Wilhelm Leibniz University Hannover, Hannover, Germany, ²Department of Metabolism and Redox Biology, Shemyakin-Ovchinnikov Institute of Bioorganic Chemistry, Moscow, Russia, ³Center for Precision Genome Editing and Genetic Technologies for Biomedicine, Pirogov Russian National Research Medical University, Moscow, Russia, ⁴Federal Center of Brain Research and Neurotechnologies, Federal Biomedical Agency, Moscow, Russia

Keywords: hypoxia sensor, cell spheroids, adipose tissue-derived mesenchymal stem cells, hypoxia reporter cells, oxygen concentration measurements

A Corrigendum on

Hypoxia Onset in Mesenchymal Stem Cell Spheroids: Monitoring With Hypoxia Reporter Cells by Schmitz, C, Potekhina, E, Belousov, VV and Lavrentieva, A (2021). *Front. Bioeng. Biotechnol.* 9: 611837. doi: 10.3389/fbioe.2021.611837

OPEN ACCESS

Approved by:

Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*Correspondence:

Antonina Lavrentieva
Lavrentieva@iftc.uni-hannover.de

Specialty section:

This article was submitted to
Preclinical Cell and Gene Therapy,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

Received: 27 May 2022

Accepted: 09 June 2022

Published: 04 July 2022

Citation:

Schmitz C, Potekhina E, Irianto T,
Belousov VV and Lavrentieva A (2022)
Corrigendum: Hypoxia Onset in
Mesenchymal Stem Cell Spheroids:
Monitoring With Hypoxia
Reporter Cells.
Front. Bioeng. Biotechnol. 10:954422.
doi: 10.3389/fbioe.2022.954422

In the published article, there was an error in the author list. Author Teresa Irianto was erroneously excluded from the article. The corrected **author list** and **Author Contributions** statement appear below.

“Carola Schmitz¹, Ekaterina Potekhina², Teresa Irianto¹, Vsevolod V. Belousov^{3,4}, Antonina Lavrentieva^{*1}”.

AUTHOR CONTRIBUTIONS

“CS performed most of the experiments and drafted the manuscript. TI generated and analyzed part of the microphotographs and time lapse images. EP and VB provided sensor sequence, introduced sensor sequence into lentiviral vector, helped to analyze and interpretate the results, and proofread the manuscript. AL conceived the manuscript, performed oxygen measurements, participated in the data analysis and results interpretation the results, and proofread the manuscript. All authors contributed to the article and approved the submitted version.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Schmitz, Potekhina, Irianto, Belousov and Lavrentieva. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.