



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Mara G. Freire,
✉ maragfreire@ua.pt

RECEIVED 28 April 2023
ACCEPTED 02 May 2023
PUBLISHED 09 May 2023

CITATION
Almeida C, Pedro AQ, Tavares APM,
Neves MC and Freire MG (2023),
Corrigendum: Ionic-liquid-based
approaches to improve
biopharmaceuticals downstream
processing and formulation.
Front. Bioeng. Biotechnol. 11:1213921.
doi: 10.3389/fbioe.2023.1213921

COPYRIGHT
© 2023 Almeida, Pedro, Tavares, Neves
and Freire. This is an open-access article
distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original author(s)
and the copyright owner(s) are credited
and that the original publication in this
journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Ionic-liquid-based approaches to improve biopharmaceuticals downstream processing and formulation

Catarina Almeida, Augusto Q. Pedro, Ana P. M. Tavares,
Márcia C. Neves and Mara G. Freire*

CICECO-Aveiro Institute of Materials, Department of Chemistry, University of Aveiro, Aveiro, Portugal

KEYWORDS

biopharmaceuticals, ionic liquids, biomanufacturing, downstream processing, purification platforms, formulation, ionic liquid-based approaches, biopharmaceuticals administration

A Corrigendum on Ionic-liquid-based approaches to improve biopharmaceuticals downstream processing and formulation

by Almeida C, Pedro AQ, Tavares APM, Neves MC and Freire MG (2023). *Front. Bioeng. Biotechnol.* 11:1037436. doi: 10.3389/fbioe.2023.1037436

In the published article, there was an error in the **Funding** statement. The reference for the project AntYmicrob was displayed as “CENTRO -01-0247-FEDER-181219” and should be “CENTRO -01-0145-FEDER-181219.”

The correct **Funding** statement appears below.

“This work is financed by Portugal 2020 through European Regional Development Fund (ERDF) in the frame of CENTRO2020 in the scope of the project AntYmicrob, CENTRO -01-0145-FEDER-181219 and in the scope of the project CICECO—Aveiro Institute of Materials, UIDB/50011/2020 and UIDP/50011/2020 and LA/P/0006/2020, financed by national funds through the FCT/MEC (PIDDAC). This work was additionally developed within the scope of the EIC-Pathfinder YSCRIPT project with reference 101047214, supported by the budgets of the Horizon Europe Program.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.