Check for updates

OPEN ACCESS

APPROVED BY Frontiers Editorial Office, Frontiers Media SA, Switzerland

*CORRESPONDENCE Fritz Diekmann, ☑ fdiekman@clinic.cat Mireia Musquera, ☑ mmusquer@clinic.cat

[†]These authors have contributed equally to this work

RECEIVED 08 March 2024 ACCEPTED 11 March 2024 PUBLISHED 21 March 2024

CITATION

Montagud-Marrahi E, Luque Y, Ros RR, Ajami T, Cuadrado-Payan E, Estrella H, Arancibia A, Sánchez-Etayo G, Bohils M, Marrero R, Fundora Y, Ramírez-Bajo MJ, Banon-Maneus E, Rovira J, Larque A-B, Campistol JM, Diekmann F and Musquera M (2024), Corrigendum: *Ex vivo* normothermic preservation of a kidney graft from uncontrolled donation after circulatory death over 73 hours.

Front. Bioeng. Biotechnol. 12:1397979. doi: 10.3389/fbioe.2024.1397979

COPYRIGHT

© 2024 Montagud-Marrahi, Luque, Ros, Ajami, Cuadrado-Payan, Estrella, Arancibia, Sánchez-Etayo, Bohils, Marrero, Fundora, Ramírez-Bajo, Banon-Maneus, Rovira, Larque, Campistol, Diekmann and Musquera. This is an openaccess article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: *Ex vivo* normothermic preservation of a kidney graft from uncontrolled donation after circulatory death over 73 hours

Enrique Montagud-Marrahi^{1,2,3†}, Yosu Luque^{4,5†},

Ruben Rabadan Ros^{6†}, Tarek Ajami⁷, Elena Cuadrado-Payan^{1,2}, Hector Estrella⁷, Andres Arancibia⁷, Gerard Sánchez-Etayo⁸, Marc Bohils⁸, Ramsés Marrero⁸, Yilliam Fundora⁹, Maria José Ramírez-Bajo^{2,3}, Elisenda Banon-Maneus^{2,3}, Jordi Rovira^{2,3}, Ana-Belén Larque¹⁰, Josep Maria Campistol^{1,2,3}, Fritz Diekmann^{1,2,3}* and Mireia Musquera⁷*

¹Kidney Transplant Unit, Nephrology and Kidney Transplantation Department, Hospital Clinic of Barcelona, Barcelona, Spain, ²Laboratori Experimental de Nefrologia i Trasplantament (LENIT), Institut d'Investigacions Biomèdiques August Pi i Sunyer (IDIBAPS), Barcelona, Spain, ³Red de Investigación Cooperativa Orientada a Resultados en Salud (RICORS 2040), Madrid, Spain, ⁴Sorbonne Université–Inserm UMRS_1155, Paris, France, ⁵Assistance Publique Hopitaux de Paris, Soins Intensifs Nephrologiques et Rein Aigu, Departement de Nephrologie, Hopital Tenon, Paris, France, ⁶Group of Metabolism and Genetic Regulation of Disease, UCAM HiTech Sport & Health Innovation Hub, Universidad Católica de Murcia, Guadalupe, Spain, ⁷Kidney Transplant Unit, Urology Department, Hospital Clinic of Barcelona, Barcelona, Spain, ⁹Liver Transplant Coordination Section, Hospital Clinic, University of Barcelona, Barcelona, Spain, ⁹Liver Transplant Unit, Institut Clínic de Malalties Digestives I Metaboliques, Hospital Clinic of Barcelona, Barcelona, Spain, ⁹Liver Transplant Unit, Institut Clínic de Malalties

KEYWORDS

normothermic perfusion, kidney transplantation, regenerative medicine, uncontrolled donation, kidney preservation

A Corrigendum on

Ex vivo normothermic preservation of a kidney graft from uncontrolled donation after circulatory death over 73 hours

by Montagud-Marrahi E, Luque Y, Ros RR, Ajami T, Cuadrado-Payan E, Estrella H, Arancibia A, Sánchez-Etayo G, Bohils M, Marrero R, Fundora Y, Ramírez-Bajo MJ, Banon-Maneus E, Rovira J, Larque A-B, Campistol JM, Diekmann F and Musquera M (2024). Front. Bioeng. Biotechnol. 11: 1330043. doi: 10.3389/fbioe.2023.1330043

In the published article, there was an error in the **Funding** statement. The code of the Instituto Carlos III project was incorrectly written as "PI17/00108". It should instead be "PI21/00205". The correct Funding statement appears below.

Funding

The author(s) declare that financial support was received for the research, authorship, and/or publication of this article. The author(s) declare financial support was received for the research, authorship, and/or publication of this article. This study has been funded by Project "RD21/0005/0003", funded by the Carlos III Health Institute and the "NextGenerationEU European Union/ Mechanism for Recovery and Resilience (MRR)/Recovery, Transformation and Resilience Plan (PRTR)" and by Instituto de Salud Carlos III through the project "PI21/0025" (Co-funded by European Regional Development Fund "A way to make Europe").

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.