



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Soheila Kashanian,
✉ kashanians@gmail.com
Helgi B. Schiöth,
✉ helgi.schioth@neuro.uu.se

RECEIVED 15 January 2025
ACCEPTED 15 January 2025
PUBLISHED 19 February 2025

CITATION
Jamshidnejad-Tosaramandani T, Kashanian S,
Omidfar K and Schiöth HB (2025) Corrigendum:
Recent advances in gold nanostructure-based
biosensors in detecting diabetes biomarkers.
Front. Bioeng. Biotechnol. 13:1526911.
doi: 10.3389/fbioe.2025.1526911

COPYRIGHT
© 2025 Jamshidnejad-Tosaramandani,
Kashanian, Omidfar and Schiöth. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in
other forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in this
journal is cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: Recent advances in gold nanostructure-based biosensors in detecting diabetes biomarkers

Tahereh Jamshidnejad-Tosaramandani^{1,2,3},
Soheila Kashanian^{1,4*}, Kobra Omidfar^{3,5} and Helgi B. Schiöth^{2*}

¹Nanobiotechnology Department, Faculty of Innovative Science and Technology, Razi University, Kermanshah, Iran, ²Department of Surgical Sciences, Division of Functional Pharmacology and Neuroscience, Uppsala University, Uppsala, Sweden, ³Biosensor Research Center, Endocrinology and Metabolism Molecular–Cellular Sciences Institute, Tehran University of Medical Sciences, Tehran, Iran, ⁴Sensor and Biosensor Research Center (SBRC), Faculty of Chemistry, Razi University, Kermanshah, Iran, ⁵Endocrinology and Metabolism Research Center, Endocrinology and Metabolism Clinical Sciences Institute, Tehran University of Medical Sciences, Tehran, Iran

KEYWORDS

diabetes mellitus, biosensor, gold nanostructures, biomarker, glucose detection

A Corrigendum on Corrigendum: Recent advances in gold nanostructure-based biosensors in detecting diabetes biomarkers

by Jamshidnejad-Tosaramandani T, Kashanian S, Omidfar K and Schiöth H. B. (2024). *Front. Bioeng. Biotechnol.* 12:1446355. doi: 10.3389/fbioe.2024.1446355

In the published article, an author name was incorrectly written as **Helgi Schiöth**. The correct spelling is **Helgi B. Schiöth**.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.