



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Namjung Kim,
✉ namjungk@gachon.ac.kr
Min Ku Kim,
✉ mkim1618@hanyang.ac.kr

[†]These authors have contributed equally to this work and share first authorship

RECEIVED 14 January 2025
ACCEPTED 15 January 2025
PUBLISHED 14 February 2025

CITATION
Lee J, Park S, Lee J, Kim N and Kim MK (2025)
Corrigendum: Recent advances of additively
manufactured noninvasive
kinematic biosensors.
Front. Bioeng. Biotechnol. 13:1560319.
doi: 10.3389/fbioe.2025.1560319

COPYRIGHT
© 2025 Lee, Park, Lee, Kim and Kim. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in
other forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in this
journal is cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: Recent advances of additively manufactured noninvasive kinematic biosensors

Jeonghoon Lee^{1†}, Sangmin Park^{2†}, Jaehoon Lee², Namjung Kim^{2*} and Min Ku Kim^{3*}

¹Department of Mechanical Convergence Engineering, Hanyang University, Seoul, Republic of Korea, ²Department of Mechanical Engineering, Gachon University, Seongnam, Republic of Korea, ³School of Mechanical Engineering, Hanyang University, Seoul, Republic of Korea

KEYWORDS

noninvasive biosensors, additive manufacturing, 3D printing, kinematic sensors, low-cost fabrication

A Corrigendum on Recent advances of additively manufactured noninvasive kinematic biosensors

by Lee J, Park S, Lee J, Kim N and Kim MK (2023). *Front. Bioeng. Biotechnol.* 11:1303004. doi: 10.3389/fbioe.2023.1303004

In the published article, there was an error in the **Funding statement**. “The funder Hanyang University (HY-202100000003082) was not included.” The correct Funding statement appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Funding

The author(s) declare that financial support was received for the research, authorship, and/or publication of this article. This work was supported by the National Research Foundation of Korea (NRF) grant funded by the Korea government (MSIT) (Nos 2022R1C1C1008122 and 2022R1C1C1009387), and this work was supported by the research fund of Hanyang University (HY-202100000003082).

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.