



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

\*CORRESPONDENCE  
Frontiers Production Office  
✉ production.office@frontiersin.org

SPECIALTY SECTION  
This article was submitted to Heart Valve  
Disease, a section of the journal Frontiers in  
Cardiovascular Medicine

RECEIVED 20 March 2023  
ACCEPTED 20 March 2023  
PUBLISHED 03 April 2023

CITATION  
Frontiers Production Office (2023) Erratum:  
Patient-specific fluid simulation of  
transcatheter mitral valve replacement in mitral  
annulus calcification.  
Front. Cardiovasc. Med. 10:1190028.  
doi: 10.3389/fcvm.2023.1190028

COPYRIGHT  
© 2023 Frontiers Production Office. This is an  
open-access article distributed under the terms  
of the [Creative Commons Attribution License  
\(CC BY\)](#). The use, distribution or reproduction in  
other forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in this  
journal is cited, in accordance with accepted  
academic practice. No use, distribution or  
reproduction is permitted which does not  
comply with these terms.

# Erratum: Patient-specific fluid simulation of transcatheter mitral valve replacement in mitral annulus calcification

Frontiers Production Office\*

Frontiers Media SA, Lausanne, Switzerland

## KEYWORDS

computational simulation, subvalvular thrombosis, LVOTO, blood residence time, wall shear stress

An Erratum on  
**Patient-specific fluid simulation of transcatheter mitral valve replacement in mitral annulus calcification**

By Hill SJ, Young A, Prendergast B, Redwood S, Rajani R and De Vecchi A. (2022) Front. Cardiovasc. Med. 9:934305. doi: 10.3389/fcvm.2022.934305

Due to a production error, the following funding acknowledgment was missed from the article: “Funded by the EPSRC Research Council, part of the EPSRC DTP, grant Ref: [EP/R513064/1].” The publisher apologizes for this mistake.

The original version of this article has been updated.