



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

\*CORRESPONDENCE  
Yue-lan Wang  
✉ wylgdf@163.com

<sup>†</sup>These authors have contributed equally to this work and share first authorship

## SPECIALTY SECTION

This article was submitted to Heart Surgery, a section of the journal Frontiers in Cardiovascular Medicine

RECEIVED 21 March 2023  
ACCEPTED 22 March 2023  
PUBLISHED 04 April 2023

## CITATION

Sun XX, Lv M, Du WY, Liu Y, Zhang H and Wang YL (2023) Corrigendum: Comparison of out-of-plane short axis with in-plane long axis for ultrasound-guided radial arterial cannulation: A systematic review with trial sequential analysis of randomised controlled trials.  
Front. Cardiovasc. Med. 10:1191088.  
doi: 10.3389/fcvm.2023.1191088

## COPYRIGHT

© 2023 Sun, Lv, Du, Liu, Zhang and Wang. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Comparison of out-of-plane short axis with in-plane long axis for ultrasound-guided radial arterial cannulation: A systematic review with trial sequential analysis of randomised controlled trials

Xia-xuan Sun<sup>1,2†</sup>, Meng Lv<sup>1,2†</sup>, Wen-ya Du<sup>1,2</sup>, Yi Liu<sup>1</sup>, Haixia Zhang<sup>1</sup> and Yue-lan Wang<sup>1,2\*</sup>

<sup>1</sup>Department of Anesthesiology, The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan Hospital, Shandong Institute of Anesthesia and Respiratory Critical Care Medicine, Jinan, China, <sup>2</sup>Shandong First Medical University & Shandong Academy of Medical Sciences, Jinan, China

## KEYWORDS

cannulation, catheterisation, long-axis in-plane, radial artery, short-axis out-ofplane, ultrasound guidance

## A Corrigendum on

Comparison of out-of-plane short axis with in-plane long axis for ultrasound-guided radial arterial cannulation: A systematic review with trial sequential analysis of randomised controlled trials

Sun XX, Lv M, Du WY, Liu Y, Zhang H and Wang YL. (2022) Front. Cardiovasc. Med. 9:983532.  
doi: 10.3389/fcvm.2022.983532

In the published article, there was an error in affiliation 1. Instead of “Graduate School, Shandong First Medical University & Shandong Academy of Medical Sciences, Jinan, China” it should be “Department of Anesthesiology, The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan Hospital, Shandong Institute of Anesthesia and Respiratory Critical Care Medicine, Jinan, China”.

In the published article, there was an error in affiliations 2. Instead of “Department of Anesthesiology, The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan Hospital, Jinan, China”, it should be “Shandong First Medical University & Shandong Academy of Medical Sciences, Jinan, China”.

In the published article, there was an error regarding the affiliations for Meng Lv. As well as having affiliations 2, they should also have affiliation 1 ‘Department of Anesthesiology, The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan Hospital, Shandong Institute of Anesthesia and Respiratory Critical Care Medicine, Jinan, China’.

In the published article, there was an error regarding the affiliation for Yi Liu and Haixia Zhang. Their affiliation was displayed as 2 “Department of Anesthesiology,

The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan Hospital, Jinan, China”. The correct affiliation is 1 “Department of Anesthesiology, The First Affiliated Hospital of Shandong First Medical University & Shandong Provincial Qianfoshan

Hospital, Shandong Institute of Anesthesia and Respiratory Critical Care Medicine, Jinan, China”.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.