



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Nagendra Boopathy Senguttuvan
✉ drsnoopathy@gmail.com

RECEIVED 24 August 2023
ACCEPTED 13 September 2023
PUBLISHED 13 October 2023

CITATION

Senguttuvan NB, Bhatt H, Balakrishnan VK, Krishnamoorthy P, Goel S, Reddy PMK, Subramanian V, Claessen BE, Kumar A, Majmundar M, Ro R, Lerakis S, Jayaraj R, Kalra A, Flather M and Dangas G (2023) Corrigendum: The safety and efficacy of balloon-expandable versus self-expanding trans-catheter aortic valve replacement in high-risk patients. *Front. Cardiovasc. Med.* 10:1282812. doi: 10.3389/fcvm.2023.1282812

COPYRIGHT

© 2023 Senguttuvan, Bhatt, Balakrishnan, Krishnamoorthy, Goel, Reddy, Subramanian, Claessen, Kumar, Majmundar, Ro, Lerakis, Jayaraj, Kalra, Flather and Dangas. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: The safety and efficacy of balloon-expandable versus self-expanding trans-catheter aortic valve replacement in high-risk patients

Nagendra Boopathy Senguttuvan^{1,2*}, Hemal Bhatt^{2,3}, Vinod Kumar Balakrishnan¹, Parasuram Krishnamoorthy³, Sunny Goel³, Pothireddy M. K. Reddy¹, Vinodhini Subramanian¹, Bimmer E. Claessen^{2,4}, Ashish Kumar⁵, Monil Majmundar⁶, Richard Ro², Stamatios Lerakis², Ramamoorthi Jayaraj⁷, Ankur Kalra^{5,8}, Marcus Flather⁹ and George Dangas²

¹Department of Cardiology, Sri Ramachandra Institute of Higher Education and Research, Chennai, India, ²Department of Cardiology, The Zena and Michael A. Wiener Cardiovascular Institute, Icahn School of Medicine at Mount Sinai, New York, NY, United States, ³Department of Cardiology, Hackensack Meridian Health, New Jersey, NJ, United States, ⁴Department of Cardiology, Amsterdam University Medical Centres, Amsterdam, the Netherlands, ⁵Department of Internal Medicine, Cleveland Clinic Akron General, Akron, OH, United States, ⁶Department of Internal Medicine, New York Medical College, Metropolitan Hospital, New York, NY, United States, ⁷Jindal Institute of Behavioral Sciences (JIBS), Jindal Global Institution of Eminence Deemed to Be University, Sonapat, India, ⁸Department of Cardiovascular Medicine, Franciscan Health, Indiana, IN, USA; Co-CEO, Kalra Hospitals, New Delhi, India, ⁹Professor of Cardiology, Norwich Medical School, University of East Anglia, Norwich, United Kingdom

KEYWORDS

aortic stenosis, balloon expandable, self-expanding, trans catheter aortic valve replacement, valve

A Corrigendum on

The safety and efficacy of balloon-expandable versus self-expanding trans-catheter aortic valve replacement in high-risk patients with severe symptomatic aortic stenosis

By Senguttuvan NB, Bhatt H, Balakrishnan VK, et al. (2023) *Front. Cardiovasc. Med.* 10:1130354. doi: 10.3389/fcvm.2023.1130354

Error in Author List

In the published article, there was an error in the author list. The previously-named author Gilbert H. L. Tang needs to be removed. The corrected author list appears below.

Nagendra Boopathy Senguttuvan^{1,2}, Hemal Bhatt^{2,3}, Vinod Kumar Balakrishnan¹, Parasuram Krishnamoorthy³, Sunny Goel³, Pothireddy M K Reddy¹, Vinodhini Subramanian¹, Bimmer E Claessen^{2,4}, Ashish Kumar⁵, Monil Majmundar⁶, Richard Ro², Stamatios Lerakis², Ramamoorthi Jayaraj⁷, Ankur Kalra^{5,8}, Marcus Flather⁹, George Dangas²

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Text Correction

In the published article, there was an error. The Author Contribution section stated that Gilbert H. L. Tang's (GT) made a contribution to the article.

A correction has been made to the Author contribution section. This section previously stated:

“NS: planning, execution, data extraction, statistics, reporting, writing the first manuscript, review and editing. HB: planning, execution, data extraction, statistics. VB, PK, SG, RR, SL, AKu, MM, RJ, Aka, MF, GD, and VS: review and editing. PR: data extraction, review and editing. BC: planning, execution, review and editing. GT: senior author, guarantor.”

The corrected section appears below.

“NS: planning, execution, data extraction, statistics, reporting, writing the first manuscript, review and editing. HB: planning, execution, data extraction, statistics. VB, PK, SG, RR, SL, AKu,

MM, RJ, Aka, MF, GD, and VS: review and editing. PR: data extraction, review and editing. BC: planning, execution, review and editing.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.