



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Ya-ni Mou
✉ mouyaniq@163.com
Feng Tan
✉ tanfengsong@163.com

RECEIVED 03 November 2023

ACCEPTED 10 November 2023

PUBLISHED 01 December 2023

CITATION

Hua Q-q, Lin X-j, Xiang S-p, Jiang L-y,
Cai J-h, Sun J-m, Tan F and Mou Y-n
(2023) Corrigendum: Two small-molecule
inhibitors of *Toxoplasma gondii*
proliferation *in vitro*.
Front. Cell. Infect. Microbiol. 13:1332786.
doi: 10.3389/fcimb.2023.1332786

COPYRIGHT

© 2023 Hua, Lin, Xiang, Jiang, Cai, Sun, Tan
and Mou. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The
use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Two small-molecule inhibitors of *Toxoplasma gondii* proliferation *in vitro*

Qian-qian Hua¹, Xue-jing Lin², Shi-peng Xiang², Li-ya Jiang¹,
Jin-hao Cai¹, Jian-min Sun¹, Feng Tan^{2*} and Ya-ni Mou^{2*}

¹Department of Clinical Laboratory, Affiliated Dongyang Hospital of Wenzhou Medical University, Dongyang, Zhejiang, China, ²Department of Parasitology, School of Basic Medical Sciences, Wenzhou Medical University, Wenzhou, Zhejiang, China

KEYWORDS

CGI-1746, JH-II-127, *Toxoplasma gondii*, infection, *in vitro*

A corrigendum on

Two small-molecule inhibitors of *Toxoplasma gondii* proliferation *in vitro*

by Hua Q-q, Lin X-j, Xiang S-p, Jiang L-y, Cai J-h, Sun J-m, Tan F and Mou Y-n (2023) *Front. Cell. Infect. Microbiol.* 13:1145824. doi: 10.3389/fcimb.2023.1145824

Affiliations

In the published article, there was an error regarding affiliation 1. Affiliation 1 was published as: Clinical Laboratory, Dongyang People's Hospital, Jinhua, Zhejiang, China. The correct affiliation is: Department of Clinical Laboratory, Affiliated Dongyang Hospital of Wenzhou Medical University, Dongyang, Zhejiang, China.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.