



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Frontiers Production Office
✉ production.office@frontiersin.org

RECEIVED 28 February 2024
ACCEPTED 28 February 2024
PUBLISHED 08 March 2024

CITATION
Frontiers Production Office (2024)
Erratum: Advances in application of
CRISPR-Cas13a system.
Front. Cell. Infect. Microbiol. 14:1393044.
doi: 10.3389/fcimb.2024.1393044

COPYRIGHT
© 2024 Frontiers Production Office. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](#). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Erratum: Advances in application of CRISPR-Cas13a system

Frontiers Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

CRISPR-Cas system, CRISPR-Cas13a, genome editing, molecular diagnosis, gene therapy

An Erratum on

Advances in application of CRISPR-Cas13a system

by Zhang L, Li S, Li R, Qiu X, Fan T, Wang B, Zhang B and Zhang Y (2024) *Front. Cell. Infect. Microbiol.* 14:1291557. doi: 10.3389/fcimb.2024.1291557

Due to a production error, the positions of Li Zhang and Yue Zhang were misplaced in the author list, which should be as follows:

Yue Zhang^{1†}, Shengjun Li^{2†}, Rongrong Li³, Xu Qiu¹, Tianyu Fan⁴, Bin Wang¹, Bei Zhang¹ and Li Zhang^{1*}.

The publisher apologizes for this mistake.

The original version of this article has been updated.