Corrigendum: Tough materials through ionic interactions

Linda Salminen[1], Erno Karjalainen[2]*, Vladimir Aseyev[1]* and Heikki Tenhu[1]

[1]Department of Chemistry, University of Helsinki, Helsinki, Finland, [2]VTT Technical Research Centre of Finland Ltd., Espoo, Finland

KEYWORDS

photopolymerization, dynamic crosslinker, crosslinking, reinforcement, tensile strength

---

A Corrigendum on
Tough materials through ionic interactions

by Salminen L, Karjalainen E, Aseyev V and Tenhu H (2021). Front. Chem. 9:721656. doi: 10.3389/fchem.2021.721656

In the published article, there was an error in Figures 11, 12. The order of magnitude was incorrect in Figures 11A, D and Figures 12A, D. The correct figures and their captions appear below.

In the published article, there was an error in **Supplementary Figure S20**, which had incorrect dimensions. The correct figure and its caption appear below.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

FIGURE 11
The ion content dependence of **(A)** Young's modulus, **(B)** stress at break, **(C)** strain at break, and **(D)** fracture energy (WB) of C4ASA-films with 1% (blue), 2% (black), and 5% (red) BudMA. The fracture energies were defined as the integrals of stress-strain curves.


FIGURE 12
The ion content dependence of **(A)** the Young's modulus, **(B)** the stress at break, **(C)** the strain at break, and **(D)** the fracture energy (W_B) of films with 2% BudMA and varying concentrations of C4ASA (black) or C6ASA (red). The fracture energies were defined as the integrals of stress-strain curves.

SUPPLEMENTARY FIGURE S20
The Young's moduli **(A)**, stresses at break **(B)**, strains at break **(C)**, and fracture energies **(D)** of films with 5% of C4ASA, C6ASA, or PC6ASA. Each film contains 2% BudMA.