Check for updates

#### **OPEN ACCESS**

EDITED BY Annamaria Lammel, Université Paris 8, France

REVIEWED BY Chantelise Pells, University of California, Merced, United States Marco Heredia-R, Universidad Técnica Estatal de Quevedo. Ecuador

\*CORRESPONDENCE Gwendolyn Smith gwen@pofteam.org

RECEIVED 14 September 2023 ACCEPTED 27 December 2023 PUBLISHED 12 January 2024

#### CITATION

Smith G, Chowenga M and Karsters J (2024) Local knowledge matters: understanding the decision-making processes of communities under climate change in Suriname. *Front. Clim.* 5:1294271. doi: 10.3389/fclim.2023.1294271

#### COPYRIGHT

© 2024 Smith, Chowenga and Karsters. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Local knowledge matters: understanding the decision-making processes of communities under climate change in Suriname

### Gwendolyn Smith<sup>1\*</sup>, Mawie Chowenga<sup>2</sup> and Jethro Karsters<sup>2</sup>

<sup>1</sup>Department of Conflict Resolution Studies, Nova Southeastern University, Fort Lauderdale, FL, United States, <sup>2</sup>Faculty of Social Sciences, Anton de Kom University of Suriname, Paramaribo, Suriname

**Introduction:** Traditionally, local communities have relied on practical observations accumulated over extended periods to inform their decision-making. This knowledge is now recognized as a viable solution for communities to adapt to climate change effectively. The impact of climate change brings an extra layer of complexity to local communities' detection- and decision-making processes, which needs to be better comprehended.

**Methodology:** Our study builds on the foundation of conflict resolution and examines the knowledge systems and corresponding decision-making processes of local communities living in urban, rural, and tropical forest regions of Suriname, South America.

**Results:** The mixed-method study showed that the autonomous decisionmaking processes of these communities are guided by their knowledge systems, intertwined with values and interests. Forest communities in remote locations rely solely on their robust knowledge base for crafting adaptation solutions, while urban and rural communities near the administrative centers develop adaptation strategies primarily considering their access to social networks and relative power.

**Discussion:** The study highlights local knowledge as the primary determinant for the direction communities take in adaptation, with tradeoffs becoming evident as communities navigate the broader social context. The recognition and integration of this knowledge emerge as a critical factor in enhancing climate change adaptation at the local level.

KEYWORDS

local knowledge, decision-making, adaptation, communities, climate change, worldview, Suriname

## **1** Introduction

Local knowledge is often presented as an obvious solution for communities to adapt to the challenges posed by climate change when lacking financial or technical resources (IPCC, 2007; IPBES, 2019). This knowledge is primarily used to detect natural cycles and cultural elements that connect with the community's values and belief system (Orlove et al., 2010). The communities holding local knowledge have collected it over multiple years of place-based experimentation. Typically, they observe variations in plant phenology, animal behavior, wind circulation, rainfall shifts, and water distribution (Berkes, 2009; Jiri et al., 2015).

Extensive bodies of local knowledge are particularly evident among farmers and indigenous peoples, who rely on this knowledge for their livelihood, either entirely or

partially. They apply their knowledge to implement a series of management decisions on how to cope with the detected changes (Adger et al., 2005; Adger, 2013; Blakeney, 2020). The impact of climate change introduces an added layer of complexity for these communities. This leads to a decline in the reliability of their knowledge system for detecting environmental changes, and their trust in this system is weakening (Naess, 2013; Jiri et al., 2016; Mapfumo et al., 2016).

A substantial collection of literature focuses on local communities and their knowledge systems in the context of climate change. The early studies primarily centered on assessing communities' vulnerability and how it relates to their adaptation efforts (Burton et al., 2002; Tabara et al., 2010). This research body, rooted in environmental anthropology and ethnoecology, recognized local knowledge as part of the more extensive system, including the community's values and beliefs (Vedman and Rhoades, 2001; Byg and Salick, 2009; Turner and Clifton, 2009; Hulme, 2010; Berkes, 2012). The studies assume that local communities will only take action when faced with significant environmental risks.

More recently, scholars have shifted toward investigating people's perceptions of climate change. Perception studies give valuable insights into the behavioral dynamics of communities in response to climate change and their ability to adapt to new circumstances. This research operates either from the lens of psychology (Weber, 2010; Evans et al., 2016; Takakura et al., 2021), sustainable development (Chaudhary et al., 2011; Piya et al., 2012; Stancioff et al., 2018; Leal Filho et al., 2022), human geography, or urban planning (Codjoe et al., 2014; Funatsu et al., 2019). It gives valuable information about the various factors influencing the community's perception of climate change to understand their reasoning in adaptation. However, the comprehensive process of view formation—from knowledge generation to its subsequent livelihood decision-making, remains poorly understood.

This empirical study provides a deeper understanding of the content and scale of the local knowledge systems, elucidating its role in shaping the community's decision-making process for climate adaptation. We followed an analytical framework of worldviews to capture the whole spectrum. Worldviews are "the inescapable, overarching systems of meaning and meaning-making that inform how humans interpret, enact, and co-create reality" (Hedlund-de Witt, 2013, p. 156). The worldview analytical framework allows researchers to depart from the dominating Western-oriented ontology and epistemology, and it provides an opportunity for understanding alternative ways of knowledge creation by including people, their values and beliefs, and the spiritual world (Pyhälä et al., 2016; Sanganyado et al., 2017; Rarai et al., 2021).

A lens for exploring worldviews is the discipline of conflict resolution. This emerging field systematically studies actors' views to anticipate their actions in a social setting and how interventions can lead to peaceful solutions (Folger et al., 2005). It holistically looks at the social system of actors and their environment, considering their knowledge, values, interests, power, and interaction with others (Li et al., 2012). The conflict resolution approach extends beyond solely concentrating on the community's local knowledge or perception of climate change. Instead, it adopts

a broader perspective of negotiation dynamics, which involves two or more interdependent actors adjusting their interests and demands to resolve or prevent other conflicting situations (Lewicky et al., 2007). This context-specific approach can be used to analyze the community's connection between the local knowledge system and its decision-making process.

The focus of this study is on the knowledge that communities gather to address climate variability and change, and it examines how this acquired knowledge informs their decision-making processes. We present a study conducted in Suriname, South America, exploring local communities in urban, rural, and tropical forest areas. This study aims to close the existing gap in the literature on local knowledge and adaptation studies in climate change. This is especially relevant in Latin America and the Caribbean (LAC) regions, where only a few studies are available on the connection between local knowledge and adaptation, according to a recent review of the literature on knowledge and climate change actions conducted by Iwama et al. (2021). Our study aims to address this gap by answering the following research questions:

RQ1: What is the role of local knowledge in detecting and managing climate change in urban, rural, and forest communities?

RQ2: How does the community's local knowledge influence their decision-making process during climate change?

# 2 Local knowledge and the link with climate change adaptation

#### 2.1 Local knowledge

Local knowledge commonly refers to knowledge and skills produced through direct environmental interaction. In the context of this paper, local knowledge includes both indigenous and local knowledge. We acknowledge that small farmer communities and indigenous people have accumulated empirical knowledge during their cultural practices to sustain their livelihood.

Farmers who have worked at the exact location for over a decade possess a substantial body of knowledge about rainfall, temperature, wind, and plant- and animal phenology (Vedman and Rhoades, 2001; Jiri et al., 2015, 2016; Blakeney, 2020; Hatfield et al., 2020). Indigenous peoples tend to have a more collective approach to knowledge generation because it is embedded in their lifestyle and passed down from generation to generation (IPCC, 2023).

Local knowledge has proved more accurate and reliable than scientific knowledge when applied locally (Nyong et al., 2007). Communities rely on this knowledge to navigate the daily challenges of natural cycles and anomalies. Knowledge generated through lived experiences of communities is dynamic, constantly evolving as new information is gathered and obsolete knowledge is removed from the knowledge base (Berkes, 2012; Nakashima et al., 2018; Rarai et al., 2021). The knowledge base is often quite detailed, as it gives information about the flowering of plants, the behavior of animals, and migration- and mating patterns of species. Various functional groups in the community use this interconnected knowledge system, including elders, farmers, hunters, fishers, gatherers, and healers (Wolf and Moser, 2011; Berkes, 2012; Savo et al., 2016).

Local knowledge articulates the connection between the community and its environment: the human-to-nature connection. This connection is defined by numerous community indicators (or early-warning alert signs) that identify climate variability, encompassing temperature and precipitation fluctuations over interannual and interdecadal periods (IPCC, 2012). Indicators can expand over the whole ecosystem, or they only assess the interaction between its elements (Chisholm Hatfield et al., 2018; Hatfield et al., 2020), serving as the community's primary tools for discerning variations in meteorological, biological, environmental, and astronomical data across seasons or longer time frames (Granderson, 2017). The continual and consistent use of such indicators provides valuable insights into the community's interaction with the environment and its role in decision-making.

When climate change is detected, a local community becomes aware of this shift by comparing the new information with existing information in the knowledge base (Weber, 2010). This comparison allows the community to recognize and comprehend the extent of the transformation. The community now faces the challenge of navigating through the chaos and evaluating the new information. It then actively explains the event, seeking to understand and make sense of it. This "meaning-making" process occurs before the community designs adaptation strategies to establish a new coexistence with the changing environment (Lewin, 1947; Smith and Bastidas, 2017).

Meaning-making research typically investigates values since these offer insights into the context within which the community's meaning-making process unfolds (O'Brien, 2009). Values serve as the foundation for the community's view and can be best explained as standards by which "we judge events and people's behavior and by which people decide what is worthy of support and what deserves condemnation" (Carpenter and Kennedy, 2001, p. 197). The community's values directly influence the adaptation measures it will take. To illustrate, traditional values held by forest communities guide collective actions based on local knowledge for supporting group identity and livelihood. In comparison, modern values in urban areas prioritize adaptive efforts driven by economic profit and individual growth (O'Brien, 2009).

Another factor integral to constructing meaning is the community's interest. Deeply rooted in values, interests can be best described as the goals and the development direction communities aspire to pursue (Lewicky et al., 2007). Communities may have multiple interests that drive negotiations, extending beyond the scope of climate change. Research reveals that community decision-making can be influenced by mining and wood logging (Boissière et al., 2013), market prices (Tucker et al., 2010), pests and diseases (Vedman and Rhoades, 2001), poverty, crime, and job opportunities (Gaillard, 2010), and religion (Granderson, 2017), can influence the community Thus, the ultimate decisions made by the communities are dependent on various contextual factors that are currently poorly understood.

Two studies thoroughly examine the community's decisionmaking process, illustrating the importance of values and interests. Leonard et al. (2013) conducted a study among Miriwoong indigenous peoples living in East Kimberley, Northern Australia. They showed that this community's view depends on a descriptive set of indicators organized into a seasonal calendar in the traditional knowledge base. The study further illustrated that community decisions not only centered on indicators but included various contextual factors, such as development pressures (dams and irrigated agriculture), extreme weather events (floods), and values concerning spiritual punishment.

A similar result was obtained from scholars in the field of conflict resolution. Smith and Bastidas (2017) deconstructed the Trio indigenous community's worldview in response to South Suriname's climate change from 2008–2013. The deconstruction process of the community view focused on three aspects: (1) evaluating the new climate information against their values, (2) making sense of the new information, and (3) making decisions while considering the surrounding environment. With a case study utilizing quantitative and qualitative data, the scholars showed that the Trio peoples rely on local knowledge to adapt to climate change to ensure food security and livelihood. However, they observed that values precede the decision-making process: the community had paused taking action because they believed climate change was part of a future apocalypse.

# 2.2 Decision-making for climate change adaptation

Adaptation refers to the community's "adjustment in ecological, social and economic systems in response to actual or expected climate stimuli and their effects or impacts" (Smit et al., 2001, p. 881). Scholars focus their studies on cognitive analysis to identify the drivers of adaptation. Together these studies show that worldview construction (Adger, 2013; McNeeley and Lazrus, 2014), climate change awareness, communication, and socio-political factors (Blennow et al., 2012; Myers et al., 2013; McNamara and Buggy, 2016) shape the community's adaptation efforts. Conversely, scholars examining the barriers to adaptation come to a similar conclusion (Adger et al., 2009; O'Brien, 2009; Biesbroek et al., 2013; Eisenack et al., 2014; Evans et al., 2016).

These studies demonstrate that decision-making research focuses primarily on examining the drivers and barriers to adaptation. Gorddard et al. (2016) take an advanced approach and argue that decision-making needs to be viewed from a broader societal perspective. They study the decision-making process with an interconnected framework of knowledge, values, and rules. Although this framework considers the entire social system, it assumes that restrictions on this system guide the decision-making. Our study deviates from this traditional "drivers and barriers" discourse, recognizing that the community's decision-making process occurs in a space where trade-offs between various interests exist. These interests include both tangible (goods, profits) and intangible interests (emotions, relationships) (Folger et al., 2005). The constant tension between such interests is a fundamental premise within conflict resolution.

In the conflict resolution approach, we explore decisionmaking within the broader interaction between communities and their physical and social environment. The communities operate within a social system that involves various actors upon whom they depend and they may perceive incompatibility and interference from these actors in their interactions due to differences in status, power, resources, values, or interests (Folger et al., 2005; Li et al., 2012). When confronted with the impacts of climate change, the social system can undergo disorganization and require time to stabilize, during which adaptation strategies are devised (Maani, 2013). Conflict researchers examine the entire system, presuming that communities make decisions based on the opportunities available to them. The ultimate goal of this approach is to achieve a state that fosters balance.

Thus, conflict can be studied as a unique perception of communities' reality. Following this constructivist paradigm, Nudler (1993) has developed a conflict analysis framework elucidating the dynamics influencing the community view and decision-making process along five dimensions: 1) the makeup of reality (ontology), 2) how reality is understood (epistemology), 3) the value placed on aspects of reality (axiology), 4) how reality is organized (logic), and 5) how one should act in response to reality (ethic). While the first four questions describe the local view about nature, the ethically-framed question explores the actor's decision-making process. Nudller's theoretical framework has guided our study.

Nudler's inquiries are relevant to researchers who aim to comprehensively assess the social system within which the community operates. This system consists of three essential components: the community itself, its relationship with nature, and its interactions with the social environment. The first component, the community, consists of diverse groups with varying characteristics and evolved power dynamics. The level of social cohesion among these groups plays a crucial role in determining the strength of the decision-making structure. According to Triandis et al. (2001), a community that operates collectively has shared interests and values and is more likely to possess a more robust decision-making structure than a community with an individualistic orientation. Nevertheless, the decision-making process may take longer due to problem-solving and consensus-building among the subgroups to uphold the community's collective nature.

The second component, the human-to-nature interaction, focuses on the community's relationship with nature. It consists of the community's drive to secure food and maintain health and wellbeing. For instance, nature-dependent communities have a strong need for survival and use their rich traditional knowledge base to navigate within the natural cycles. Here, the binding agent is the knowledge exchange across generations and genders within the community, enabling collective action and management strategies. In contrast, less nature-dependent communities do not rely heavily on traditional knowledge for decision-making, as they have alternative means of sourcing food and meeting other human survival needs (O'Brien and Lechenko, 2009).

The third component, the human-to-human interaction, involves the push and pull factors in the social environment that impact the community's decision-making ability and choices. Communities usually make trade-offs when negotiating with various stakeholders, such as other communities, donors, supporters, and the Government. These trade-offs depend on the power structures between the community and others. The community can gather power from its (recognized) expertise, available financial resources, authority within the national governance system, and cooperation with others (Lewicky et al., 2007).

The role of power has been emphasized as a significant determinant for communities participating in negotiations over nature (Smith et al., 2023). In the LAC region, the influence of colonial power structures is still evident (Iwama et al., 2021), and this is particularly noticeable in Suriname, where a significant power divide exists between the more influential coastal region and the forest region (Collins, 2023). Therefore, the decisions made by communities in response to climate change may be significantly influenced by the power they possess (Naess, 2013) and the power derived from the social networks they utilize (Spires et al., 2014).

The dependence on external actors will determine whether a community retains full or partial responsibility for adapting to climate change or transfers this responsibility to national institutions (Giller et al., 2008). Communities can be categorized as "full participants" when fully integrated into society, or with partial interactions, they become "conscientious observers." Communities can also become "nearly absent" when isolated from the social arena. Within this place, they engage in a negotiation process in which people "confer, ponder exchange views consider evidence, reflect on mutual interest, negotiate and attempt to persuade each other" (Robinson and Berkes, 2011, p. 1186). Once negotiations are concluded, the community will present its final adaptation decision. This "continuous negotiation with the surrounding environment" provides valuable insights into the community's decision-making process during adaptation and will be further explored in this paper.

### 3 Materials and methods

#### 3.1 Site description

Suriname is located in the northeastern part of South America, covers a total land area of 163,820 km<sup>2,</sup> and has a comparatively small population of 616,500 (ABS, 2023). The study focused on three distinct regions: urban, rural, and forest regions (Figure 1), with each area represented by various administrative districts (Table 1).

The densely populated urban region accommodates 66% of the country's population (ABS, 2023). This region is located in the low-lying coastal zone and encompasses the capital city named Paramaribo. Primarily utilized as a residential area, the urban region is also home to numerous businesses and industries. The urban area serves as the country's administrative center and attracts people from other parts, visiting temporarily for business purposes (Planning Office Suriname, 2015).

Situated within the coastal zone, the rural region is characterized by lowlands with secondary vegetation, resulting from removing the primary tropical rainforest vegetation. Most land use is large-scale farming of rice and bananas, with the remaining area mainly including small-sized farms (<10 hectares) focused on cultivating fruits and vegetables. Uninhabited areas accommodate significant crude oil extraction operations near the




TABLE 1	Characteristics	of the	various	study sites.
---------	-----------------	--------	---------	--------------


Region	Name district	Estimated population <sup>a</sup>	Area (km²)	National multidimensional poverty index <sup>b</sup>	Average educational level <sup>c</sup>	Employment depriviation <sup>d</sup>
Urban	Paramaribo Wanica	374,421	625	3%	Secondary education	8%
Rural	Para Saramacca Nickerie	79,137	14,382	4%	Secondary education	8%
Forest	Brokopondo Sipaliwini	51,733	137,931	32%	Primary education	30%

<sup>a</sup>Demographic data 2021 (ABS, 2023). <sup>b</sup>Latest Census Data 2012 (Sobhie and Kisoensingh, 2023). The National Multidimensional Poverty Index shows the proportion of deprivation experienced of the poor people in the country to the total possible deprivation that would be experienced if every person in society were poor and deprived over the health, education, social economic security indicators. <sup>c</sup>Latest Census Data 2012 (Sobhie and Kisoensingh, 2023). The average educational level is estimated based on student attendance rates for primary and secondary school. <sup>d</sup>Latest Census Data 2012 (Sobhie and Kisoensingh, 2023). Employment deprivation estimated by percentage of the households.

coastline and fishing and eco-tourism activities (Planning Office Suriname, 2015).

In the southern part lies the forest region primarily covered by pristine tropical rainforests with rich biodiversity. Inhabitants of this area, comprised of Indigenous and Afro-descendent communities ranging from 50 to 5,000 people, largely depend on subsistence farming and gathering forest resources to sustain their livelihoods. Since 2011, local mineral deposits have led to increased gold mining activities, offering employment opportunities for many residents. The forest region can only be accessed through one road, lengthy canoe trips on water, and small airplane flights (World Wildlife Fund, 2016).

Suriname has a warm tropical climate with average temperatures between 25 C–28 C throughout the year and abundant rainfall between 1,500 mm in coastal areas and 3,000 mm in forest regions, with an annual average of 2,200 mm. In the context of climate change, Suriname expects a potential sea-level rise of 0.25–1 meter in the coastal zone by the end of the century,



affecting approximately 7% of the population, and is expected to a 6.4% decline in the country's GDP (Solaun et al., 2021; Government of the Republic Suriname, 2023). This area, including urban and rural study sites, is highly susceptible to pluvial flooding. It is about to experience a decrease in rainfall of about 10%, resulting in hotter and drier conditions (Solaun et al., 2021).

In the last decade, the forested regions have experienced notable changes, including increased minimum and maximum temperatures and a drier climate in southwest Suriname. Forest users have observed animal and plant phenology shifts, river water level fluctuations, and seasonal pattern alterations (Smith, 2013). These changes pose significant risks to the forest communities, mainly due to their reliance on vulnerable subsistence agriculture, limited accessibility, and inadequate infrastructure (Solaun et al., 2021).

#### 3.2 Data collection and analysis

Between April 2022 and 2023, single households (n = 68) were selected for semi-structured interviews in the forest, rural, and urban areas dispersed throughout the country. These households resided at their current location for 10 years or more and were selected through non-probability snowball sampling. The selection of a 10-year time frame was motivated by people's inability to recall events accurately over more extended periods (Boillat and Berkes, 2013). Respondents ranged between 21 and 79 years, averaging 47 years. The male/female gender ratio of the sample was 0.94.

The researchers visited the selected households and conducted face-to-face interviews with household members on their premises. This survey aimed to determine whether individuals perceived climatic changes as seasonal and long-term and what adaptation strategies they adopted. The questionnaire used for these interviews assessed 42 indicators for detecting changes in wind, lightning, rainfall, drought, animal phenology, plant phenology, air, and soil. The questionnaire was validated in earlier research (Smith, 2013). The survey questionnaire is included in Annex 1.

Data was collected using Kobo Toolbox, an open data kit to collect data on phones and tablets (Kobo Organization, 2023).

The number of responses for each climate indicator was tallied and converted into scores between 0 (lowest) and 1 (highest). The collected data was downloaded and analyzed with SPSS, version 24. The homogeneity of variance was examined using Levene's test. The consistency of the scores across different regions was assessed using the Kruskal-Wallis test with *post hoc* analysis.


Subsequently, the researchers approached the same households to engage in a social mapping exercise to understand better climate change indicators and their influence on individuals' motivation to undertake adaptive actions. Social mapping served as a platform for initiating a dialogue between the researchers and the community members, which included men, women, elders, and youth. This qualitative data was organized by themes and provided substantial detail on the broader context of the specific region in which the household was located. Other relevant secondary sources were also included in the study.

All data were analyzed using Nudler (1993)'s worldview analysis framework adapted to local communities facing climate change (Figure 2). Initially, the community's knowledge, values, and interests were determined to describe their current reality. Subsequently, the community's decision-making process was examined by assessing their relative power, level of interaction with others, and ultimately, adaptation strategies.

## 4 Results and discussion

#### 4.1 Local knowledge

Seasonal observations are essential for detecting immediate changes in natural cycles, such as the (dis)appearance of animals and plants, plant blooming and fruiting, wind speeds, lightning activity, cloud cover, river water levels, water quality, air temperature, and heat levels. Our data reveals that all researched communities possess a broad range of indicators, implying their capacity to observe the natural ecosystem, evaluate it, and take appropriate actions (Figure 3). This characteristic is often seen in communities that still maintain a close connection to nature, according to Chisholm Hatfield et al. (2018).



Our study also shows that the local knowledge system differs considerably among the three regions. Forest communities had a more significant number of observations across all indicators compared to rural and urban communities, including wind, lightning, rainfall/water levels/water quality, animal phenology, plant phenology, air, soil, and sun/heat. Variations in animal and plant phenology are most frequently observed, highlighting their importance in assessing the seasons for all communities. The widespread use of animal and plant indicators is attributed to their consistency across time and space, making them reliable (Møller, 2015).

Seasonal observations are typically gathered in response to perceived shifts in weather patterns and are intricately linked with the community's livelihood activities. The significance of these indicators lies in helping the communities prepare for site selection, plot clearing, and crop planting, as Varah and Khamrang (2022) pointed out. Our study shows a similar correlation between seasonal indicators and daily livelihood activities. The indicators gathered offer insights into the onset, peak and conclusion of the dry and rainy seasons. They are essential for planning agricultural activities and securing food production in rural and forest communities.

According to our results, urban communities lack indicators for evaluating soil changes (Figure 3). This practice could come from their limited engagement with soil-related activities, as soil indicators are typically linked to agriculture, often absent in urban areas (Hatfield et al., 2020). A similar absence of soil indicators was observed among citizens in Accra, a metropolitan city in Ghana, where they utilized fauna, astrology, and sea indicators to detect climate variability (Codjoe et al., 2014).

Regarding long-term observations of climate change, which spanned over 10 years or more, the forest communities show a robust traditional knowledge system, achieving an average observation score of 0.286. In contrast, the rural and urban communities recorded lower average scores of 0.157 and 0.185, respectively. Kruskal-Wallis test comparison among the mean observation scores of various indicators confirmed significant differences between the forest, rural and urban regions, shown in the alphabetical letters in Table 2. This table shows that forest communities have significantly higher scores across 15 indicators, encompassing all themes except drought. Urban areas recorded significantly higher scores in the drought theme, particularly in observing dryer and hotter conditions typical for cities and towns. Significantly higher scores were also observed for the indicator "soils difficult to irrigate," which may indicate their experiences with extensive flooding experiences in the coastal region.

The study showed no significant differences in longterm observations among genders, while age variances were demonstrated. For animal, plant, and soil observations, households with observers older than 40 years recorded significantly more

#### TABLE 2 Comparison of mean scores of various climate change indicators.

		Forest			Rural			Urban	
ACTIVITY	Mean	SD		Mean	SD		Mean	SD	
More wind	0.258	0.080		0.208	0.085		0.385	0.140	
More gusts	0.419	0.090		0.167	0.078		0.462	0.144	
More turns	0.032	0.032		0.083	0.058		0.077	0.077	
Less wind	0.194	0.072	a	0.000	0.000	ь	0.000	0.000	ab
More lightning	0.032	0.032		0.042	0.042		0.077	0.077	
Lightning in different places	0.129	0.061		0.042	0.042		0.077	0.077	
Harder thunder	0.226	0.076	a	0.000	0.000	Ь	0.077	0.077	ab
Less lightning	0.097	0.054		0.000	0.000		0.000	0.000	
More rainfall	0.807	0.072		0.792	0.085		0.539	0.144	
Rainfall more intense	0.774	0.076	a	0.333	0.098	ь	0.231	0.122	bc
Longer rainy season	0.548	0.091		0.667	0.098		0.615	0.140	
Longer dry season	0.000	0.000		0.083	0.058		0.154	0.104	
Dryer	0.000	0.000	ab	0.083	0.058	b	0.385	0.140	a
Hotter	0.194	0.072	Ь	0.125	0.069	bc	0.917	0.083	a
Shorter dry season	0.387	0.089		0.292	0.095		0.385	0.140	
Air is hotter	0.419	0.090	a	0.250	0.090	Ь	0.154	0.104	ab
More clouds	0.323	0.085	a	0.042	0.042	Ь	0.000	0.000	bc
Fewer clouds	0.129	0.061		0.000	0.000		0.000	0.000	
Fewer stars	0.290	0.083	a	0.042	0.042	Ь	0.000	0.000	bc
Stars moving asynchronously with nature	0.032	0.032		0.000	0.000		0.000	0.000	
Fewer animals seen	0.258	0.080		0.167	0.078		0.385	0.140	
Animals disappeared	0.194	0.072		0.083	0.058		0.077	0.077	
Animals seen in different places	0.258	0.080		0.125	0.069		0.231	0.122	
Animal mating different	0.194	0.072	a	0.000	0.000	ь	0.000	0.000	ab
Insect less sounds	0.387	0.089	a	0.083	0.058	ь	0.077	0.077	ab
Insects more sounds	0.000	0.000		0.065	0.045		0.000	0.000	
Insects less activity	0.387	0.089	a	0.083	0.058	ь	0.000	0.000	bc
Fewer insects seen	0.355	0.087	a	0.167	0.078	ab	0.000	0.000	ь
Fewer fruits	0.516	0.091		0.333	0.098		0.308	0.133	
Weeds grow faster	0.387	0.889		0.292	0.095		0.385	0.140	
Early blooming	0.032	0.032		0.125	0.069		0.000	0.000	
Late blooming	0.387	0.089	a	0.208	0.085	ab	0.000	0.000	Ь
Early fruiting	0.000	0.000		0.083	0.058		0.000	0.000	
Late fruiting	0.387	0.089	a	0.083	0.058	Ь	0.000	0.000	bc
Plant withering	0.355	0.087		0.250	0.090		0.154	0.104	
Early fruit ripening	0.032	0.032		0.125	0.069		0.000	0.000	
Late fruit ripening	0.484	0.091	a	0.042	0.042	b	0.000	0.000	bc
Fewer fruits	0.516	0.091	a	0.083	0.058	b	0.231	0.122	ab
Soils wetter	0.548	0.091		0.417	0.103		0.385	0.140	
	5.0 10								
Soils less fertile	0.419	0.090		0.333	0.098		0.462	0.144	
Soils less fertile Soils different to burn	0.419	0.090	a	0.333	0.098	ab	0.462	0.144	b
	More gustsMore turnsLess windLess wind ingUightning in different placesHarder thunderLess lightningMore rainfallRainfall more intenseLonger dry seasonDryerHotterShorter dry seasonAir is hotterFewer cloudsFewer cloudsFewer starsStars moving asynchronously with naturePrever starsAnimals different placesAnimals different placesInsects less activityFewer fruitsFewer fruitsPewer fruitsInsects less activityPanet fruitingLate fruitingLate fruitingLate fruitingLate fruit ripeningEarly fruit ripeningFewer fruits	MeanMore wind0.258More gusts0.419More turns0.032Less wind0.194More lightning0.032Lightning in different places0.129Harder thunder0.226Less lightning0.097More rainfall0.807Rainfall more intense0.774Longer dry season0.000Dryer0.000Hotter0.194Shorter dry season0.387Air is hotter0.419More clouds0.323Fewer stars0.290Stars moving asynchronously with nature0.032Fewer animals seen0.258Animals seen in different places0.387Insects more sounds0.301Insects seen0.387Fewer fruits0.302Veeds grow faster0.387Fewer fruits0.387Farly blooming0.387Farly truiting0.387Farly fruiting0.387Farly fruit ripening0.387Farly fruit ripening0.387Farly fruit ripening0.387Farly fruit ripening0.484Fewer fruits<	ActivityMeanSDMore wind0.2580.080More gusts0.4190.090More turns0.0320.032Less wind0.1940.072More lightning0.0320.032Lightning in different places0.1290.061Harder thunder0.2260.076Less lightning0.0970.054More rainfall0.0970.054More rainfall0.8070.072Rainfall more intense0.7740.076Longer dry season0.5480.091Dryer0.0000.000Dryer0.0320.080More clouds0.3370.089Air is hotter0.4190.072Shorter dry season0.3380.089Air is hotter0.4190.072Shorter dry season0.3320.081Fewer clouds0.1290.061Fewer stars0.2580.080Animal seen0.1290.081Animals seen0.1940.072Insects less activity0.3870.089Insects less activity0.3870.089Fewer fruits0.3870.089Fewer fruits0.3870.089Insects less activity0.3870.089Insects less activity0.3870.089Fewer fruiting0.3870.089Plant withering0.3870.089Plant withering0.3870.089Plant withering0.3870.089<	ActivityMeanSDMore wind0.2580.080[More gusts0.4190.090[More turns0.0320.032aLess wind0.1940.072aMore lightning0.0320.032[Lightning in different places0.1290.076aHarder thunder0.2260.076aLess lightning0.0970.054[More rainfall0.0970.072aLonger rainy season0.0600.000aDryer0.0000.000aaHotter0.1940.072baMore duds0.1940.072baMore duds season0.0600.000aaMore clouds0.1940.072baMore clouds0.1940.072baMore clouds0.1940.090aaMore clouds0.1940.012aaFewer atimals seen0.1940.032aaAnimal dispepared0.1940.022aaInsects more sounds0.3870.089aaInsect ses onds0.3870.081aaInsect ses onds0.3870.081aaInsect ses onds0.3870.081aaInsect ses onds0.3870.081aaInsect ses onds0.3870.081aaInsect ses ond	ActivityMeanSDMeanMore wind0.2580.0800.028More gusts0.4190.0900.0167More turns0.0320.0320.032Less wind0.11940.0720.041More lightning0.0320.0320.042Lightning in different places0.1290.0610.042Harder thunder0.2260.0760.0210.070Less lightning0.0970.0540.0910.071More rainfall0.0700.0720.0830.081Longer driny season0.0600.0000.0830.081Dryer0.0000.0000.0010.0210.021Shorter dry season0.3330.0890.0210.021More clouds0.1320.0810.0210.021Shorter dry season0.3330.0850.0210.021Fever clouds0.1320.0320.0320.021Fever stars0.2920.0320.0320.032Stars moving asynchronously with atture0.0320.0320.032Animals disappeared0.1380.0390.0320.032Animal different places0.3370.0390.032Animal stesn unifferent places0.3370.0390.032Animal different place0.3370.0390.031Animal different place0.3370.0320.032Animals dispeared0.3370.0390.031Animal different place <td>ActivityMeanSDMeanSDMore wind0.2880.0800.0120.0280.0810.071More guas0.0120.0320.0320.0320.0320.041More lightning0.0320.0320.0410.0420.0421Lightning in different places0.1290.0610.040.000More rainfall0.0970.0541.00.000More rainfall0.0740.0720.7220.081Inger rainy season0.5480.0910.080.093Inger dry season0.0320.0001.010.020Shorter dry season0.3370.0890.0200.01More cluds0.0320.0810.0200.010Shorter dry season0.3380.0890.0200.010More cluds0.1290.0610.0000.000More cluds0.1290.0120.0200.010Shorter dry season0.3230.085a0.020Shorter dry season0.1290.0120.0200.020More cluds0.1290.0120.0100.000More cluds0.0290.0320.0310.000More cluds0.0290.0210.0200.020Shorter dry season0.0320.085a0.032More cluds0.0290.0310.0100.000More cluds0.0290.0120.0200.020Fewer facts0.2980.0200.010&lt;</td> <td>ActivityMeanSDMenSDMore vind0.2880.0801.010.0811.01More gasts0.4190.0320.030.0330.0310.031More turns0.0320.0320.0320.0320.0320.031Les wind0.0120.0210.0210.0210.0210.021More lightning0.0220.0210.0210.0210.0210.021Harder thunder0.2260.0764.00.0000.001More ainfall0.8070.0720.7210.0730.0830.081More ainfall0.8070.0010.0010.0010.0010.001Langer draip season0.7440.0720.0330.0320.031More draft0.1340.0210.0310.0320.0310.031More draft0.0370.0310.0320.0310.0310.031Linger draip season0.3370.0320.0310.0320.0310.031More draft0.1340.0320.030.0310.0310.0310.031More draft0.1340.0320.0330.0320.0310.0310.031More draft0.0340.0320.0330.0310.0310.0310.031More draft0.0340.0340.0340.0310.0310.0310.031More draft0.0340.0340.0340.0310.0310.0310.031Mor</td> <td>ActivityMeanSDMeanMeanSDMeanMore wind0.2580.6800.6810.0830.6830.413More gats0.4190.0920.020.0810.0730.073Les wind0.0120.0220.020.0420.0420.071Les wind0.0120.0220.0210.0100.0000.000.001More lightning0.0230.0210.010.0000.0000.0010.001Harder thunder0.2560.0760.0010.0000.0000.0010.001Les lightning0.0870.0720.0810.0030.0030.0010.0010.001Les lightning0.0710.0720.0810.0930.0810.0130.0310.031Les lightning0.0710.0720.0810.0930.0910.0150.0850.010.015Longer dry season0.0740.0720.0610.0930.0510.0140.0140.0140.014Dyer0.0940.0910.0140.0210.0150.0140.0140.0140.0140.0140.014Shorter dry season0.0330.0810.010.0140.0140.0140.0140.0140.0140.014Shorter dry season0.0340.0210.0210.0210.0210.0210.0210.0210.0210.021Shorter dry season0.0320.0210.0210.0210.02&lt;</td> <td>ActivityMeanSDMeanSDMeanSDMore wind0.2580.0800.0800.0850.0850.0830.0400.0420.041More guas0.020.020.020.080.0700.0700.0710.0710.071Les wind0.190.020.020.000.0000.000.0000.0000.001Les wind0.1940.0720.0420.0420.0400.0000.0010.001More ightning0.0200.0100.0000.0000.0000.0010.0010.001Les ightning0.0270.0260.0200.0000.0000.0010.0010.0010.001Longer ainy season0.540.0200.0200.0200.0200.0210.0210.0210.021Longer ainy season0.3400.0200.020.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.021</td>	ActivityMeanSDMeanSDMore wind0.2880.0800.0120.0280.0810.071More guas0.0120.0320.0320.0320.0320.041More lightning0.0320.0320.0410.0420.0421Lightning in different places0.1290.0610.040.000More rainfall0.0970.0541.00.000More rainfall0.0740.0720.7220.081Inger rainy season0.5480.0910.080.093Inger dry season0.0320.0001.010.020Shorter dry season0.3370.0890.0200.01More cluds0.0320.0810.0200.010Shorter dry season0.3380.0890.0200.010More cluds0.1290.0610.0000.000More cluds0.1290.0120.0200.010Shorter dry season0.3230.085a0.020Shorter dry season0.1290.0120.0200.020More cluds0.1290.0120.0100.000More cluds0.0290.0320.0310.000More cluds0.0290.0210.0200.020Shorter dry season0.0320.085a0.032More cluds0.0290.0310.0100.000More cluds0.0290.0120.0200.020Fewer facts0.2980.0200.010<	ActivityMeanSDMenSDMore vind0.2880.0801.010.0811.01More gasts0.4190.0320.030.0330.0310.031More turns0.0320.0320.0320.0320.0320.031Les wind0.0120.0210.0210.0210.0210.021More lightning0.0220.0210.0210.0210.0210.021Harder thunder0.2260.0764.00.0000.001More ainfall0.8070.0720.7210.0730.0830.081More ainfall0.8070.0010.0010.0010.0010.001Langer draip season0.7440.0720.0330.0320.031More draft0.1340.0210.0310.0320.0310.031More draft0.0370.0310.0320.0310.0310.031Linger draip season0.3370.0320.0310.0320.0310.031More draft0.1340.0320.030.0310.0310.0310.031More draft0.1340.0320.0330.0320.0310.0310.031More draft0.0340.0320.0330.0310.0310.0310.031More draft0.0340.0340.0340.0310.0310.0310.031More draft0.0340.0340.0340.0310.0310.0310.031Mor	ActivityMeanSDMeanMeanSDMeanMore wind0.2580.6800.6810.0830.6830.413More gats0.4190.0920.020.0810.0730.073Les wind0.0120.0220.020.0420.0420.071Les wind0.0120.0220.0210.0100.0000.000.001More lightning0.0230.0210.010.0000.0000.0010.001Harder thunder0.2560.0760.0010.0000.0000.0010.001Les lightning0.0870.0720.0810.0030.0030.0010.0010.001Les lightning0.0710.0720.0810.0930.0810.0130.0310.031Les lightning0.0710.0720.0810.0930.0910.0150.0850.010.015Longer dry season0.0740.0720.0610.0930.0510.0140.0140.0140.014Dyer0.0940.0910.0140.0210.0150.0140.0140.0140.0140.0140.014Shorter dry season0.0330.0810.010.0140.0140.0140.0140.0140.0140.014Shorter dry season0.0340.0210.0210.0210.0210.0210.0210.0210.0210.021Shorter dry season0.0320.0210.0210.0210.02<	ActivityMeanSDMeanSDMeanSDMore wind0.2580.0800.0800.0850.0850.0830.0400.0420.041More guas0.020.020.020.080.0700.0700.0710.0710.071Les wind0.190.020.020.000.0000.000.0000.0000.001Les wind0.1940.0720.0420.0420.0400.0000.0010.001More ightning0.0200.0100.0000.0000.0000.0010.0010.001Les ightning0.0270.0260.0200.0000.0000.0010.0010.0010.001Longer ainy season0.540.0200.0200.0200.0200.0210.0210.0210.021Longer ainy season0.3400.0200.020.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.0210.021

According to the Kruskal-Wallis test, different letters indicate differences between indicators at a 5% significance level.

observations than those between 20-30 years at a 5% significance level. This means that younger generations exhibit lower levels of knowledge. Our age analysis contrasts with studies conducted among Amazonian indigenous peoples with robust knowledge systems across all genders and ages (Smith, 2013; Funatsu et al., 2019), suggesting a potential erosion of established traditional knowledge systems.

In summary, the data on local knowledge highlights a link between the extensiveness of the knowledge system and its intended purpose. Forest areas where survival relies heavily on monitoring nature exhibit a comprehensive system with numerous nested indicators. The indicators the communities use to evaluate shortand long-term climate changes here are comparable to those observed in the wider region (Bynoe and Liddel, 2013; Smith and Bastidas, 2017; Stancioff et al., 2018; Funatsu et al., 2019). In rural areas focusing on agricultural production, the communities select indicators aligned with this purpose. Urban areas, with a lower dependence on nature than forest and rural regions, possess fewer indicators.

#### 4.2 Strategies for adaptation

Communities can benefit significantly from tapping into their local knowledge base, serving as a fundamental resource in crafting adaptation solutions. The findings include that forest communities possess a robust knowledge system centered around collective survival within the forest. These communities, situated at least 80 km from the administrative center, have few social connections other than those with neighboring communities and nongovernmental organizations operating in the area. Despite these connections, the forest communities rank among the country's poorest, with relatively low educational levels and employment opportunities, further exacerbating the scarcity of development opportunities (Table 1).

Confronted with little social support and financial resources, forest communities rely heavily on their internal capabilities for adaptation. Their local knowledge system plays a central role in shaping adaptation strategies guiding the refinement of existing practices in response to reduced rainfall and more drought events (Table 3). More specifically, 76% of respondents prefer advancing the execution of events, and 43% opt for delaying livelihood activities. Another less commonly employed strategy among these communities involves planting various crops to mitigate crop deterioration, as 29% of respondents reported. Similar self-reliant adaptation measures were identified by Smith and Bastidas (2017) in their study of the isolated Trio indigenous community living in the forests of South Suriname.

Conversely, urban communities actively seek adaptation strategies from external sources. With small land parcels, typically <1,000 m<sup>2</sup> (0.25 acre), these communities cultivate home vegetable gardens and maintain a few fruit trees to supplement their self-sustenance. The urban knowledge base holds little significance and is primarily employed to support recreational activities amidst the vibrant urban lifestyle, such as subsistence agriculture (50% of respondents) and subsistence fishing (50% of respondents)-activities falling under the relaxation category. Social mapping analysis reveals a recurring theme of

Adaptation strategy		Adjustment of the timing of subsistence activities. Planting of multiple crops.	Adjustment of production system by increasing the number of crops and livestock	Migration to higher grounds and seeking technological solutions (irrigation improvements)
Adantatic		Adjustment of the timir of subsistence activities. Planting of multiple crops.	Adjustment of productio system by increasing the number of crops and livestock	Migration to higher grounds and seeking technological solutions (irrigation improvemen
Human-to-human interaction	Interaction with others	Dependent on own community for support. None or limited interaction with others. Mainly absent from the negotiation arena	Depending on the family. Interaction with other farmers, and farmer organizations. A conscientious observer in the negotiation arena	Dependent on self. Mainly interaction with residents in the neighborhoods, politicians, and media. A conscientious observer in the negotiation arena
Human-to-hur	Relative power	Limited power. Marginalized communities with traditional knowledge that is poorly recognized.	Medium power. Low to middle-class communities that obtain power through expert farming knowledge and farmers' organizations	Medium power. Middle-class communities that obtain power through administrative governance, legal structures and media channels
ction	Interests	Collection of Non-Timber Forest Products, followed by subsistence farming and fishing	Commercial farming, followed by relaxation in nature and subsistence farming	Relaxation in nature, followed by subsistence farming and fishing
Human-to-nature interaction Local knowledge Values Inte	Values	Collectivity. Equitable division of resources. Food security. Health of the community	Individual in terests. Profit-driven use of nature. Family health	Individual interests. Recreational value of nature. Healthy food. Family health
	Local knowledge	Traditional knowledge only. Traditional knowledge includes seasonal and long-term indicators	Western - and traditional knowledge. Traditional knowledge includes seasonal and long-term indicators	Western - and traditional knowledge. Traditional knowledge includes seasonal and long-term indicators
Climate stressor		Less rainfall and more drought, increased temperature	Heavy rainfall with pluvial flooding events, extreme heat and drought	Heavy rainfall with pluvial flooding events, extreme heat and drought
Region		Forest communities	Rural communities	Urban communities

relaxation in these communities, indicating a perception of climate change that lacks a strong sense of immediate danger. This perception remains consistent regardless of the severity of the climate change event. Adger (2013) and McNeeley and Lazrus (2014) made similar observations in theoretical analysis about adaptation choices.

Urban communities strategically leverage their power and social connections, taking advantage of their proximity to the capital city of Paramaribo. In addressing climate change adaptation, they focus on securing support for relocating activities to higher ground (62% of respondents) and exploring technological solutions to improve irrigation (100% of respondents) in response to heavy rains and pluvial flooding events. This finding underscores the communities' preference for adaptation measures that align with their values and interests, particularly within the context of Western development. However, a substantial portion, accounting for 46% of urban respondents, refrain from taking specific actions in response to climate change. It shows the significant impact of communities' access to power and social networks, choosing inaction as a preferable option over tapping into their local knowledge base. This pattern demonstrates the substantial influence of human-to-human interaction in shaping the perceptions and responses of the communities.

The impact of this human-to-human interaction is also evidenced within rural communities. Most of these communities (75% of respondents) engage in permanent or semi-permanent small-scale agriculture on individual or family-owned land. Within these close-knit groups, families rely on a medium-sized local knowledge base passed down through generations of farmers. Their primary focus is on generating profit through commercial crop cultivation and livestock production, emphasizing family health significantly.

Rural communities implement adaptation strategies that mitigate reduced rainfall and pluvial flooding. These strategies include keeping additional animals (73% of respondents) and planting multiple crops (53% of respondents), demonstrating that they prefer to tap into family and farmer networks rather than depending solely on local knowledge to mitigate climate changerelated risks. This intriguing finding suggests that the communities prioritize solutions based on human-to-human interaction, even when a local knowledge base is sufficiently available. Nevertheless, the local knowledge base remains valuable, utilized to support subsistence farming activities to meet the communities' nutritional needs (42% of respondents), aligning with the value placed on family health.

The finding that rural communities favor support networks over their knowledge base shows the complexity of the adaptation process. These communities made a tradeoff between these two options, made possible by their involvement in the negotiation arena, where they hold low-to-medium power. A similar observation was made by coffee farmers in Guatemala, Honduras, and Mexico, who prioritized crop selling prices over other options when making adaptation decisions (Tucker et al., 2010). Both study outcomes illustrate that communities make a cost-benefit analysis when dealing with adaptation, showing that the process involves evaluating the available options. Clearly outlining these options, as demonstrated in our study, is thus crucial for analyzing decision-making on adaptation.

## **5** Conclusion

Our study highlights the pivotal role of local knowledge in shaping how communities approach climate change adaptation. We found that local knowledge's role in decision-making is not independent but interwoven with the community's values and interests. These factors collaboratively guide the autonomous decision-making process of communities, delineating a specific direction for decision-making. We demonstrated that local knowledge is the primary resource for adapting to climate change in forest communities. In urban and rural communities closer to the administrative centers, local knowledge serves a secondary purpose aligned with their values and interests of fostering relaxation in nature and ensuring family food supply, respectively.

The size and comprehensiveness of the local knowledge base emerge as a precursor in decision-making. Communities with a relatively small knowledge base, such as urban communities, can easily leverage their influence and seek outside assistance for adaptation. A medium-sized knowledge base, as seen in rural communities, may fall short of providing comprehensive adaptation solutions when communities have strong support networks. In comparison, forest communities rely on their robust knowledge to undertake self-reliant adaptation, an essential activity in developing countries like Suriname, where resources for technological solutions are limited. Our results could assist researchers in identifying the ideal scale of local knowledge necessary for self-reliant adaptation, especially in forest communities where local knowledge still remains prevalent in South America, Asia, and Africa.

Similar to other research (Gaillard, 2010; Tucker et al., 2010; Granderson, 2017), our study shows that contextual factors play an important role in autonomous decisions in adaptation. The impact of "relative power" and "social interaction" should not be underestimated as communities consider these factors when navigating through available adaptation options irrespective of the existing climate conditions. The study findings demonstrate that rural and urban communities seriously consider these factors when exploring adaptation solutions. It also shows that in the case of rural communities with a medium-sized local knowledge base, tradeoffs are made between utilizing the internal knowledge system and seeking external support. Meanwhile, remotely located forest communities opt for solutions solely from their local knowledge base because they have no other available options.

Thus, two essential dimensions in community decision-making have been highlighted in our study: the interaction between the community and nature and the interaction between the community and other human actors. The research indicates the significance of both dimensions in analyzing decisions made by the community. The first dimension, which involves human-to-nature interaction, defines how the knowledge base (including their values and interests) guides the direction of community decisions. The second dimension, focused on human-to-human interactions, enables the community to balance their interests with other available resources. A more profound integration into the social system will provide the community with a broader range of options.

Applying a conflict resolution approach allowed us to assess the entire decision-making system and research the interconnectedness of its components. By structuring our data within the conflict analysis framework (Figure 2), we could analyze each component's distinct roles and observe their collective contributions to the decision-making process. Considering local knowledge alongside values and interests seems essential for researchers to understand the "human-to-nature" interaction. Also, the researcher can integrate the "human-to-human interaction" into their analysis, which may offer them insights into the, often underestimated, influence of the social system on decision-making processes.

However, due to time and resource constraints, our study limits exploring the meaning-making process in depth. Gaining a more profound understanding of the meaning-making process requires ethnographic research, which demands significant time investment. For example, the Trio community study took 5 years to comprehensively understand the meaning-making process in climate change. Further studies should build on this study's foundational information to unravel the community's information selection process, as this will give more insight into the factors that influence decision-making.

The study left us uncertain whether the adaptations actions recorded were short-term responses or long-term strategies. This distinction is significant because communities may implement these measures as immediate reactions to climate change while exploring more sustainable options. For example, Funatsu et al. (2019) illustrates how local farmers in North-East Brazil resort to short-term alternatives when facing technological and cultural limitations. Similarly, in our research, we interpret the adaptation strategies as reactions to imminent climate threats. Further research is necessary to differentiate between immediate response and longterm strategies.

Our study offers a practical case study for evidence-based policymaking. Local knowledge represents a valuable resource that should be recognized and systematically integrated into national adaptation plans, a practice rarely seen worldwide. We encourage policymakers to utilize the study's insights to design policies to support communities in taking self-driven adaptation measures, which will be the obvious solution to climate change challenges in developing countries like Suriname with limited resources. This study has the potential to refine national adaptation plans and offer a set of indicators that ordinary citizens can utilize to detect early indications of climate variability and change. Then, nations can establish a location-specific citizen science network that could facilitate the integration of valuable traditional knowledge into the national climate change decision-making process.

## Data availability statement

The raw data supporting the conclusions of this article will be made available by the authors, without undue reservation.

### **Ethics statement**

Ethical approval for the studies involving human subjects was not obtained because Suriname lacks a national committee on social science research. The studies were conducted in accordance with local legislation and institutional requirements. Written informed consent for participation of the participants or the participant's legal guardians/next of kin was not obtained because not all participants could read and/or write, and therefore verbal informed consent was obtained in this research.

## Author contributions

GS: Conceptualization, Formal analysis, Methodology, Supervision, Visualization, Writing – original draft. MC: Data curation, Investigation, Writing – review & editing. JK: Data curation, Investigation, Writing – review & editing.

## Funding

The authors declare that funding for publication of this research was received from Green Growth Suriname Foundation and Re:wild, under grant contract SMA-G00-00344.

## Acknowledgments

We thank Green Growth Suriname Foundation for their support and meaningful collaboration throughout the composition of this research.

## **Conflict of interest**

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

## Supplementary material

The Supplementary Material for this article can be found online at: https://www.frontiersin.org/articles/10.3389/fclim.2023. 1294271/full#supplementary-material

## References

ABS (2023). Email about Demographic Data Suriname 2018-2021, 26 June. Paramaribo: ABS.

Adger, W. N. (2013). Cultural dimensions of climate change impacts and adaptation. *Nat. Clim. Change* 3, 112-117. doi: 10.1038/nclimate1666

Adger, W. N., Arnell, N. W., and Thompkins, E. L. (2005). Successful adaptation to climate change across scales. *Glob. Environ. Change* 15, 77–86. doi: 10.1016/j.gloenvcha.2004.12.005

Adger, W. N., Dessai, S., Goulden, M., Hulme, M., Lorenzoni, I., Nelson, D. R., et al. (2009). Are there social limits to adaptation to climate change? *Clim. Change* 93, 335–354. doi: 10.1007/s10584-008-9520-z

Berkes, F. (2009). Evolution of co-management: role of knowledge generation, bridging organization and social learning. *J. Environ. Manage.* 90, 1692–1702. doi: 10.1016/j.jenvman.2008.12.001

Berkes, F. (2012). Sacred Ecology. 3ed. New York, USA: Routledge. p. 392. doi: 10.4324/9780203123843

Biesbroek, G. R., Klostermann, J. E., Termeer, C. J., and Kabat, P. (2013). On the nature of barriers to climate adaptation. *Reg. Environ. Change* 12, 1119–1129. doi: 10.1007/s10113-013-0421-y

Blakeney, M. (2020). "Local knowledge and climate change adaptation," in *Local Knowledge, Intellectual Property and Agricultural Innovation*, eds. M. Blakeney, and K. Siddique (New York: Springer). doi: 10.1007/978-981-15-4611-2

Blennow, K., Persson, J., Tomé, M., and Hanewinkel, M. (2012). Climate change: believing and seeing implies adapting. *PLoS ONE* 7, 1–7. doi: 10.1371/journal.pone.0050182

Boillat, S., and Berkes, F. (2013). Perception and interpretation of climate change among Quechua farmers of Bolivia: indigenous resource as a source for adaptive capacity. *Ecol. Soc.* 18, 21. doi: 10.5751/ES-05894-180421

Boissière, M., Locatelli, B., Sheil, D., Pad,amaba, M., and Sadjudin, E. (2013). Local perceptions of climate variability and change in tropical forests of Papua, Indonesia. *Ecol. Soc.* 18, 13. doi: 10.5751/ES-05822-180413

Burton, I., Huq, S., Lim, B., Pilifosova, O., and Schipper, E. (2002). From impact assessment to adaptation priorities: the shaping of adaptation policy. *Clim. Policy* 3, 24–41. doi: 10.3763/cpol.2002.0217

Byg, A., and Salick, J. (2009). Local perspectives on a global phenomenon – climate change in eastern Tibetan villages. *Glob. Environ. Change* 19, 156–166. doi: 10.1016/j.gloenvcha.2009.01.010

Bynoe, P., and Liddel, J. (2013). Indigenous People, Livelihoods and Climate Change: The Guyana Perspective. Georgetown, Guyana: CIFOR/Iwokrama.

Carpenter, S. L., and Kennedy, W. J. (2001). *Managing Public Disputes: A Practical Guide for Government, Business, and Citizen's Groups.* 2nd Ed. San Francisco, USA: Jossey Bass. p. 296.

Chaudhary, P., Rai, S., Wangdi, S., Mao, A., Rehman, N., Chettri, S., et al. (2011). Consistency of local perceptions of climate change in the Kangchenjunga Himalaya landscape. *Curr. Sci.* 101, 504–513. Available online at: https://www.jstor.org/stable/ 24078981

Chisholm Hatfield, S., Marino, E., Powys White, K., Dello, K. D., and Mote, P. W. (2018). Indian time: seasonality, and culture in traditional ecological knowledge of climate change. *Ecol. Process.* 7, 25. doi: 10.1186/s13717-018-0136-6

Codjoe, S. N. A., Owusu, G., and Burkett, V. (2014). Perception, experience, and indigenous knowledge of climate change and variability: the case of Accra, a sub-Saharan African city. *Reg. Environ. Change* 14, 369–382. doi: 10.1007/s10113-013-0500-0

Collins, Y. A. (2023). Racing climate change in Guyana and Suriname. *Politics* 43, 186–200. doi: 10.1177/02633957211042478

Eisenack, K., Moser, S., Hoffman, E., Klein, R., Oberlack, C., Pechan, A., et al. (2014). Explaining and overcoming barriers to climate change. *Nat. Clim. Change* 4, 867–872. doi: 10.1038/nclimate2350

Evans, L. S., Hicks, C. C., Adger, N., Barnett, J., Perry, A. L., Fildeman, P., et al. (2016). Structural and psycho-social limits to climate change adaptation in the Great Barrier Reef region. *PLoS ONE* 11, e150575. doi: 10.1371/journal.pone.0150575

Folger, J. P., Poole, M. S., and Stutman, R. K. (2005). Working Through Conflict: Strategies for Relationships, Groups and Organizations. 5th ed. New York, USA: Pearson. p. 370.

Funatsu, B. M., Dubreuil, V., Racapé, A., Debortoli, N., Nasuti, S., and Le Tourneau, F. (2019). Perceptions of climate and climate change by Amazonian communities. *Glob. Environ. Change* 57, 1. doi: 10.1016/j.gloenvcha.2019. 05.007

Gaillard, J. C. (2010). Vulnerability, capacity and resilience: perspectives for climate and disaster risk reduction. J. Int. Dev. 22, 218–232. doi: 10.1002/jid.1675

Giller, K., Leeuwis, C., Andersson, J., Andriess, W., Brouwer, A., Frost, P., et al. (2008). Competing claims on natural resources: what role for science? *Ecol. Soc.* 13, 34. doi: 10.5751/ES-02595-130234

Gorddard, R., Colloff, M., Wise, R., Ware, D., and Dunlop, M. (2016). Values, rules and knowledge: adaptation as change in the decision context. *Environ. Sci. Policy* 57, 60–69. doi: 10.1016/j.envsci.2015.12.004

Government of the Republic Suriname (2023). Third National Communication of the Republic Suriname to the United Nations Convention on Climate Change. Paramaribo, Suriname: Ministry of Spatial Planning and Environment.

Granderson, A. A. (2017). The role of traditional knowledge in building adaptive capacity for climate change: perspectives from Vanuatu. *Weather Clim. Soc.* 9, 545–561. doi: 10.1175/WCAS-D-16-0094.1

Hatfield, J. L., Antle, J., Garret, K., Izaurralde, R. C., Mader, T., Marshall, E., et al. (2020). Indicators of climate change in agricultural systems. *Clim. Change* 163, 1719–1732. doi: 10.1007/s10584-018-2222-2

Hedlund-de Witt, A. (2013) Worldviews and their significance for the global sustainable development debate. *Environ. Ethics* 35, 133–162. doi: 10.5840/enviroethics201335215

Hulme, M. (2010). Problems with making and governing global kinds of knowledge. *Glob. Environ. Change* 20, 550–564. doi: 10.1016/j.gloenvcha.2010.07.005

IPBES (2019). Summary for Policymakers of the Global Assessment Report on Biodiversity and Ecosystem Services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. Available online at: https://www.ipbes.net/globalassessment (accessed March 10, 2023).

IPCC (2007). Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Available online at: https://www.ipcc.ch/site/assets/uploads/2018/ 02/ar4\_syr\_full\_report.pdf (accessed on January 5, 2023).

IPCC (2012). "Glossary of terms" in *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation*, eds. C. B. Field, V. Barros, T. F. Stocker, D. Qin, D. J. Dokken, K. L. Ebi, et al. (Cambridge, United Kingdom: Cambridge University Press), p. 555–564. doi: 10.1017/CBO9781139177245.014

IPCC (2023). Local Knowledge. https://www.ipcc.ch/srccl/faqs/faqs-chapter-7/#: \$\sim\$:text=Local%20knowledge%20(LK)%20refers%20to,the%20place%20where %20they%20live (accessed January 5, 2023).

Iwama, A. Y., Araos, F., Anbleyth-Evans, J., Marchezini, V., Ruiz-Luna, A., Ther-Rios, F., et al. (2021). Multiple knowledge systems and participatory actions in slowonset effects of climate change: Insights and perspectives in Latin America and the Caribbean. *Curr. Opin. Environ. Sustain.* 50, 31–42. doi: 10.1016/j.cosust.2021.01.010

Jiri, O., Mafongoya, P., Mubaya, C., and Mafongoya, O. (2016). Seasonal climate prediction and adaptation using indigenous knowledge systems in southern Africa: a review. J. Agric. Sci. 8, 156–172. doi: 10.5539/jas.v8n5p156

Jiri, O., Mafongoya, P. L., and Chivenge, P. (2015). Indigenous knowledge system, seasonal 'quality' and climate change adaptation in Zimbabwe. *Clim. Res.* 66, 103–111. doi: 10.3354/cr01334

Kobo Organization (2023). *Kobo toolbox*. Available at: https://www.kobotoolbox. org/ (accessed December 8, 2023).

Leal Filho, W., Barbir, J., Gwenzi, J., Ayal, D., Simpson, N., Adeleke, L., et al. (2022). Is indigenous knowledge serving climate adaptation? Evidence from various African regions. *Environ. Sci. Policy* 136, 250–260. doi: 10.1016/j.envsci.2022. 06.004

Leonard, S., Parsons, M., and Olawksy, K. (2013). The role of culture and traditional knowledge in climate change adaptation: insights from East Kimberly, Australia. *Glob. Env. Change* 23, 623–632. doi: 10.1016/j.gloenvcha.2013.02.012

Lewicky, R. J., Barry, B., and Saunders, D. M. (2007). Essentials of Negotiation. 4th ed. New York, USA: McGraw-Hill/Irwin. p. 294.

Lewin, K. (1947). Frontiers in group dynamics: concept, method, and reality in social sciences, social equilibria, and social change. *Hum. Rel.* 1, 5–41. doi: 10.1177/001872674700100103

Li, Y., Zhu, Z., and Gerard, C. M. (2012). Learning from conflict resolution: an opportunity to systems thinking. *Syst. Res. Behav. Sci.* 29, 209–220. doi: 10.1002/sres.2107

Maani, K. (2013). Decision-Making for Climate Change Adaptation: A Systems Thinking Approach. Gold Coast, Australia: University of Queensland, National Climate Adaptation Research Facility. Available online at: https://nla.gov.au/nla.obj-1203505298/view (accessed January 10, 2023).

Mapfumo, P., Mtambanengwe, F., and Chikowo, R. (2016). Building on indigenous knowledge to strengthen the capacity of smallholder farming communities to adapt to climate change and variability in southern Africa. *Clim. Dev.* 8, 72–82. doi: 10.1080/17565529.2014.998604

McNamara, K. E., and Buggy, L. (2016). Community-based climate change adaptation: a review of the academic literature. *Local Environ.* 22, 443–460. doi: 10.1080/13549839.2016.1216954

McNeeley, C. P., and Lazrus, H. (2014). The cultural theory of risk for climate change adaptation. *Weather Clim. Soc.* 6, 506–519. doi: 10.1175/WCAS-D-13-00027.1

Møller, A. (2015). "Environmental indicators of climate change: Phenological aspects" in *Environmental Indicators*, eds. R. Armon, O. Hänninen. (Dordrecht, Netherlands: Spinger), p. 39–49. doi: 10.1007/978-94-017-9499-2\_3

Myers, T. A., Maibach, E. W., Roser-Renouf, C., Akerlof, K., and Leiserowitz, A. (2013). The relationship between personal experience and belief in the reality of global warming. *Nat. Clim. Change* 3, 343–347. doi: 10.1038/nclimate1754

Naess, L. (2013). The role of knowledge in adaptation research. WIREs Clim. Change 4, 99–106. doi: 10.1002/wcc.204

Nakashima, D., Krupnik, I., and Rubis, I. T. (2018). Indigenous Knowledge for Climate Change Assessment and Adaptation. Cambridge, United Kingdom: Cambridge University Press. p. 314. doi: 10.1017/9781316481066

Nudler, O. F. (1993). "In search of a theory of conflict resolution: taking a new look at worldview analysis," in *Institute for Conflict Analysis and Resolution Newsletter 5. Summer 1993.* 

Nyong, A., Adesina, E. F., and Elasha, O. (2007). The value of indigenous knowledge in climate change mitigation and adaptation strategies in the African Sahel. *Mitig. Adapt. Strateg. Glob. Change* 12, 787–797. doi: 10.1007/s11027-007-9099-0

O'Brien, K. L. (2009). "Do values subjectively define the limits to climate change adaptation?" in Adapting to Climate Change: Thresholds, Values, Governance, ed. W.N. Adger, I. Lorenzoni, K. O'Brien (Cambridge, United Kingdom: Cambridge University Press), p. 164–180. doi: 10.1017/CBO9780511596667.011

O'Brien, K. L., and Lechenko, R. M. (2009). Double exposure: assessing the impacts of climate change within the context of economic globalization. *Glob. Environ. Change* 10. 221–232. doi: 10.1016/S0959-3780(00)00021-2

Orlove, B., Roncoli, C., Kabugo, M., and Majugu, A. (2010). Indigenous climate knowledge in southern Uganda: the multiple components of a dynamic regional system. *Clim. Change* 100, 243–265. doi: 10.1007/s10584-009-9586-2

Piya, L., Maharjan, K. L., and Joshi, N. P. (2012). Perception and realities of climate change among the Chepang communities in rural mid-hills of Nepal. *J. Contemp. Indian. Stud.* 2, 35–50. doi: 10.15027/33600

Planning Office Suriname (2015). *Struktuur analyse districten IV*. Available at: https://www.planningofficesuriname.com/category/publicaties/structuur-analyse-disctrikten/ (accessed August 10, 2023).

Pyhälä, A., Fernández-Llamazares, A., Lehvävirta, H., Byg, A., Ruiz-Mallén, I., Salpeteur, M., et al. (2016). Global environmental change: local perceptions, understandings, and explanations. *Ecol. Soc.* 21, 1–27. doi: 10.5751/ES-08482-210325

Rarai, A., Parsons, M., Nursey-Bray, N., and Crease, R. (2021). Situating climate change adaptation within plural worlds: the role of indigenous and local knowledge in Pentecost island, Vanuatu. *Environ. Plan. E Nat. Space* 5, 1–40. doi: 10.1177/25148486211047739

Robinson, L. W., and Berkes, F. (2011). Multi-level participation for building adaptive capacity: formal agency-community interactions in northern Kenya. *Glob. Environ. Change* 21, 1185–1194. doi: 10.1016/j.gloenvcha.2011.07.012

Sanganyado, E., Teta, C., and Masiri, B. (2017). Impact of African traditional worldviews on climate change adaptation. *Integr. Environ. Assess. Manag.* 14, 189–193. doi: 10.1002/ieam.2010

Savo, V., Lepofsky, D., Benner, J. P., Kohfeld, K. E., Bailey, J., and Lertzman, K. (2016). Observations of climate change among subsistence-oriented communities around the world. *Nat. Clim. Change* 6, 462–473. doi: 10.1038/nclimate2958

Smit, B., Pilifosova, O., Burton, I., Challenger, B., Huq, S., Klein, R. J. T., et al. (2001). "Adaptation to climate change in the context of sustainable development and equity," in Climate Change 2001 Impacts, Adaptation and Vulnerability. Contribution of the Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change. eds. J.J. McCarthy, O. Canziani, N.A. Leary, D.J. Dokken (Cambridge, United Kingdom: Cambridge University Press), p. 877–912.

Smith, G. (2013). Participation of the Trio indigenous community in climate change mitigation projects: a worldview conflict analysis (Ph.D. Thesis). Nova Southeastern University, Fort Lauderdale, USA.

Smith, G., and Bastidas, E. P. (2017). Conflict and Sustainability in a Changing Environment: Through the Eyes of Communities. London, United Kingdom: Anthem Press. p. 191.

Smith, G., Bastidas, E. P., Mittermeier, R., Goedschalk, J., Bong A Jan, R., Lachmising, K., et al. (2023). Community in a "Conflict System": a case study of facilitating conflict in nature conservation. *J. Confl. Man.* 8, 23–38. http://jocm.net/ v8/no.1/v8n1\_Smith.pdf

Sobhie, R., and Kisoensingh, A. (2023). *Methods and techniques to determine and combat poverty in Suriname*. Paramaribo, Suriname: Ministry of Labor, Employment and Youth Affairs.

Solaun, K., Alleng, G., Flores, A., Resomardono, C., Hess, K., and Antich, H. (2021). *State of the Climate Report: Suriname*. Washington DC, USA: Inter-American Development Bank, Climate Change Division. (Technical note IDB-TN-02204). doi: 10.18235/0003398

Spires, M., Shackleton, S., and Cundill, G. (2014). Barriers to implementing planned community-based adaptation in developing countries: a systematic literature review. *Clim. Dev.* 6, 277–287. doi: 10.1080/17565529.2014.886995

Stancioff, C. E., Stojanov, R., Kelman, I., Nemec, D., Landa, J., Tichy, R., et al. (2018). Local perceptions of climate change impacts in St. Kitts (Caribbean Sea) and Malé, Maldives (Indian Ocean). *Atmosphere* 9, 459. doi: 10.3390/atmos9120459

Tabara, J. D., Dai, X., Jia, G., McEvoy, D., Neufeldt, H., Serra, A., et al. (2010). The climate learning ladder: a pragmatic procedure to support climate adaptation. *Environ. Policy Gov.* 20, 1–11. doi: 10.1002/eet.530

Takakura, H., Fujioka, Y., Ignatyeva, V., Tanaka, T., Vinokurova, N., Grigorev, S., et al. (2021). Differences in local perceptions about climate and environmental changes among residents in a small community in Eastern Siberia. *Polar Sci.* 27, 100556. doi: 10.1016/j.polar.2020.100556

Triandis, H. C., McCusker, C., and Hui, H. (2001). "Multimethod probes of individualism and collectivism," in *The Conflict and Culture Reader*, ed. P. Chew (New York, USA: New York University Press), p. 52–55.

Tucker, C. M., Eatin, H., and Castellanos, E. J. (2010). Perceptions of risk and adaptation: Coffee producers, market shocks and extreme weather in Central America and Mexico. *Glob. Env. Change* 20, 23–32. doi: 10.1016/j.gloenvcha.2009.07.006

Turner, N., and Clifton, H. (2009). 'It's so different today': Climate change and indigenous lifeways in British Colombia, Canada. *Glob. Environ. Change* 19, 180–190. doi: 10.1016/j.gloenvcha.2009.01.005

Varah, F., and Khamrang, S. (2022). Indigenous knowledge and seasonal change: insights from the Tangkhul Naga in Northeast India. *GeoJournal* 87, 1–15. doi: 10.1007/s10708-021-10559-3

Vedman, N., and Rhoades, R. E. (2001). Climate change in the western Himalayas of India: a study of local perception and response. *Clim. Res.* 19, 109–117. doi: 10.3354/cr019109

Weber, E. U. (2010). What shapes the perceptions of climate change? Wiley Interdiscip. Rev. Clim. Change 1, 332-342. doi: 10.1002/wcc.41

Wolf, J., and Moser, S. C. (2011). Individual understandings, perceptions and engagement with climate change: Insights from in-depth studies across the World. *Wiley Interdiscip. Rev. Clim. Change* 2, 547–569. doi: 10.1002/wcc.120

World Wildlife Fund (2016). Context Analysis for the Shared Resources, Joint Solution Program. Paramaribo, Suriname: World Wildlife Fund Guianas.