



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Lin Tian,
✉ 1610356358@qq.com

SPECIALTY SECTION
This article was submitted to
Environmental Informatics
and Remote Sensing,
a section of the journal
Frontiers in Earth Science

RECEIVED 28 February 2023
ACCEPTED 01 March 2023
PUBLISHED 10 March 2023

CITATION
Tian L and Qin S (2023), Corrigendum:
Reconstruction of seismic data based on
SFISTA and curvelet transform.
Front. Earth Sci. 11:1176435.
doi: 10.3389/feart.2023.1176435

COPYRIGHT
© 2023 Tian and Qin. This is an open-
access article distributed under the terms
of the [Creative Commons Attribution
License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original author(s)
and the copyright owner(s) are credited
and that the original publication in this
journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Reconstruction of seismic data based on SFISTA and curvelet transform

Lin Tian^{1,2*} and Si Qin¹

¹School of Electronic Engineering, Yili Normal University, Yining, China, ²Key Laboratory of Signal Detection and Control Technology, Yili Normal University, Yining, China

KEYWORDS


seismic data reconstruction, sparse constraint, curvelet transform, contourlet transform, SFISTA

A Corrigendum on Reconstruction of seismic data based on SFISTA and curvelet transform

by Tian L and Qin S (2023). *Front. Earth Sci.* 11:1103522. doi: 10.3389/feart.2023.1103522

In the published article, there was an error in [Figure 7](#) as published. The corrected [Figure 7](#) and its caption appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**FIGURE 7**

(A) Comparison of a missing single-trace amplitude interpolated with FISTA and SFISTA methods; (B) zoomed traces from the transparent gray window of (A).

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.