



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Shiyong Li
✉ 302946@hospital.cqmu.edu.cn
Gengbiao Yuan
✉ 300784@hospital.cqmu.edu.cn

†These authors have contributed
equally to this work and share
first authorship

SPECIALTY SECTION

This article was submitted to
Thyroid Endocrinology,
a section of the journal
Frontiers in Endocrinology

RECEIVED 03 January 2023

ACCEPTED 10 February 2023

PUBLISHED 22 February 2023

CITATION

Rao M, Wang Y, Ren J, Chen Y, Zheng C,
Xiong Y, Yan Q, Li S and Yuan G (2023)
Corrigendum: Effect of 131I with and
without artificial liver support system in
patients with Graves' disease and severe
liver dysfunction: A retrospective study.
Front. Endocrinol. 14:1136544.
doi: 10.3389/fendo.2023.1136544

COPYRIGHT

© 2023 Rao, Wang, Ren, Chen, Zheng,
Xiong, Yan, Li and Yuan. This is an open-
access article distributed under the terms of
the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is permitted,
provided the original author(s) and the
copyright owner(s) are credited and that
the original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: Effect of 131I with and without artificial liver support system in patients with Graves' disease and severe liver dysfunction: A retrospective study

Maohua Rao^{1†}, Yirui Wang^{1†}, Jianli Ren², Yue Chen³,
Chenxi Zheng¹, Yalan Xiong¹, Qingbo Yan¹, Shiyong Li^{4*}
and Gengbiao Yuan^{1*}

¹Department of Nuclear Medicine, The Second Affiliated Hospital of Chongqing Medical University, Chongqing, China, ²Chongqing Key Laboratory of Ultrasound Molecular Imaging, The Second Affiliated Hospital of Chongqing Medical University, Chongqing, China, ³Nuclear Medicine and Molecular Imaging Key Laboratory of Sichuan Province, Luzhou, China, ⁴Key Laboratory of Molecular Biology for Infectious Diseases (Ministry of Education), Institute for Viral Hepatitis, Department of Infectious Diseases, The Second Affiliated Hospital, Chongqing Medical University, Chongqing, China

KEYWORDS

thyroid, severe liver dysfunction, artificial liver support system, radioiodine, therapeutics

A Corrigendum on

Effect of 131I with and without artificial liver support system in patients with Graves' disease and severe liver dysfunction: A retrospective study

By Rao M, Wang Y, Ren J, Chen Y, Zheng C, Xiong Y, Yan Q, Li S and Yuan G (2022) *Front. Endocrinol.* 13:1034374. doi: 10.3389/fendo.2022.1034374

In the published article, there was an error in the author list. The symbol indicating which authors shared co-first authorship was erroneously missed. The corrected author list appears below, using the symbol † to define which authors share first authorship.

Maohua Rao^{1†}, Yirui Wang^{1†}, Jianli Ren², Yue Chen³, Chenxi Zheng¹, Yalan Xiong¹, Qingbo Yan¹, Shiyong Li^{4*} and Gengbiao Yuan^{1*}

The authors apologize for this error and state that this does not change the scientific conclusions of the article in anyway. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.