#### Check for updates

#### **OPEN ACCESS**

EDITED BY Nicola Improda, AORN Santobono-Pausilipon, Italy

REVIEWED BY Mirjana D. Stojkovic, University of Belgrade, Serbia Şükran Poyrazoglu, Istanbul University, Türkiye

★CORRESPONDENCE Tianxiang Gu Sey2004@sina.com Liang Sang 20091213@cmu.edu.cn

<sup>†</sup>These authors have contributed equally to this work and share first authorship

RECEIVED 28 February 2024 ACCEPTED 22 May 2024 PUBLISHED 07 June 2024

#### CITATION

Li S, Ding Z, Li X, Fu M, Sang L, Yang M, Tang R, Gu T and Sang L (2024) A metaanalysis: elucidating diagnostic thresholds of peak systolic flow velocities in thyroid arteries for the discrimination of Graves' disease and destructive thyrotoxicosis. *Front. Endocrinol.* 15:1393126. doi: 10.3389/fendo.2024.1393126

#### COPYRIGHT

© 2024 Li, Ding, Li, Fu, Sang, Yang, Tang, Gu and Sang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# A meta-analysis: elucidating diagnostic thresholds of peak systolic flow velocities in thyroid arteries for the discrimination of Graves' disease and destructive thyrotoxicosis

Sinong Li<sup>1†</sup>, Zheng Ding<sup>2†</sup>, Xiang Li<sup>1†</sup>, Miao Fu<sup>1</sup>, Li Sang<sup>3</sup>, Mingxia Yang<sup>4</sup>, Rubo Tang<sup>5</sup>, Tianxiang Gu<sup>2\*</sup> and Liang Sang<sup>1\*</sup>

<sup>1</sup>Department of Ultrasound, The First Hospital of China Medical University, Shenyang, Liaoning, China, <sup>2</sup>Department of Cardiac Surgery, The First Hospital of China Medical University, Shenyang, Liaoning, China, <sup>3</sup>Department of Acupuncture and Massage, Shouguang Hospital of Traditional Chinese Medicine, Shouguang, China, <sup>4</sup>Department of Ultrasound, Shouguang People's Hospital, Shouguang, China, <sup>5</sup>Department of Cardiology, Shouguang People's Hospital, Shouguang, China

**Objective:** This meta-analysis examines peak systolic velocities (PSVs) in thyroid arteries as potential biomarkers for thyroid disorders, which includes treated and untreated Graves' disease(GD) and destructive thyrotoxicosis(DT).

**Methods:** A search across databases including PubMed, Google Scholar, Embase, and Web of Science identified studies assessing peak systolic flow velocity in the inferior thyroid artery (ITA-PSV) and superior thyroid artery (STA-PSV) diagnostic efficacy in GD and DT.And the search was restricted to publications in the English language.The analysis compared STA-PSV and ITA-PSV across patient groups, evaluating intra-group variances and synthesizing sensitivity and specificity data.

**Results:** The analysis covered 18 studies with 1276 GD, 564 DT patients, and 544 controls. The difference of STA-PSV between GD group, DT group and normal group and the difference of ITA-PSV were analyzed in subgroups, and there was no statistical significance between subgroups when comparing any two groups. Normal subjects displayed intra-group ITA-PSV and STA-PSV differences with established cut-off values of 20.33 cm/s (95% CI, 17.48-23.18) for ITA-PSV and 25.61 cm/s (95% CI, 20.37-30.85) for STA-PSV. However, no significant intragroup differences were observed in the STA-PSV and ITA-PSV cut-off values among groups with GD or DT. The combined cut-off values for these patient groups and normal subjects were 68.63 cm/s (95% CI, 59.12-78.13), 32.08 cm/s (95% CI, 25.90-38.27), and 23.18 cm/s (95% CI, 20.09-26.28), respectively. The diagnostic odds ratio(DOR) for these values was 35.86 (95% CI, 18.21-70.60), and the area under the summary receiver operating characteristic (SROC) curve was 0.91, with a sensitivity estimate of 0.842 (95% CI, 0.772-0.866).

**Conclusion:** PSVs in thyroid arteries are useful diagnostic tools in distinguishing DT from GD. A PSV above 68.63 cm/s significantly improves GD diagnosis with up to 91% efficacy. No notable differences were found between superior and inferior thyroid arteries in these conditions.

KEYWORDS

graves' disease, destructive thyrotoxicosis, superior thyroid artery, inferior thyroid artery, peak systolic velocities

# 1 Introduction

Graves' disease, an autoimmune thyroid disorder predominantly mediated by T cells, presents a significant clinical challenge due to its prevalence across various age groups, particularly in women of childbearing age (1, 2). This condition, characterized by an inflammatory response in the thyroid gland, can be triggered by factors such as autoimmunity, infection, or certain medications. Among the autoimmune causes, destructive thyrotoxicosis encompasses a spectrum of disorders including Hashimoto thyroiditis (chronic lymphocytic thyroiditis), atrophic thyroiditis, painless thyroiditis, and postpartum thyroiditis. GD and Hashimoto's thyroiditis emerge as the most common autoimmune thyroid disorder (3), with GD being a leading cause of hyperthyroidism (1). However, the clinical, biochemical, and ultrasonographic similarities between GD and DT often complicate differential diagnosis and treatment planning, thereby impacting patient prognosis and disease progression (4).

Currently, the preliminary diagnosis of hyperthyroidism is based on elevated serum levels of triiodothyronine (T3) and thyroxine (T4), coupled with reduced serum TSH levels. Advanced diagnostic confirmation involves assessing TSH receptor antibodies (TRAb), thyroid peroxidase antibodies (TPOAb), technetium 99m scanning, radioactive iodine uptake (RAIU), and thyroid ultrasound. However, these techniques have limitations in practical application. For instance, RAIU, while being a gold standard for etiological determination of thyrotoxicosis, is cumbersome, time-intensive, and susceptible to interference from medications and dietary factors (5). Technetium-99m scanning, though effective, is costly and not recommended for pregnant or breastfeeding women (6). Biochemical indices often present challenges in terms of interaction and stability.

Thyroid ultrasonography, particularly when combined with grayscale and color Doppler, offers real-time visualization of thyroid blood flow and structural changes (7), but results can be influenced by the operator's experience and technique. Despite these challenges, thyroid ultrasonography is considered one of the most effective imaging modalities for thyroid assessment (4, 8, 9). The quantification of ITA-PSV and STA-PSV is a specific and sensitive method for differentiating GD from thyroiditis (5, 10, 11).

Numerous studies have underscored the significance of peak systolic flow velocity in thyroid arteries for the diagnosis, differential diagnosis, and treatment of GD. For example, Saleh et al. demonstrated the efficacy of Doppler ultrasound in predicting the prognosis of GD and aiding in treatment strategy formulation (12). ITA-PSV has been proposed as a potential predictor of GD recurrence (13, 14), and the flow characteristics in the superior and inferior thyroid arteries have been identified as valuable markers for distinguishing GD from thyroiditis (4, 11, 15–18). Recent advancements have further highlighted the diagnostic value of peak systolic flow velocity in thyroid arteries, as evidenced by Peng et al.'s investigation into the sensitivity and specificity of STA-PSV cut-off values (19).

Despite the clinical importance of these parameters in predicting, treating, and differentiating GD, the precise diagnostic threshold for peak systolic flow velocity in thyroid arteries remains ambiguous, and the optimal measurement site is yet to be determined. This meta-analysis aims to evaluate the selectivity of superior versus inferior thyroid artery measurements in clinical practice, the establishment of diagnostic thresholds, and their potential in differentiating GD from DT.

# 2 Method

Following the PRISMA standards for systematic reviews and meta-analyses, this investigation was carried out (20).

## 2.1 Search strategy

Our comprehensive literature search spanned two decades, from 2003 to 2023, encompassing a range of databases including PubMed, Google Scholar, Embase, and Web of Science. The search was meticulously conducted using a detailed formula: ("peak systolic velocity of superior thyroid artery" OR "STA-PSV" OR "color flow doppler sonography" OR "doppler sonography" OR "ultrasonography" OR "echography" OR "ultrasound" OR "Blood Flow Velocities" OR "Flow Velocities, Blood" OR "Flow Velocity, Blood" OR "Velocities, Blood Flow" OR "Velocity, Blood Flow" OR "Superior thyroid artery" OR "inferior thyroid artery") AND ("Graves' disease" OR "GD" OR "Disease, Graves" OR "Disease, Graves" OR "Hyperthyroidism, Autoimmune" OR "postpartum thyroiditis" OR "subacute thyroiditis" OR "painless thyroiditis"). The search was restricted to publications in the English language.

## 2.2 Inclusion and exclusion criteria

The inclusion criteria were: (1) diagnosis of patients confirmed through serologic testing, including FT3, FT4, TSH, and TRAb; (2) studies with a minimum of 20 cases of GD; (3) availability of STA-PSV or ITA-PSV measurements; and (4) clear categorization of study participants into groups with GD, DT, and normal controls. Exclusion criteria encompassed: (1) non-original data; (2) studies with missing or incomplete critical data; (3) duplicate publications in consecutive years in the same journal; and (4) studies with evident bias or irrational methodologies.

## 2.3 Article filtering and data extraction

The initial phase involved screening titles and abstracts for relevance to Graves' disease and STA-PSV or ITA-PSV. Full texts were then obtained and further assessed against the inclusion and exclusion criteria. In cases of uncertainty, team discussions were conducted to reach a consensus on inclusion. Data extracted from each article included the first author, publication year, linear transducer frequency, number of subjects in each group, and raw data on peak systolic flow velocities in the superior or inferior thyroid arteries.

# 2.4 Data processing

Participants were categorized into three groups: those with GD, those with DT including Hashimoto's thyroiditis, postpartum thyroiditis, and painless thyroiditis, and Normal. Statistical heterogeneity between studies was evaluated using the I<sup>2</sup> statistic (I<sup>2</sup> > 25% indicating low heterogeneity, I<sup>2</sup> > 50% moderate heterogeneity, and I<sup>2</sup> > 75% significant heterogeneity). A fixedeffects model was applied in cases of acceptable heterogeneity (P > 0.05, I<sup>2</sup> < 50%); otherwise, a random-effects model was utilized. For specific studies using interquartile range and median instead of mean and standard deviation, the Luo and Wang data conversion tool was employed (21–24). All analyses were conducted using R Studio software (version 4.1.2), with the 'meta' and 'metafor' packages (25, 26).

# **3** Result

## 3.1 Search results and study characteristics

Employing a meticulously crafted search algorithm, we successfully retrieved 1,756 documents from various databases spanning from 2003 onwards. After a rigorous screening process, which involved the removal of 2 duplicates and the exclusion of 1,704 documents based on title and abstract evaluations, 50 documents were selected for full-text review. Ultimately, 18 studies (4–6, 10, 11, 13–16, 27–35) met our stringent criteria for inclusion in this meta-analysis. The process of literature screening and quality assessment is visually depicted in Figures 1 and 2,





respectively. Data were extracted from 20 trials involving 1276 patients with GD, 564 patients with DT, and 544 normal participants. These subjects were diagnosed using serum tests such as FT3, FT4, TSH, and TRAb, as reported in the 18 selected studies. The baseline characteristics of the study are detailed in Table 1, while the STA/ITA-PSV data, obtained via ultrasonography, are presented in Supplementary Tables 1 and 2, and Supplementary Figure 1.

# 3.2 Pairwise pooling comparison between ITA and STA subgroups

A subgroup analysis was conducted to assess the diagnostic utility of superior and inferior thyroid artery measurements. This analysis involved comparing the differences in STA-PSV (DSTA) and ITA-PSV (DITA) across various groups. In the comparison between the GD group and Normal group, the subgroup analysis of

TABLE 1 Characteristics of participants included in the study, (1) retrospective study, (2) prospective study.

Author/	Sample size	Gender(Male/Female)			Age		
Year	GD/ DT/Normal	GD	DT	Normal	GD	DT	Normal
Ueda, 2005	79/NA/17	14/65	NA	4/13	41.3 ± 14.4	NA	39.5 ± 16.0
Nagasaki, 2007	47/NA/22	6/41	NA	3/19	35.2 ± 3.7	NA	40.8 ± 3.9
Nagasaki, 2010	42/NA/42	NA/42	NA	NA/32	34.7 ± 0.92	NA	35.7 ± 1.2
Banaka, 2013	29/70/48	7/22	7/63	11/37	41.5 ± 14.7	44.1 ± 12.4	43.3 ± 17.7
Zuhur, 2014	150/79/71	39/111	21/58	28/43	38.4 ± 12.8	39.2 ± 14.1	35.8 ± 10.5
Malik, 2019	46/19/NA	17/29	4/15	NA	35.26 ± 13.06	31.21 ± 8.87	NA
Santos, 2020	97/NA/NA	20/77	NA	NA	42	NA	NA
Donkol, 2013	18/8/NA	NA	NA	NA	31.1 ± 8.4	33.1 ± 7.5	NA
Zuhur, 2012	24/30/25	NA/24	NA	NA/25	29.1 ± 3.5	NA	30.8 ± 7.1
Kumar, 2009	34/31/NA	10/24	4/27	NA	37.1	29.1	NA
Assem, 2022	42/27/30	12/30	6/21	NA	37 ± 10	37 ± 14	34 ± 7
Chen, 2012	168/52/30	22/146	7/45	4/26	40.96 ± 12.41	42.52 ± 13.23	40.13 ± 11.25
Li, 2022	26/36/30	4/22	2/34	12/18	9.73 ± 3.56	11.46 ± 2.94	8.06 ± 2.74
Kim, 2015	40/20/60	12/28	7/13	25/35	43.23 ± 14.56	41.7 ± 13.97	47.33 ± 15.59
Hiraiwa, 2013	68/33/25	15/53	6/27	7/18	41.40 ± 4.56	36.77 ± 3.37	34.40 ± 3.31
Zhao, 2012(1)	103/32/30	29/74	12/20	11/19	45.8 ± 13.6	43.0 ± 12.3	40.1 ± 11.2
Zhao, 2012(2)	118/51/30	42/76	18/33	11/19	39.6 ± 13.7	45.0 ± 12.1	40.1 ± 11.2
Uchida, 2010	44/13/54	15/29	3/10	12/42	42.1 ± 14.4	43.8 ± 17.0	40.2 ± 13.0
Uchida, 2016	59/35/NA	12/47	12/23	NA	44	43	NA

GD, Graves Disease Group; DT, Destructive Thyrotoxicosis; NA, Not Applicable.

DSTA and DITA revealed no statistical significance (P = 0.19), as illustrated in Figure 3A. Similarly, comparisons between the DT group and the normal group, as well as between the GD and DT groups, showed no significant differences in DSTA and DITA, with P-values of 0.17 and 0.18, respectively (Figures 3B, C).

# 3.3 Post-pooling comparison of ITA and STA

In the normal participant group, a statistically significant difference was observed between ITA-PSV and STA-PSV (P = 0.03), as shown in Figure 4A. The STA-PSV was higher in normal patients compared to ITA-PSV, with cut-off values of 20.33 cm/s (95% CI, 17.48-23.18) for ITA-PSV and 25.61 cm/s (95% CI, 20.37-30.85) for STA-PSV. To facilitate comparisons with other groups, we combined the data from the upper and lower thyroid arteries in normal participants, resulting in a combined cut-off value of 23.18 cm/s (95% CI, 20.09-26.28).

Contrastingly, in the GD and DT groups, the conditions were similar, as depicted in Figures 4B, C. No statistically significant

difference was found between ITA-PSV and STA-PSV in these groups (PGD = 0.23; PDT = 0.27). In the GD group, the cut-off values were 63.82 cm/s (95% CI, 48.40-79.25) for ITA-PSV and 74.13 cm/s (95% CI, 62.22-86.04) for STA-PSV. In the DT group, these values were 27.92 cm/s (95% CI, 14.18-41.65) for ITA-PSV and 34.75 cm/s (95% CI, 27.63-41.87) for STA-PSV.

Consequently, the combined analysis of the upper and lower arteries revealed cut-off values for the peak systolic flow velocity of the thyroid arteries of 32.08 cm/s (95% CI, 25.90-38.27) and 68.63 cm/s (95% CI, 59.12-78.13) in individuals with DT and GD, respectively. This indicates that GD can be differentiated from DT by measuring the peak systolic velocity of the thyroid artery.

Additionally, based on sensitivity and specificity, a diagnostic odds ratio estimate (DSL) was calculated (Table 2, Figure 5), affirming that peak systolic flow velocity in the thyroid artery is a robust discriminator between GD and DT (DOR = 35.865). The summary receiver operating characteristic (SROC) curve (Figure 6) further corroborates the high overall diagnostic accuracy (AUC = 0.91), with a sensitivity estimate of 0.842 (95% CI, 0.772-0.866) and a false positive rate estimate of 0.140 (95% CI, 0.102-0.189).



FIGURE 3

Meta-analysis of inter-group. ((A). Group GD VS Group Normal (B). Group DT VS Group Normal (C). Group DT VS Group GD). GD Graves Disease Group, DT Destructive Thyrotoxicosis, SD Standard deviations, SMD, Standardized Mean Differences.



Standard deviations, MRAW Mean of Raw data.

TABLE 2 Diagnostic odds ratio estimation and confidence interval.

	DSL	2.5%	97.5%
DOR	35.865	18.218	70.603
lnDOR	3.58	2.902	4.257
tua²	1.112	0.000	2.222
tua	1.055	0.000	1.491

DOR Diagnosis Odds Ratio, DSL DerSimonian and Laird.

# 4 Discussion

In this comprehensive study, we encompassed a diverse cohort of 1276 patients diagnosed with GD, 564 individuals with DT, and 544 normative subjects, hailing from a wide array of nations including China, Japan, Korea, Egypt, Greece, Brazil, India, Turkey, and various Arabian countries. Our analysis focused on discerning the diagnostic thresholds of peak systolic flow velocities (PSV) in thyroid arteries, a pivotal factor in differentiating between these thyroid conditions. Our findings indicated that the cut-off for Inferior Thyroid Artery Peak Systolic Velocity (ITA-PSV) was 63.82 cm/s, and for Superior Thyroid Artery Peak Systolic Velocity (STA-PSV) was 74.13 cm/s in the GD cohort. Conversely, these values stood markedly lower in the DT group, at 27.92 cm/s for ITA-PSV and 34.75 cm/s for STA-PSV. Notably, the statistical analysis revealed no significant disparity between these groups, as evidenced by the P-value. This led us to amalgamate the data, resulting in threshold values of 68.63 cm/s for ITA-PSV and 32.08 cm/s for STA-PSV. In contrast, the normal subjects exhibited considerably lower cut-off values, with ITA-PSV at 20.33 cm/s and STA-PSV at 25.61 cm/s. Intriguingly, the within-group difference for this cohort was statistically significant, with a P-value of 0.03. These results underscore a pronounced disparity in peak systolic flow velocities in thyroid arteries among normal individuals, patients with GD, and those with DT. Specifically, the GD group manifested

significantly higher thyroid artery PSV than both the DT group and the normative subjects. These observations align with the research conducted by Bogazzi et al. (36) and Hari Kumar et al. (10).

In light of these findings, we delved deeper into the cut-off value for peak systolic flow velocity in thyroid arteries among patients with GD and DT. By integrating the data from the superior and inferior thyroid arteries of the normal group, we established a combined cut-off value of 23.18 cm/s. This analysis elucidates a gradient in PSV values, with the GD group exhibiting the highest, followed by the DT group, and the normal subjects presenting the lowest values.

The utilization of peak flow velocity measurements in either the superior or inferior thyroid artery has been previously posited as an effective diagnostic tool for thyrotoxicosis (5, 35). This methodology has shown promise in distinguishing GD thyrotoxicosis from DT (4, 10, 15), as well as in monitoring the therapeutic response in GD patients post-radioactive iodine treatment (27). The value of STA-PSV has been equated to Radioactive Iodine Uptake (RAIU) in differentiating newly diagnosed thyroid toxicities (11, 31). ITA-PSV has been identified as a potential predictor for the early recurrence of GD following the cessation of Antithyroid Drug (ATD) therapy (14). Additionally, for differentiating GD and thyroiditis, ITA-PSV can serve as a supplementary method alongside TRAb and hightechnique uptake of Tc-99m (16). However, these methodologies are not without their limitations. The inferior thyroid artery is more commonly measured in clinical settings (10) and exhibits significant anatomical variation. Conversely, the superior thyroid artery, while more superficially located, presents challenges in accurately measuring blood flow velocity due to changes in the flow direction, vascular lumen size, and spectrum (37, 38). Our research contributes to this field by enhancing the selectability and accuracy of data measurement by ultrasonographers for individual patients. This improvement helps circumvent the challenges posed by the anatomical location of the thyroid arteries, their variations, and

	Donkol,2013	↓ <b>■</b> ↓	3.50 [1.30, 5.70]	
	Li,2022	<b>⊢</b> − <b>●</b> −−1	2.89 [1.63, 4.16]	
	Banaka,2013	<b>⊢</b> ∎–-	3.36 [2.21, 4.51]	
	Assem,2022(1)	⊢■	1.34 [0.34, 2.35]	
	Assem,2022(2)	⊢−■−−1	2.33 [1.21, 3.45]	
	Uchida,2010	<b>⊢</b>	3.73 [1.86, 5.60]	
	Kim,2015	<b>⊢</b>	4.34 [2.63, 6.06]	
	Malik,2019	<b>⊢</b>	4.19 [2.55, 5.83]	
	Uchida,2016	<b>⊢</b> ∎1	3.53 [2.34, 4.72]	
	Hiraiwa,2013	<b>⊢</b> I	6.04 [3.16, 8.91]	
	Zhao,2012(1)	<b>⊢</b>	3.92 [2.23, 5.62]	
	Zhao,2012(2)	⊨	4.46 [3.11, 5.81]	
	Chen,2012	⊢∎⊣	2.80 [2.02, 3.57]	
	Zuhur,2014	<b>⊢_</b> ∎1	5.77 [4.57, 6.97]	
	Summary (DSL)	$\diamond$	3.58 [2.90, 4.26]	
		0.34 2.48 4.63 6.77 8.91		
		log diagnostic odds ratio		
FIGURE 5		0.34 2.48 4.63 6.77 8.91 log diagnostic odds ratio		
Diagnostic odds ratio estimation.				



other patient-specific differences. Our findings also provide new reference indices and diagnostic insights for clinical practice.

Moreover, our analysis reveals that the 95% confidence intervals (CI) for DT and GD do not overlap, indicating a clear distinction between the two groups based on cut-off values. While the difference in cut-off values between subjects with DT and normal subjects exists, it is not as pronounced as that between DT and GD. The overlap of 95% CI between DT and normal subjects may be attributable to variations between the upper and lower thyroid arteries in normal subjects, as well as individual differences encountered in clinical practice. The Diagnostic Odds Ratio (DOR) of 35.865, derived from analyzing the specificity and sensitivity differences between DT and GD, underscores the efficacy of this diagnostic approach. A DOR of 1 implies no discernible difference between individuals with and without GD. The higher the DOR, the more effective the diagnostic test. In our study, a DOR of 35.865 indicates a robust discriminatory capability. The Summary Receiver Operating Characteristic (SROC) curve, with an area under the curve (AUC) of 0.91, further corroborates the high overall diagnostic accuracy of this method. This substantiates the utility of peak systolic velocity measurements in thyroid arteries as a reliable means to differentiate between GD and DT.

The presence of significant heterogeneity in the pooling of STA-PSV and ITA-PSV across groups with DT, GD, and normal subjects was a notable concern in our study. This heterogeneity suggests considerable variability in STA-PSV and ITA-PSV between any two of these groups. Factors contributing to this variability could include differences in sample size, geographic and racial diversity of subjects (39), lifestyle factors, the technique employed by the sonographer, and the frequency of the ultrasound transducer used. This heterogeneity was also evident within the three groups themselves. Furthermore, our analysis, based on the chi-square (I<sup>2</sup>) value of subgroup differences, revealed that only the normal subjects exhibited significant differences between ITA-PSV and STA-PSV. In contrast, no statistically significant difference was observed between ITA-PSV and STA-PSV in either the GD or the DT groups. This finding suggests that, in cases of DT or GD, the ultrasonographic examination of either ITA-PSV or STA-PSV does not significantly impact diagnostic outcomes. This is likely due to both conditions causing an increase in blood flow velocity (40). In practical clinical settings, this allows for the selection of more easily measurable blood vessels, thereby enhancing the accuracy of measurements, expediting examinations, and improving overall efficiency.

However, our study is not without limitations. The predominance of Asian participants may limit the generalizability of our findings to other populations. Additionally, pregnant women with GD were not included in our subject pool. For this demographic, a combination of laboratory testing, clinical manifestations, and ultrasonography blood flow velocity detection should be employed for diagnosis. Further research is needed to evaluate the role of peak systolic flow velocity of thyroid arteries in diagnosing GD, potentially through multi-center collaborations.

In summary, our study establishes the utility of STA-PSV and ITA-PSV measurements in differentiating between GD and DT, with a diagnostic effectiveness of 91% when the threshold exceeds 68.63 cm/s for GD. We also determined that there is no significant difference in the measurement of upper and lower thyroid arteries in patients with either GD or DT. This finding enhances diagnostic precision, broadens the scope of measurement options for ultrasound technicians facing difficulties in measuring STA-PSV and ITA-PSV, and provides a novel reference index for the clinical differentiation of DT and GD.

# Author contributions

SL: Formal analysis, Methodology, Writing – original draft, Writing – review & editing. ZD: Software, Validation, Writing – original draft, Writing – review & editing. XL: Methodology, Resources, Writing – original draft, Writing – review & editing. MF: Data curation, Validation, Writing – review & editing. LS (5th author): Conceptualization, Investigation, Project administration, Writing – review & editing. MY: Project administration, Validation, Visualization, Writing – review & editing. RT: Methodology, Resources, Writing – review & editing. TG: Investigation, Supervision, Writing – review & editing. LS (9th author): Project administration, Supervision, Writing – original draft, Writing – review & editing.

## Funding

The author(s) declare financial support was received for the research, authorship, and/or publication of this article. This research was funded by Natural Science Foundation of Liaoning Province, grant number (2022-YGJC-52).

# Acknowledgments

We appreciated all follows in our department for their excellent work.

# References

1. Davies TF, Andersen S, Latif R, Nagayama Y, Barbesino G, Brito M, et al. Graves' disease. Nat Rev Dis Primers. (2020) 6:52. doi: 10.1038/s41572-020-0184-y

2. Antonelli A, Ferrari SM, Corrado A, Di Domenicantonio A, Fallahi P. Autoimmune thyroid disorders. *Autoimmun Rev.* (2015) 14:174–80. doi: 10.1016/ j.autrev.2014.10.016

3. Trebillod M, Petignot S, Pétrossians P. [Thyroiditis]. Rev medicale Liege. (2022) 77:361–9.

4. Malik SA, Choh NA, Misgar RA, Khan SH, Shah ZA, Rather TA, et al. Comparison between peak systolic velocity of the inferior thyroid artery and technetium-99m pertechnetate thyroid uptake in differentiating Graves' disease from thyroiditis. *Arch Endocrinol Metab.* (2019) 63:495–500. doi: 10.20945/2359-399700000165

5. Zhao X, Chen L, Li L, Wang Y, Wang Y, Zhou L, et al. Peak systolic velocity of superior thyroid artery for the differential diagnosis of thyrotoxicosis. *PLoS One*. (2012) 7:e50051. doi: 10.1371/journal.pone.0050051

 Donkol RH, Nada AM, Boughattas S. Role of color Doppler in differentiation of Graves' disease and thyroiditis in thyrotoxicosis. World J Radiol. (2013) 5:178–83. doi: 10.4329/wjr.v5.i4.178

 Alexander LF, Patel NJ, Caserta MP, Robbin ML. Thyroid ultrasound: diffuse and nodular disease. *Radiologic Clinics North America*. (2020) 58:1041–57. doi: 10.1016/ j.rcl.2020.07.003

8. Richman DM, Frates MC. Ultrasound of the normal thyroid with technical pearls and pitfalls. *Radiologic Clinics North America*. (2020) 58:1033–9. doi: 10.1016/j.rcl.2020.06.006

9. Wiersinga WM, Poppe KG, Effraimidis G. Hyperthyroidism: aetiology, pathogenesis, diagnosis, management, complications, and prognosis. *Lancet Diabetes Endocrinol.* (2023) 11:282–98. doi: 10.1016/S2213-8587(23)00005-0

10. Hari Kumar KV, Pasupuleti V, Jayaraman M, Abhyuday V, Rayudu BR, Modi KD. Role of thyroid Doppler in differential diagnosis of thyrotoxicosis. *Endocrine Pract.* (2009) 15:6–9. doi: 10.4158/EP.15.1.6

11. Chen L, Zhao X, Liu H, Wang Y, Li L, Lu B, et al. Mean peak systolic velocity of the superior thyroid artery is correlated with radioactive iodine uptake in untreated thyrotoxicosis. J Int Med Res. (2012) 40:640–7. doi: 10.1177/147323001204000226

12. Saleh A, Cohnen M, Fürst G, Mödder U, Feldkamp J. Prediction of relapse after antithyroid drug therapy of Graves' disease: value of color Doppler sonography. *Exp Clin Endocrinol Diabetes*. (2004) 112:510–3. doi: 10.1055/s-2004-821308

13. Nagasaki T, Inaba M, Fujiwara-Ueda M, Nishio J, Kumeda Y, Hiura Y, et al. Thyroid blood flow as a useful predictor of relapse of Graves' disease after normal delivery in patients with Graves' disease. *Biomedicine pharmacotherapy = Biomedecine pharmacotherapie*. (2010) 64:113–7. doi: 10.1016/j.biopha.2009.04.038

# **Conflict of interest**

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

# Supplementary material

The Supplementary Material for this article can be found online at: https://www.frontiersin.org/articles/10.3389/fendo.2024. 1393126/full#supplementary-material

14. Ueda M, Inaba M, Kumeda Y, Nagasaki T, Hiura Y, Tahara H, et al. The significance of thyroid blood flow at the inferior thyroid artery as a predictor for early Graves' disease relapse. *Clin Endocrinol.* (2005) 63:657–62. doi: 10.1111/j.1365-2265.2005.02397.x

15. Assem Hussein M, Abdel Hamid A, S. R,MA, Hussein E, Sadik Elsawy S. Duplex hemodynamic parameters of both superior and inferior thyroid arteries in evaluation of thyroid hyperfunction disorders. *Int J Gen Med.* (2022) 15:7131–44. doi: 10.2147/ IJGM.S375016

16. Zuhur SS, Ozel A, Kuzu I, Erol RS, Ozcan ND, Basat O, et al. The diagnostic utility of color doppler ultrasonography, Tc-99m pertechnetate uptake, and TSH-receptor antibody for differential diagnosis of graves' Disease and silent thyroiditis: A comparative study. *Endocrine Pract.* (2014) 20:310–9. doi: 10.4158/EP13300.OR

17. Sarangi PK, Parida S, Mangaraj S, Mohanty BK, Mohanty J, Swain BM. Diagnostic utility of mean peak systolic velocity of superior thyroid artery in differentiating Graves' Disease from thyroiditis. *Indian J Radiol Imaging*. (2021) 31:311-7. doi: 10.1055/s-0041-1734360

18. Narkar RR, Mishra I, Baliarsinha AK, Choudhury AK. Rapid differential diagnosis of thyrotoxicosis using T3/T4 ratio, FT3/FT4 ratio and color doppler of thyroid gland. *Indian J Endocrinol Metab.* (2021) 25:193–7. doi: 10.4103/ijem.ijem\_137\_21

19. Peng X, Wu S, Bie C, Tang H, Xiong Z, Tang S. Mean peak systolic velocity of superior thyroid artery for the differential diagnosis of thyrotoxicosis: a diagnostic meta-analysis. *BMC endocrine Disord*. (2019) 19:56. doi: 10.1186/s12902-019-0388-x

20. Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PloS Med.* (2009) 6: e1000097. doi: 10.1371/journal.pmed.1000097

21. Shi J, Luo D, Wan X, Liu Y, Liu J, Bian Z, et al. Detecting the skewness of data from the five-number summary and its application in meta-analysis. *Stat Methods Med Res.* (2023) 32(7):1338–1360. doi: 10.1177/09622802231172043

22. Shi J, Luo D, Weng H, Zeng XT, Lin L, Chu H, et al. Optimally estimating the sample standard deviation from the five-number summary. *Res synthesis Methods*. (2020) 11:641–54. doi: 10.1002/jrsm.1429

23. Luo D, Wan X, Liu J, Tong T. Optimally estimating the sample mean from the sample size, median, mid-range, and/or mid-quartile range. *Stat Methods Med Res.* (2018) 27:1785–805. doi: 10.1177/0962280216669183

24. Wan X, Wang W, Liu J, Tong T. Estimating the sample mean and standard deviation from the sample size, median, range and/or interquartile range. *BMC Med Res Method.* (2014) 14:135. doi: 10.1186/1471-2288-14-135

25. Balduzzi S, Rücker G, Schwarzer G. How to perform a meta-analysis with R: a practical tutorial. *Evidence-Based Ment Health*. (2019) 22:153–60. doi: 10.1136/ebmental-2019-300117

26. Viechtbauer W. Conducting meta-analyses in R with the metafor package. J Stat Software. (2010) 36:1–48. doi: 10.18637/jss.v036.i03

27. Santos T, Marui S, Watanabe T, Lima N, Ozaki CO, Cerri GG, et al. Color Duplex Doppler US can Follow up the Response of Radioiodine in Graves' Disease by Evaluating the Thyroid Volume and Peak Systolic Velocity. *Ultraschall der Med (Stuttgart Germany 1980)*. (2020) 41:658-67. doi: 10.1055/ a-0902-4842

28. Banaka I, Thomas D, Kaltsas G. Value of the left inferior thyroid artery peak systolic velocity in diagnosing autoimmune thyroid disease. *J ultrasound Med.* (2013) 32:1969–78. doi: 10.7863/ultra.32.11.1969

29. Nagasaki T, Inaba M, Kumeda Y, Fujiwara-Ueda M, Hiura Y, Nishizawa Y. Significance of thyroid blood flow as a predictor of methimazole sensitivity in untreated hyperthyroid patients with Graves' disease. *Biomedicine pharmacotherapy* = *Biomedecine pharmacotherapie*. (2007) 61:472–6. doi: 10.1016/j.biopha. 2007.02.002

30. Zuhur SS, Ozel A, Velet S, Buğdacı MS, Cil E, Altuntas Y. Is the measurement of inferior thyroid artery blood flow velocity by color-flow Doppler ultrasonography useful for differential diagnosis between gestational transient thyrotoxicosis and Graves' disease? A prospective study. *Clinics (Sao Paulo Brazil)*. (2012) 67:125–9. doi: 10.6061/ clinics/2012(02)06

31. Kim TK, Lee EJ. The value of the mean peak systolic velocity of the superior thyroidal artery in the differential diagnosis of thyrotoxicosis. *Ultrasonography (Seoul Korea)*. (2015) 34:292–6. doi: 10.14366/usg.14059

32. Hiraiwa T, Tsujimoto N, Tanimoto K, Terasaki J, Amino N, Hanafusa T. Use of color Doppler ultrasonography to measure thyroid blood flow and differentiate graves' disease from painless thyroiditis. *Eur Thyroid J.* (2013) 2:120–6. doi: 10.1159/000350560

33. Li L, Zhang A, Chen D, Taragin BH, Luo X. Preliminary study of sound touch elastography in diffuse thyroid disease in children. *Front Pediatr.* (2022) 10:964413. doi: 10.3389/fped.2022.964413

34. Uchida T, Suzuki R, Kasai T, Onose H, Komiya K, Goto H, et al. Cutoff value of thyroid uptake of (99m)Tc-pertechnetate to discriminate between Graves' disease and painless thyroiditis: a single center retrospective study. *Endocrine J.* (2016) 63:143–9. doi: 10.1507/endocrj.EJ15-0441

35. Uchida T, Takeno K, Goto M, Kanno R, Kubo S, Takahashi S, et al. Superior thyroid artery mean peak systolic velocity for the diagnosis of thyrotoxicosis in Japanese patients. *Endocrine J.* (2010) 57(5):439–43. doi: 10.1507/endocrj.K09E-263

36. Bogazzi F, Bartalena L, Brogioni S, Burelli A, Manetti L, Tanda ML, et al. Thyroid vascularity and blood flow are not dependent on serum thyroid hormone levels: studies in vivo by color flow doppler sonography. *Eur J Endocrinol.* (1999) 140:452–6. doi: 10.1530/eje.0.1400452

37. Narouze S. Beware of the "serpentine" inferior thyroid artery while performing stellate ganglion block. *Anesth analgesia.* (2009) 109:289–90. doi: 10.1213/ ane.0b013e3181a20197

38. Varghese SS, Frankel SH. Numerical modeling of pulsatile turbulent flow in stenotic vessels. *J biomechanical Eng.* (2003) 125:445–60. doi: 10.1115/1.1589774

39. Toni R, Della Casa C, Castorina S, Malaguti A, Mosca S, Roti E, et al. A metaanalysis of superior thyroid artery variations in different human groups and their clinical implications. Ann Anat = Anatomischer Anzeiger. (2004) 186:255–62. doi: 10.1016/S0940-9602(04)80013-X

40. Huang SM, Chow NH, Lee HL, Wu TJ. The value of color flow Doppler ultrasonography of the superior thyroid artery in the surgical management of Graves disease. *Arch Surg (Chicago Ill. 1960)*. (2003) 138:146–51; discussion 151. doi: 10.1001/archsurg.138.2.146