



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Jane Alrø Bøtkjær

✉ jane.alroe.boetkjaer@regionh.dk

RECEIVED 06 March 2024

ACCEPTED 08 March 2024

PUBLISHED 21 March 2024

CITATION

Bøtkjær JA, Kristensen SG, Olesen HØ,
Larsson P, Mannaerts B and Andersen CY
(2024) Corrigendum: Dose-dependent
stimulation of human follicular
steroidogenesis by a novel rhCG during
ovarian stimulation with fixed rFSH dosing.
Front. Endocrinol. 15:1397017.
doi: 10.3389/fendo.2024.1397017

COPYRIGHT

© 2024 Bøtkjær, Kristensen, Olesen, Larsson,
Mannaerts and Andersen. This is an open-
access article distributed under the terms of
the [Creative Commons Attribution License
\(CC BY\)](#). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Dose-dependent stimulation of human follicular steroidogenesis by a novel rhCG during ovarian stimulation with fixed rFSH dosing

Jane Alrø Bøtkjær^{1*}, Stine Gry Kristensen¹,
Hanna Ørnes Olesen¹, Per Larsson², Bernadette Mannaerts³
and Claus Yding Andersen^{1,4}

¹Laboratory of Reproductive Biology, University Hospital of Copenhagen, Rigshospitalet, Copenhagen, Denmark, ²Global Biometrics, Ferring Pharmaceuticals A/S, Copenhagen, Denmark, ³Reproductive Medicine & Maternal Health, Ferring Pharmaceuticals A/S, Copenhagen, Denmark, ⁴Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark

KEYWORDS

Steroidogenesis, FE 999302, recombinant hCG, ovarian stimulation, cumulus cells, single nucleotide polymorphisms

A Corrigendum on

Dose-dependent stimulation of human follicular steroidogenesis by a novel rhCG during ovarian stimulation with fixed rFSH dosing

by Bøtkjær JA, Kristensen SG, Olesen HØ, Larsson P, Mannaerts B and Andersen CY (2022)
Front. Endocrinol. 13:1004596. doi: 10.3389/fendo.2022.1004596

In the published article, there was an error in Table 2 as published. The incorrect data was included in the last row of the table for 17-OH-progesterone as these were a duplicate of the testosterone values from a few rows above. The corrected table in this corrigendum (Table 1) and its caption Steroid hormone concentrations (nmol/L) in serum and follicle fluid and their relative increase upon CG beta treatment appear below on the next page.

The authors sincerely apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

TABLE 1 Steroid hormone concentrations (nmol/L) in serum and follicle fluid and their relative increase upon CG beta treatment.

ENDPOINT		TREATMENT GROUP (hCG dose)					
		Placebo (0 µg)	1 µg	2 µg	4 µg	8 µg	12 µg
Estradiol	Serum	2.9 (100)	3.8* (133)	4.3* (147)	4.8* (166)	6.2* (215)	5.9* (202)
	FF	1891 (100)	3664* (194)	4352* (230)	5523* (292)	6929* (366)	8047* (426)
Androstenedione	Serum	6.2 (100)	8.3* (134)	8.9* (144)	10.4* (169)	12.3* (199)	11.9* (194)
	FF	13.6 (100)	19.4* (142)	23.7* (174)	32.7* (240)	49.2* (361)	54.6* (400)
Testosterone	Serum	1.7 (100)	2.3* (136)	2.5* (145)	2.9* (171)	3.5* (209)	3.3* (196)
	FF	6.0 (100)	17.8* (294)	22.9* (380)	37.6* (623)	58.9* (977)	63.2* (1047)
Progesterone	Serum	27.6 (100)	23.8 (86)	22.3* (81)	19.5* (71)	20.5* (74)	19.6* (71)
	FF	40090 (100)	38130 (95)	34660 (86)	38340 (96)	32750 (82)	46220 (115)
17-OH-progesterone	Serum	16.9 (100)	20.1* (119)	22.1* (131)	22.5* (133)	26.8* (158)	25.0* (148)
	FF	4230 (100)	5210* (123)	5460* (129)	6490* (153)	6860* (162)	8210* (194)

Mean values of steroid hormones (nmol/L) in serum and follicle fluid (FF) in relation to treatment group. The relative increase (%) of steroid hormone levels is indicated in parenthesis. *Denotes statistically significant difference compared with placebo ($p < 0.05$). Results for FF and serum hormones are at oocyte retrieval. Steroid hormones were measured by different assays in serum and FF. hCG, human chorionadotropin.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.