



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

\*CORRESPONDENCE  
Aihong Tang,  
✉ tah@whut.edu.cn

RECEIVED 31 March 2023  
ACCEPTED 03 April 2023  
PUBLISHED 11 April 2023

CITATION  
Chen X, Tang A, Xiong B and Zhou W  
(2023), Corrigendum: Research on the  
output coordinated strategy of a DPFC  
considering device fault probability.  
*Front. Energy Res.* 11:1197756.  
doi: 10.3389/fenrg.2023.1197756

COPYRIGHT  
© 2023 Chen, Tang, Xiong and Zhou. This  
is an open-access article distributed  
under the terms of the [Creative  
Commons Attribution License \(CC BY\)](#).  
The use, distribution or reproduction in  
other forums is permitted, provided the  
original author(s) and the copyright  
owner(s) are credited and that the original  
publication in this journal is cited, in  
accordance with accepted academic  
practice. No use, distribution or  
reproduction is permitted which does not  
comply with these terms.

# Corrigendum: Research on the output coordinated strategy of a DPFC considering device fault probability

Xiaogang Chen<sup>1</sup>, Aihong Tang<sup>2\*</sup>, Binyu Xiong<sup>2</sup> and Wei Zhou<sup>2</sup>

<sup>1</sup>State Grid Zhejiang Electric Power Co Ltd, Hangzhou, China, <sup>2</sup>Automation School, Wuhan University of Technology, Wuhan, China

## KEYWORDS

power systems, distributed power flow controller, fault probability, output voltage capability, number of switching sub-units

## A Corrigendum on

### Research on output coordinated strategy of dpfc considering device fault probability

by Chen X, Tang A, Xiong B and Zhou W (2022). *Front. Energy Res.* 10:985316. doi: [10.3389/fenrg.2022.985316](https://doi.org/10.3389/fenrg.2022.985316)

In the published article, there was an error in the **Funding** statement. There was no Funding statement included. The correct Funding statement appears below:

“The Science and Technology Project of State Grid Zhejiang Electric Power Co. Ltd (B311DS22100A).”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.