



## OPEN ACCESS

## EDITED BY

Marcus Nüsser,  
Heidelberg University, Germany

## REVIEWED BY

Jean Albergel,  
Institut de Recherche Pour le Développement  
(IRD), France  
Chloé Nicolas,  
Polytechnic University of Milan, Italy

## \*CORRESPONDENCE

Patricio N. Magliano,  
✉ pnmagliano@gmail.com  
Aldana Calderón Archina,  
✉ calderonar.aldana@gmail.com

RECEIVED 26 August 2024

ACCEPTED 31 October 2024

PUBLISHED 13 November 2024

## CITATION

Calderón Archina A, Escolar D, Heider G,  
Niborski MJ, Jobbágy EG and Magliano PN  
(2024) Rainwater harvesting technologies in  
arid plains of Argentina: small local strategies vs.  
large centralized projects.  
*Front. Environ. Sci.* 12:1486798.  
doi: 10.3389/fenvs.2024.1486798

## COPYRIGHT

© 2024 Calderón Archina, Escolar, Heider,  
Niborski, Jobbágy and Magliano. This is an  
open-access article distributed under the terms  
of the [Creative Commons Attribution License  
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in  
other forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in this  
journal is cited, in accordance with accepted  
academic practice. No use, distribution or  
reproduction is permitted which does not  
comply with these terms.

# Rainwater harvesting technologies in arid plains of Argentina: small local strategies vs. large centralized projects

Aldana Calderón Archina<sup>1\*</sup>, Diego Escolar<sup>2</sup>, Guillermo Heider<sup>3</sup>,  
Marcos J. Niborski<sup>4,5</sup>, Esteban G. Jobbágy<sup>4</sup> and  
Patricio N. Magliano<sup>4,6\*</sup>

<sup>1</sup>Pontificia Universidad Católica de Valparaíso, Departamento de Geografía, Valparaíso, Chile,  
<sup>2</sup>Universidad Nacional de Cuyo, Facultad de Ciencias Políticas y Sociales, Mendoza, Argentina,  
<sup>3</sup>Departamento de Geología, Facultad de Ciencias Físico Naturales y Matemáticas, Universidad Nacional  
de San Luis (UNSL) y CONICET, San Luis, Argentina, <sup>4</sup>Grupo de Estudios Ambientales, Instituto de  
Matemática Aplicada de San Luis (IMASL, CONICET-UNSL), San Luis, Argentina, <sup>5</sup>Cátedra de Manejo y  
Conservación de Suelos, Facultad de Agronomía, Universidad de Buenos Aires (UBA), CABA, Argentina,  
<sup>6</sup>Departamento de Biología, Facultad de Química, Bioquímica y Farmacia, Universidad Nacional de San  
Luis (UNSL), San Luis, Argentina

Access to water has been and remains one of humanity's greatest challenges. Especially in arid plains exposed to significant climatic fluctuations and future global change trends. In the past and present, local communities of the arid plains of central-western Argentina (i.e., Guanacache Lagoons, Cuyo region) have developed multiple strategies to manage water supply problems. The aims of this study are: i) to characterize the different water harvesting technologies (pre-Hispanic and modern) used, and ii) to compare the small local strategies of water harvesting (bottom-up solutions) with the large centralized projects (top-down solutions). On the one hand, we show the transformations of these technologies over time, and the challenges faced by inhabitants in the context of climate change trends. On the other hand, we analyze the role of the state through hydraulic policies and projects implemented by the provincial states over the last two centuries and how this impacted the study area. This review is based on a historical and archaeological bibliography, and recent publications about the region, including articles based on our ethnographic fieldwork. Our results demonstrate the valuable experience accumulated by local populations in water harvesting methods, particularly in areas where groundwater is deep and saline, and shows the adaptability of these technologies in contexts of increasing scarcity. We considered that local indigenous knowledge can largely contribute to the sustainable management of water resources. This study might be useful for decision-makers and water managers in drylands around the world to find and equitable approach that combines technical advances with local knowledge.

## KEYWORDS

water scarcity, indigenous people, local knowledge, rainwater harvesting, rurality, water policies, climate adaptations, drylands

## 1 Introduction

Since ancient times, arid plains have had virtually non-existent natural freshwater sources (Noy-Meir, 1973). Humans have developed water harvesting technologies to inhabit these areas and sustain an economy based on livestock and agriculture (Mbilinyi et al., 2005; Oweis, 2017). A traditional method is *in-situ* rainwater harvesting, which solves the problem locally without the need for inter-basin water transfers (Búrquez et al., 2024). However, access to water remains a pressing issue, especially in plains regions far from “liquid water-generating sites” (Farley et al., 2005; Poca et al., 2020) and in drylands, characterized by water scarcity and low precipitation (FAO, 2021). This article focuses on Guanacache as a gateway to a wider area of South America: the great dry plains (from Chiquitania to the Monte desert) that contain ecosystems with limited or no water resources. The drought periods will increase in the future, according to the IPCC report (2023). To address this, it is necessary a change planetary policy (Latour, 2018) with adaption actions that consider the natural variability and future hazard projections (Huang et al., 2017). This paper aims to narrow the gap between technological development, local knowledge and ancestral practices, from a transdisciplinary perspective of sociohydrological approach (Wesselink et al., 2017).

The provinces of Cuyo (Mendoza, San Luis and San Juan; central-west of Argentina) host vast dry sedimentary plains. Between eastern Mendoza, western San Luis and southern San Juan are situated the “Guanacache Lagoons”. This is a marsh complex formed in the past by the Mendoza and San Juan rivers, fed by surface and groundwater originated in the Andes mountains and, to a lesser extent, by the Vinchina-Bermejo River (Contreras et al., 2011; Prieto and Rojas, 2012). In periods of greater water abundance, this system extends for 2,500 km<sup>2</sup> (Calderón Archina and Alvarez, 2022). Since prehispanic times, indigenous people have lived Guanacache lagoons (Sarmiento, 1845). This local indigenous group is recognized as “Huarpes Laguneros” (native name registered in colonial archives). They developed an extensive irrigation canal systems with water of Andes rivers (Damiani, 2002; Prieto et al., 2008). During the Colonial period, according to the documentation we will show, Guanacache did not experience major changes. However, since the late 19th century, a process of environmental degradation has been affecting the area and reduced to 20% of its original size (Alvarez, et al., 2024). The changes are associated with the development of an agro-industrial model centered on wine production (Richard-Jorba, 2009). This produced a territorial fragmentation between irrigated areas (oasis) and non-irrigated areas (desert), inhabited by rural and indigenous populations (Alvarez, et al., 2024).

The historical case of water appropriation was conducted and legitimized by the State of Mendoza through legal mechanisms and hydraulic infrastructures that made possible the distribution of water for wine production and to supply local elites and migrants. Superintendence of Irrigation in Mendoza (conformed by the Water Law of 1884) encouraged the intensification of irrigated lands (oasis) and promoted the design and construction of irrigation canals and dams to capture water resources in detriment of dry areas (Escolar and Saldi, 2013). The changes were linked with the arrival of European people (Devoto, 2003) because they facilitated the

access of immigrants to irrigated areas in Mendoza, as agricultural workers or landowners in crops and vineyards (Richard-Jorba, 2010; Escolar and Saldi, 2016). In brief, with the advent of republican state, was adopted an agroindustrial model along with water policies that support it. Water governance was configured to promote the distribution and concentration of river water in the upper and middle reaches of the Mendoza and San Juan rivers, privileging one part of the population over the other.

Water concentration in the oasis area and snowfall decrease pattern in Central Andes (IPCC, 2023), caused a gradual drying of Guanacache lagoons (Escolar and Saldi, 2016; Calderón Archina and Alvarez, 2022). Nevertheless, a large part of the regional literature characterizes Guanacache as a natural desert. As in other drylands around the world, there is a dominant discourse that considers water scarcity as a natural condition against which communities have to deal (Otero et al., 2011). Although some studies suggest natural, geological and social factors that influenced the wetland degradation (Vitali, 1940; Abraham and Prieto, 1981), they conclude that water scarcity is a local problem, without explaining how the population copes with it. Previously, we have shown that this is a historic conflict of water distribution involving dispossession and how Huarpe Laguneros have resisted and struggled over decades (Escolar, 2021; Calderón Archina, 2022). In this article, we asked how Lagoon inhabitants (rural population with indigenous ancestry) and regional governments dealt with water shortage in Guanacache. We are also interested in the extent to which water scarcity can be induced or aggravated by the consequences of poor or inequitable water management (Mukheibir, 2010).

The aim is to understand how water harvesting technologies have adapted to the environmental changes, from a sociohydrological perspective. This implies considering humans and their actions as an integrated part of water cycle dynamics and their co-evolution (Sivapalan et al., 2012). Therefore, we conducted an exhaustive review in order to (i) characterize the different ways of water access by local population over the last millennium (temporal line), and (ii) compare the multiple ways of local and centralized rainwater harvesting developed over the last two centuries. We analyzed the state intervention in water management and its effect on Guanacache. To do this, we focus on three periods: pre-Hispanic, Colonial and Republican periods.

## 2 The study area

Guanacache Lagoons are a system of lagoons, marshes and wetlands that cover parts of the territories of Mendoza, San Juan, and San Luis estates, located in the central area of the phytogeographic province of Monte and southern Arid Chaco (Oyarzabal et al., 2018; Niborski et al., 2022). This system originates from the confluence of the Mendoza and San Juan rivers, whose sources are located in the glacial and periglacial environments of the Andes Mountains. The flow that supplies this lacustrine system primarily originates from snow-glacier melt, with 66%–76% of the total discharge occurring between October and March (Lauro et al., 2019), and flows into the Desaguadero River, which continues southward, crossing the natural boundary between Mendoza and San Luis. Annual




FIGURE 1

Rainwater harvesting technologies developed over the last millennium in the arid plains of central Argentina. Left. Illustrative photos of the systems and representative situations. From top to bottom. 1) Pre-Hispanic irrigation canals. 2) Pre-Hispanic berm dams. 3) Huarpe indigenous person in a canoe on one of the Guanacache lagoons (1878). 4) Canal developed in the 19th century by European settlers. 5) Map of the parceling of the Mendoza River by European settlers. 6) Huarpe protests over the drying up of the lagoons (1937). 7) Jagüel well. 8) Rooftop harvesting. 9) Large centralized project of check dams on the Desaguadero River. Right. A chronosequence of significant events that occurred during this period.

precipitation varies between 200 and 400 mm, with rainfall events concentrated in the summer warm season (Magliano et al., 2015a). Dry native forests of *Neltuma flexuosa* and *Larrea divaricata* are the dominant vegetation (García et al., 2017; Oyarzabal et al., 2018). Soils are entisols with gentle and long slopes toward the Desaguadero River (Peña Zubiate et al., 1998).

Local population is spread over large tracts of land, grouped in small settlements or isolated homesteads dispersed across the territory (Triviño, 1977; Triviño, 2020; Calderón Archina, 2021). Population density is low (4 inhabitants per 1,000 ha, National Census 2021), characterized by low-income rural communities. Extensive cattle ranching is the main activity and the native forest provides fodder resources (Rueda et al., 2013; Fernández et al., 2020). Most lack running water and sanitation facilities. Groundwater is the main source for domestic and livestock use, however, a recent study shows that all groundwater have arsenic concentrations above the permitted limit for human

consumption (Gómez, et al., 2019). In the last decades, a significant part of the population has come to recognize themselves as Huarpe indigenous people (Escolar, 2007; Calderón Archina, 2022). The last national census recovered 25,615 huarpe individuals in Cuyo, Guanacache has the highest concentration (Instituto Nacional de estadísticas y censos, 2024).

In this paper, we relied on the bibliographic material available for the region and in previous studies based on fieldwork from ethnographic (Calderón Archina, 2016; Calderón Archina, 2022; Escolar, 2007), ethnohistorical (Escolar, 2021), archaeological (Heider, 2020) and hydrological research (Magliano et al., 2024; Niborski et al., 2022). The fieldwork was conducted in rural communities in northwestern San Luis and northeastern Mendoza between 2000 and 2019 years. The figures we present were elaborated based on published bibliographic material, historical archives, photographic documents and field interviews.

### 3 Native rainwater harvesting development

Since pre-Hispanic times, Guanacache has been a refuge for the Huarpes, other indigenous groups, African slaves and mestizos (Escolar and Saldi, 2016). In part, because of its wetland environment that allowed sustain some autonomy of Colonial and Republican States (Calderón Archina, 2022). The local population is the result of the interaction between these groups, with a predominantly indigenous ancestry. Today a large part of the population recognize themselves as Huarpe or indigenous descent (Escolar, 2007). However, we have chosen refer to the local people as native “Laguneros” for the past and “peasant” at present (is the livelihood of Guanacache population). Peasant is not synonymous with indigenous, but in this case the first category allows the inclusion of whole Guanacache population, they identify as themselves with their livelihood (Calderón Archina, 2022). While they do not always identify themselves as Huarpes.

Over hundreds of years, local inhabitants developed different rainwater harvesting systems to compensate lack of water (bottom-up solutions). Through these technologies (not fully documented), they partially solved the problem of access to water. Based on the bibliographic review, we divided the lagoon system into three stages and identified six water access technologies (Figure 1), that were developed over the years, some abandoned, others retained or adapted. The first stage, which covered the prehispanic and colonial periods, was characterized by a regional management of water and a communal use of the lagoons. Native people had rainwater catchment and water transport (Damiani and García, 2011), which allowed them to preserve a certain autonomy during the colonial period (Vignati, 1953; Zamorano, 1950), even in the last quarter of the 19th century (Escolar, 2021). This period is characterized by pre-Hispanic irrigation canals (technology 1). The earliest structures date back 2,000 years (Gambier, 1977; Damiani and García, 2011). Indigenous works became more complex and developed an extensive system before the conquest. Damiani (2002) shows different levels of complexity associated with the hydraulic structures: The main canals were supplied from Mendoza and San Juan rivers, and transported water through a network extended up to 20 km forming a multilevel canal system. This infrastructure required geomorphological knowledge and collective work for its construction and maintenance (García and Damiani, 2020). As was demonstrated in northern Argentina (Raffino, 1975; Giovannetti and Raffino, 2014), systems of this magnitude indicate a complexity of social organization. Their abandonment is related to the rivers deviation towards irrigated oasis (Escolar, 2021).

Another pre-Hispanic technology is the berm dam (technology 2) (García and Damiani, 2020). This low dam (40–60 cm) is built on slopes and natural elevations to redirect water and to moist drought lands or to prevent flooding in residential areas. It is an ancestral technique that is still in use, mainly to prevent exceptional flooding and to provide moisture on uncultivated land to grow wild vegetation (Besio, 2021; Escolar, 2021; Calderón Archina, 2022). Other major technologies were developed in the transition from the Pre-Hispanic to the Colonial period: Bucket wells (technology 3), impoundments (technology 4) and jagüel wells (technology 5). It is difficult to determine the antiquity of these water harvesting

techniques. Heider (2023) suggests that they existed before Conquest and were optimized with the arrival of Spanish. There is evidence of use of bucket wells from 3000 BP in the region (Heider et al., 2024). These are hand-dug wells with a diameter of 1.5 m and up to 10 m deep, which reach seasonal water tables, especially after the rainy season, and provide access to quality water (Heider, 2023). Actually, they continued in force and are very common near houses or settlements, primarily for irrigation.

Impoundments are an ancestral technology, but there are no dates in the area before Conquest. Their construction is currently based on local knowledge and involves a collective and manual practices with shovels and rakes (Magliano et al., 2024; 2015b). The surface area of 0.1–1 ha and a depth of 1–2 m, are enclosed by a U-shaped or horseshoe-shaped embankment (Niborski et al., 2023). They are located in mid-slope areas with clay soils to reduce water loss through soil infiltration, or in landscape sites where inhabitants observe signs of surface runoff (Magliano et al., 2019; 2023). The jagüel wells are structures similar to impoundments, but smaller and with access to seasonal groundwater layers (like bucket wells). Sbarra (1961) and Carrión, 1981 suggested a West Indian origin for these technologies and they would have spread throughout South America after the Spanish conquest. They are lined with a wooden shuttering to contain sandy soil. The exposed water surface is large enough for livestock (cows and goats) to drink directly. These technologies are found in areas closest to groundwater, such as interdune valleys (Meglioli et al., 2021). The oldest records date from late colonial times, 18th century (Heider, 2023) to the early 20th century (Roig, 1970), some of them have shown sustained use for more than 120 years (Pastor, 2014) and some are still in use.

The second stage started with the development of the agro-industrial model at the beginning of the Republican Period. The modern hydraulic infrastructure included diversions, dams, canals and irrigation networks supplied by the major rivers of the region (Alvarez et al., 2024) in the upper and middle zones of the basins. The lagoon population was relegated to non-irrigated lands (Martín et al., 2010; Escolar, 2021). However, at the beginning of 20th century, native people continued to consume and trade fish (Martínez, 1961; Prieto, 1974) and Guanacache was an important production area for wheat, maize, alfalfa and horticultural crops with centralized irrigation (Escolar and Saldi, 2013). According to oral testimonies, irrigation canals in Guanacache plains continued working until the mid-20th century (Abraham and Prieto, 1981). Water harvesting technologies (2, 3, 4, and 5) continued to be applied until the beginning of this period. The literature does not mention significant changes.

The third stage is characterized by the adaptation of the water supply as a consequence of the gradual drying up of Guanacache system. Regional studies have recorded different drought periods during the early 20th century (Castellanos, 1926; Rusconi, 1949). A dramatic event identified by the ancient settlers was the great drought of 1936–1937 (Escolar and Saldi, 2016). Increasing water scarcity brought a diversification of local rainwater harvesting techniques. Although the water harvesting technologies (2, 3, 4 and 5) remain in use, they present some difficulties. For instance, the use of bucket wells is hindered by the hard access to groundwater, so, peasant have replaced them. They draw water directly from the Desaguadero River using an electric pump (Besio, 2021). In this context emerged cisterns and the roof






FIGURE 2 Study area and comparison of small local strategies (bottom-up solutions) vs. large centralized projects (top-down solutions) to harvest and conduct water in the arid plains of the Guanacache Lagoons.

collection for harvest rainwater on ceilings. Peasants put containers to accumulate water that is used for drinking (by both humans and livestock) and for domestic activities (Ramilo et al., 2014). Whereas the cisterns and impoundment constructions are usually supported by politics and NGOs. For

example, the Wetland Foundation carries out small-scale soil and wetland restoration works, using a system similar to dams but with lower-cost techniques and materials that serve as drinking stations for livestock (Calderón Archina, 2022). There is an eventual support that does not solve the problem of water supply.

### 3.1 Rainwater harvesting strategies and centralized projects

From the past to the present, local population has been able to access water by making effective use of ponds and water redistribution systems (canals and berm dams) and address water scarcity in dry periods. Most of these technologies are based on ancestral knowledge from indigenous pre-Hispanic cultures. The Guanacache system began to dry up because the water extraction of river basins that supplied the lagoons. In this context, from the 20th century onward, natives had to abandon some of these technologies (irrigation canals), adopt others (jagüels, dams) and develop new rainwater harvesting technologies *in situ* (cisterns, roof catchment). These adaptation strategies have been the key to continuing to live and produce in the area, given that the main livelihood is livestock rearing.

The water expropriation forced the Huarpe Laguneros to leave community water management and replace it with the various techniques described, which are constrained to family organization. According to local narratives and memories, the deterioration of the Guanacache system was perceived as gradual (Calderón Archina, 2022). Drought periods became more frequent and prolonged. For this reason, there was no immediate social reaction. Lagoon people began to claim their irrigation rights from the Provincial State of Mendoza (Figure 1) in the 1930s (Escolar and Saldi, 2016), years of a major drought period. The historical depth of the water demand is an intersection between indigenous identifications and water disputes that have shaped recent experiences of Huarpe collective organization (Calderón Archina, 2016; Calderón Archina, 2022). There is recent visibility of the Huarpe groups and their water and land demands, in the context of a three-decade-long drought period (Magliano et al., 2024). In response, throughout the 21st century, the provincial government of San Luis implemented two centralized projects to address water scarcity surrounding the dry lagoons (Figure 2). One of them consist of a restoration project related to the declaration of Guanacache as a Ramsar site and its extension in 2007 (Calderón Archina, 2016). Whereas the second project is the extension of the supply network of Nogolí dam, which transports water from San Luis mountain range. In the last 2 decades, the impoundments technique (4) has been complemented with water from Nogolí dam aqueduct, to support livestock and goat production (Magliano et al., 2024).

Nevertheless, these project did not resolve or mitigate the problem of water lack (Calderón Archina, 2022). In general, residents appreciate the construction projects especially because this has been a historically marginalized area in terms of policies and public works (Calderón Archina, 2022). Although, users point to constant failures in the water supply from the Nogolí dam aqueduct, as well as the poor quality of the transported water. They also warn that the proximity of the check dams to flood-prone lands was not considered. As a result, major floods can obstruct certain roads and isolate small communities (Calderón Archina and Alvarez, 2022). In neither case was the population consulted. The government did not take into account the local knowledge and practices associated with water harvesting. Considering the experience accumulated by the inhabitants could have avoided the problems that these works presented and

optimized their use (Calderón Archina and Alvarez, 2022; Magliano et al., 2015b). In conclusion, major developments do not bring significant improvements to the water supply problem, even though, local people value the works as a palliative to the worsening water deficit.

## 4 Discussion

Water scarcity is a pressing problem in arid areas and the current context of climate change indicates that drought will increase. Guanacache case shows how the natives have been able to inhabit the arid plain for thousands of years. However, water shortages have been increasing over the last hundred years and this is mainly the result of unequal management of water resources (Escolar and Saldi, 2016; Calderón Archina, 2022). In response to the process of drying up, native people have adapted and diversified water harvesting techniques, but they continue without sufficient water for their consumption and their livestock. In the last decades, local governments have attempted to relief the problem of supplying water, but these have design deficiencies and failures in distribution and quality water. We believe that a satisfactory solution requires a change in water policies, which should ensure a constant flow of water to Guanacache Lagoons and promote the restoration of the system (Alvarez et al., 2024; Calderón Archina and Alvarez, 2022). Consider the millenary experience associated to water technologies described and the resilience capacity of the native population, it is essential to incorporate local knowledge to solve environmental troubles (Liwenga, 2008; Chikwanha et al., 2021). Local knowledge we refer involves practices, knowledge and memories that remit to the indigenous ancestry.

Recent studies have demonstrated that local knowledge is effective in managing water scarcity (Aklan et al., 2022; Sioui, 2022). For example, based on indigenous knowledge, people in central Tanzania use seasonality and landscape diversity to cope with such environments, ensuring continuous crop production throughout the year (Liwenga, 2008). Whereas farmers in the semi-arid and arid Mediterranean region had to combine an ancient water harvesting system with new irrigation techniques (e.g., drip irrigation, micro-sprinklers, sub-surface drip irrigation) due to annual rainfall variability; this has resulted in a considerable improvement in biomass and cereal production (Stroosnijder et al., 2012). These cases prove that adaptations of traditional techniques are necessary, but that changes should not ignore indigenous knowledge and local practices. Instead, they should be included as knowledge co-producers (Zarej et al., 2020; Taddei, 2023). Their incorporation into climate change policies will support to develop effective adaptation strategies that are cost-effective, participatory and sustainable (Ajani et al., 2013; Pili and Ncube, 2022).

## 5 Conclusion

Water scarcity is a limiting factor in drylands. However, as we have shown, it is not just a natural condition. Lack of water can be exacerbated by poor and unequal water policies. This implies that water scarcity can be the result of power relations in unequal societies (Nicolas Artero, 2020). Reversing this required a water

governance change to find more equitable and sustainable ways of accessing water. Based on local experiences in the arid plains of central-western Argentina, we found that (i) over time, native people have developed diverse and complex rainwater harvesting systems to address drought issues, and (ii) it is essential that policies and institutions incorporate and combine local knowledge with centralized technical developments to access to fresh water. A comprehensive solution could improve the situation. Local solutions were adequate half a century ago, but today are not enough. Instead, centralized hydraulic works face numerous costly problems of maintenance and stability in the future, and they are not fully accepted by communities.

In the next decades, with projected climate change, millions of people will be living under severe water stress conditions (Stringer et al., 2021). Will require an equitable approach that considers multiple and interrelated risks and develops solutions that include the values that matter to communities (Kettle et al., 2014). To achieve this, is necessary to combines technical advances with local knowledge. Our results demonstrate the valuable experience accumulated by indigenous and peasant in water harvesting techniques and the adaptability of these in contexts of increasing scarcity.

## Author contributions

AC: Investigation, Writing–original draft, Writing–review and editing. DE: Conceptualization, Investigation, Writing–review and editing. GH: Conceptualization, Investigation, Writing–review and editing. MN: Methodology, Software, Writing–review and editing.

## References

- Abraham, E., and Prieto, M. R. (1981). Enfoque Diacrónico de los Cambios Ecológicos y de las Adaptaciones Humanas en el NE. Árido Mendocino. *Cuad. del CEIFAR*. 8, 109–139.
- Ajani, E. N., Mgbenka, R. N., and Okeke, M. N. (2013). Use of indigenous knowledge as a strategy for climate change adaptation among farmers in sub-Saharan Africa: implications for policy. *Asian J. Agric. Ext. Econ. and Sociol.* 2 (1), 23–40. doi:10.9734/AJAEES/2013/1856
- Aklan, M., de Fraiture, C., Hayde, L. G., and Moharam, M. (2022). Why indigenous water systems are declining and how to revive them: a rough set analysis. *J. Arid Environ.* 202, 104765. doi:10.1016/j.jaridenv.2022.104765
- Alvarez, L. M., Rivera, J. A., and Calderón Archina, A. (2024). Efectos de la variabilidad climática y las políticas hídricas en el Sitio Ramsar Lagunas de Guanacache (San Juan, Mendoza y San Luis, Argentina): cuando la gestión finaliza en los diques. *Cuad. Geográficos* 63 (1), 142–157. doi:10.30827/cuadgeo.v63i1.27952
- Bárcena, R. (1988). Investigación de la dominación incaica en Mendoza. El tambo de tambillos, la vialidad anexa y los altos cerros cercanos. *Espac. Tiempo Forma, Ser. Prehist.* 1, 397–426. doi:10.5944/etfi.1.1988.4501
- Besio, L. (2021). “La trama de relaciones y prácticas sociales de plantas curativas,” in *Una etnografía sobre el puesto y los contextos cotidianos que involucran a las plantas y al ambiente en Guanacache*. Universidad Nacional de Córdoba. [doctoral dissertation]. [Córdoba].
- Búrquez, A., Ochoa, M. B., Martínez-Yrizar, A., and de Souza, J. O. P. (2024). Human-made small reservoirs alter dryland hydrological connectivity. *Sci. Total Environ.* 947, 174673. doi:10.1016/j.scitotenv.2024.174673
- Calderón Archina, A. (2016). De oasis a desierto. Re-emergencias huarpes y promesas de agua en las Lagunas de Guanacache. *Rev. Síntesis* 7. Available at: <https://revistas.unc.edu.ar/index.php/sintesis/article/view/35128>.
- Calderón Archina, A. (2021). Más allá del reconocimiento indígena: construcciones de estatalidad en San Luis, Argentina. *Rev. Lat. Am. Estud. Rural. ReLaER* 6, 11. ark:/s25251635/808856aiui.
- Calderón Archina, A. (2022). *Etnicidad Saá. Una aproximación etnográfica al estudio del estado y los movimientos indígenas en San Luis, Argentina*. [PhD dissertation]. Universidad Nacional de Córdoba. [Córdoba].
- Calderón Archina, A., and Alvarez, L. M. (2022). Políticas del agua y de restauración de los humedales en lagunas de Guanacache: aproximaciones a un diálogo transdisciplinario. *De. Estud. Geográficos* 117, 11–32. doi:10.48162/rev.40.012
- Carrión, E. (1981). La formación del léxico español en la región andina. III: jagüey, jaguay, jagüel. *Lexis* 5 (1), 53–64. doi:10.18800/lexis.198101.008
- Castellanos, A. (1926). *Un viaje por las lagunas de Huanacache y el Desaguadero*. PhD thesis. Buenos Aires: MCMXXVI.
- Chikwanha, O. C., Mupfiga, S., Olagbegi, B. R., Katiyatiya, C. L., Molotsi, A. H., Abiodun, B. J., et al. (2021). Impact of water scarcity on dryland sheep meat production and quality: key recovery and resilience strategies. *J. Arid Environ.* 190, 104511–511. doi:10.1016/j.jaridenv.2021.104511
- Contreras, S., Jobbágy, E. G., Villagra, P. E., Nosetto, M. D., and Puigdefábregas, J. (2011). Remote sensing estimates of supplementary water consumption by arid ecosystems of central Argentina. *J. Hydrology* 397, 10–22. doi:10.1016/j.jhydrol.2010.11.014
- Damiani, O. (2002). Sistemas de riego prehispánico en el Valle de Iglesia, San Juan, Argentina. *Multequina* 11, 01–38.
- Damiani, O., and García, A. (2011). El manejo indígena del agua en San Juan (Argentina): diseño y funcionamiento del sistema de canales de Zonda. *Multequina* 20 (1), 27–42.
- Devoto, F. J. (2003). Historia de la inmigración en Argentina. *Editor. Sudam*.
- Escolar, D. (2007). “Los dones étnicos de la nación,” in *Identidades huarpe y modos de producción de soberanía en Argentina Buenos Aires: Prometeo*.
- Escolar, D. (2021). *Los indios montoneros. Un desierto rebelde para la nación argentina (Guanacache, siglos XVIII-XX)*. Buenos Aires: Prometeo Libros.

EJ: Conceptualization, Investigation, Supervision, Writing–review and editing. PM: Conceptualization, Supervision, Writing–review and editing, Writing–original draft.

## Funding

The author(s) declare that financial support was received for the research, authorship, and/or publication of this article. This work was funded by ANID ANILLOS ATE230072 “Climatic Pluriverses: A Decolonial Perspective of Geohumanities for the Design of Alternative Territories in Contexts of Climate”, PICT 2020–2972 and PIP-716.

## Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.



- Escolar, D., and Saldi, L. (2013). "Canales fantasmas en el desierto huarpe," in *Riego legal, discursos ecológicos y apropiación del agua en Cuyo, Argentina, siglos XIX y XX*. Agenda Social 7.1.
- Escolar, D., and Saldi, L. (2016). Making the indigenous desert from the European oasis: the ethnopolitics of water in Mendoza, Argentina. *J. Lat. Am. Stud.* 49 (2), 269–297. doi:10.1017/s0022216x16001462
- FAO (2021). Food and agricultural organization of united nations. Available at: <https://www.fao.org/newsroom/story/Drylands-much-more-than-their-name-suggests/en>.
- Farley, K. A., Jobbágy, G. E., and Jackson, R. B. (2005). Effects of afforestation on water yield: a global synthesis with implications for policy. *Glob. Change Biol.* 11, 1565–1576. doi:10.1111/j.1365-2486.2005.01011.x
- Fernández, P. D., Kuemmerle, T., Baumann, M., Grau, H. R., Nasca, J. A., Radrizzani, A., et al. (2020). Understanding the distribution of cattle production systems in the South American Chaco. *J. Land Use Sci.* 15, 52–68. doi:10.1080/1747423X.2020.1720843
- Gambier, M. (1977). "La Cultura de Ansilta," in *San Juan*. San Juan: Universidad Nacional de San Juan.
- García, A., and Damiani, O. (2020). Sistemas de riego y agricultura prehispánica en el centro oeste de Argentina. *Rev. Iberoamerica Vitic. Agroind. Rural.* 7, 22–45. doi:10.35588/rivar.v7i20.4473
- García, A. G., Di Bella, C. M., Houspanossian, J., Magliano, P., Jobbágy, E. G., Posse, G., et al. (2017). Patterns and controls of carbon dioxide and water vapor fluxes in a dry forest of central Argentina. *Agric. For. Meteorology* 247, 520–532. doi:10.1016/j.agrformet.2017.08.015
- Giovannetti, M. A., and Raffino, R. A. (2014). Arquitectura hidráulica en el noroeste argentino: monumentalidad y control del agua en el sur del Tawantinsuyu. *Investig. Ensayos* 60, 355–380.
- Gomez, L., Canizo, B., Lana, B., Zalazar, G., Wuilloud, R., and Aravena, R. (2019). Hydrochemical processes, variability and natural background levels of Arsenic in groundwater of northeastern Mendoza, Argentina. *J. Iber. Geol.* 45, 365–382. doi:10.1007/s41513-018-00099-0
- Heider, G. (2020). Los hornillos de tierra cocida en Las Travesías de San Luis (Argentina). Primeros aportes para una propuesta funcional. *Intersecciones* 21 (2), 119–130. doi:10.37176/iea.21.2.2020.491
- Heider, G. (2023). La cosecha de agua en la pampa occidental de Argentina durante los siglos XVIII y XIX, una vía para repensar el registro arqueológico prehispánico. *Chungara Rev. Antropol. Chil.* 55 (1), 0–208. doi:10.4067/S0717-73562022005001903
- Heider, G., Magliano, P., Niborski, M., Calderón Archina, A., Martín, S., and Petit, M. (2024). Cosecha de Agua en el Chaco Árido. XI Congreso Argentino de Arqueometría.
- Huang, L., Zeng, G., Liang, J., Hua, S., Li, X., Dong, H., et al. (2017). Combined impacts of land use and climate change in the modeling of future groundwater vulnerability. *J. Hydrologic Eng.* 22 (7). doi:10.1061/(ASCE)HE.1943-5584.0001493
- Instituto Nacional de estadísticas y censos (INDEC) (2024). "Censo Nacional de Población de Hogares y Viviendas 2022," in *Resultados definitivos de población indígena o descendiente de pueblos indígenas su originarios*. Buenos Aires: INDEC. Available at: [www.indec.gov.ar](http://www.indec.gov.ar).
- Intergovernmental Panel on Climate Change (IPCC) (2023). *Climate change 2021 - the physical science basis: working group I contribution to the sixth assessment report of the intergovernmental panel on climate change*. Cambridge, United Kingdom and New York: Cambridge University Press. doi:10.1017/9781009157896
- Kettle, N. P., Dow, K., Tuler, S., Weblar, T., Whitehead, J., and Miller, K. M. (2014). Integrating scientific and local knowledge to inform risk-based management approaches for climate adaptation. *Clim. Risk Manag.* 4, 17–31. doi:10.1016/j.crm.2014.07.001
- Latour, B. (2018). *Down to earth: politics in the new climatic regime*. Cambridge: Polity Press.
- Lauro, C., Vich, A., and Moreiras, S. M. (2019). Streamflow variability and its relationship with climate indexes in western river basins of Argentina. *Hydrological Sci. J.* 57 (1), 607–619. doi:10.1080/02626667.2019.1594820
- Liwenga, E. T. (2008). Adaptive livelihood strategies for coping with water scarcity in the drylands of central Tanzania. *Phys. Chem. Earth* 33 (8-13), 775–779. doi:10.1016/j.pce.2008.06.031
- Magliano, P. N., Breshears, D. D., Murray, F., Niborski, M. J., Noretto, M. D., Zou, C. B., et al. (2023). South American Dry Chaco rangelands: positive effects of cattle trampling and transit on ecophysiological functioning. *Ecol. Appl.* 33, e2800. doi:10.1002/eap.2800
- Magliano, P. N., Fernández, R. J., Mercu, J. L., and Jobbágy, E. G. (2015a). Precipitation event distribution in Central Argentina: spatial and temporal patterns. *Ecohydrology* 8, 94–104. doi:10.1002/eco.1491
- Magliano, P. N., Mindham, D., Tyche, W., Murray, F., Noretto, M. D., Jobbágy, E. G., et al. (2019). Hydrological functioning of cattle ranching impoundments in the Dry Chaco rangelands of Argentina. *Hydrology Res.* 50, 1596–1608. doi:10.2166/nh.2019.149
- Magliano, P. N., Murray, F., Baldi, G., Aurand, S., Páez, R. A., Harder, W., et al. (2015b). Rainwater harvesting in Dry Chaco: regional distribution and local water balance. *J. Arid Environ.* 123, 93–102. doi:10.1016/j.jaridenv.2015.03.012
- Magliano, P. N., Niborski, M. J., Murray, F., Heider, G., Petit, M. V., Archina, A. C., et al. (2024). Represas puntanas: Acceso, gestión y gobernanza del agua en las tierras áridas de San Luis. *Ecol. Austral* 34, 305–321. doi:10.25260/EA.24.34.2.0.2392
- Martín, F., Rojas, F., and Saldi, L. (2010). Domar el agua para gobernar. *Concepciones sociopolíticas sobre la Nat. la Soc. Context. consolidación del Estado Prov. mendocino Final. del siglo XIX principios del XX. Anu. del Cent. Estud. Históricas Prof. Carlos SA Segreti* 10 (10), 159–186.
- Martinez, P. S. (1961). Historia Económica de Mendoza durante el Virreinato (1776-1810). Madrid: Universidad Nacional de Cuyo e Instituto Gonzalo Fernández de Oviedo.
- Mbilinyi, B. P., Tumbo, S. D., Mahoo, H. F., Senkondo, E. M., and Hatibu, N. (2005). Indigenous knowledge as decision support tool in rainwater harvesting. *Phys. Chem. Earth* 30 (11-16), 792–798. doi:10.1016/j.pce.2005.08.022
- Meglioli, P. A., Villagra, P. E., Aranibar, J. N., Magliano, P. N., and Jobbágy, E. G. (2021). Sensitivity of groundwater levels and chemistry to partial removal of vegetation in Prosopis woodlands of the Monte Desert, Argentina. *J. Hydrology* 598, 126264. doi:10.1016/j.jhydrol.2021.126264
- Mukheibir, P. (2010). Water access, water scarcity, and climate change. *Environ. Manag.* 45, 1027–1039. doi:10.1007/s00267-010-9474-6
- Niborski, M. J., Martín, O. A., Murray, F., Jobbágy, E. G., Noretto, M. D., Paez, R. A., et al. (2023). Modeling rainwater harvesting and storage dynamics of rural impoundments in Dry Chaco rangelands. *Water* 15, 2353. doi:10.3390/w15132353
- Niborski, M. J., Murray, F., Jobbágy, G., Noretto, M. D., Fernández, P. D., Castellanos, G., et al. (2022). Distribución espacial y controles ambientales de las represas (tajamares) en el Chaco Árido. *Ecol. Austral* 32, 158–173. doi:10.25260/EA.22.32.1.0.1797
- Nicolas Artero, C. (2020). Las organizaciones de usuarios de agua en la construcción de la escasez hídrica. De las acciones geológicas a una territorialización securitaria del agua. *Rev. INVI* 35 (99), 81–108. doi:10.4067/S0718-83582020000200081
- Noy-Meir, I. (1973). Desert ecosystems: environment and producers. *Annu. Rev. Ecol. Syst.* 4, 25–51. doi:10.1146/annurev.es.04.110173.000325
- Otero, I., Kallis, G., Aguilar, R., and Ruiz, V. (2011). Water scarcity, social power and the production of an elite suburb: the political ecology of water in Matadepera, Catalonia. *Ecol. Econ.* 70 (7), 1297–1308. doi:10.1016/j.ecolecon.2009.09.011
- Oweis, T. Y. (2017). Rainwater harvesting for restoring degraded dry agro-pastoral ecosystems: a conceptual review of opportunities and constraints in a changing climate. *Environ. Rev.* 25, 135–149. doi:10.1139/er-2016-0069
- Oyarzabal, M., Clavijo, J., Oakley, L., Biganzoli, L., Tognelli, P., Barberis, I., et al. (2018). Unidades de vegetación de la Argentina. *Ecol. Austral* 28, 040–063. doi:10.25260/EA.18.28.1.0.399
- Pastor, G. y. L. T. (2014). Tecnologías tradicionales de uso del agua en tierras secas de Mendoza (Argentina). *Zonas Áridas* 15 (2), 209–304.
- Peña Zubiate, C. A., Anderson, D. L., Demmi, M. A., Saenz, J. L., and D'Hiriart, A. (1998). *Carta de suelos y vegetación de la provincia de San Luis*. Instituto Nacional de Tecnología Agropecuaria.
- Pili, O., and Ncube, B. (2022). Smallholder farmer coping and adaptation strategies for agricultural water use during drought periods in the Overberg and West Coast Districts, Western Cape, South Africa. *Water sa.* 48 (1), 97–109. doi:10.17159/wsa/2022.v48.i1.3846
- Poca, M., Noretto, M. D., Ballesteros, S., Castellanos, G., and Jobbágy, E. G. (2020). Isotopic insights on continental water sources and transport in the mountains and plains of Southern South America. *Isotopes Environ. Health Stud.* 56, 586–605. doi:10.1080/10256016.2020.1819264
- Prieto, M. R. (1974). El proceso de aculturación de los huarpes de Mendoza. *An. Arqueol. Etnología* 29-31, 235–270. Available at: <https://bdigital.uncu.edu.ar/17268>.
- Prieto, M. R., Abraham, E., and Dussel, P. (2008). Transformaciones de un ecosistema palustre. *La gran ciénaga del Bermejo-Mendoza, siglos XVIII XIX. Multequina* 17, 147–164.
- Prieto, M. R., and Rojas, F. (2012). Documentary evidence for changing climatic and anthropogenic influences on the Bermejo Wetland in Mendoza, Argentina, during the 16th–20th century. *Clim. Past* 8 (3), 951–961. doi:10.5194/cp-8-951-2012
- Raffino, R. A. (1975). Potencial Ecológico y Modelos Económicos en el Noroeste Argentino. *Relac. Nueva Ser.* 9, 25–26.
- Ramilo, D. N., Benitez, A., Martinez, J., Berberena, C., Barreda, M., Marcos, M. S., et al. (2014). "Cisterna de placas," in *Construcción tecnologías apropiadas*. Ediciones INTA.
- Richard-Jorba, R. (2009). El mundo del trabajo vitivinícola en Mendoza (Argentina) durante la modernización capitalista. *Mundo Agrar.* 9, 18.
- Richard-Jorba, R. (2010). "Empresarios ricos y trabajadores pobres," in *Vitivinicultura y desarrollo capitalista en Mendoza*. Rosario: protohistoria ediciones.
- Roig, F. (1970). "Fidel roig matons," in *Pintor del Desierto*. Mendoza: EDIUNC.
- Rosales, D. (1878). Historia general de el Reyno de Chile. *Valparaíso Flondes Indiano*.



- Rueda, C. V., Baldi, G., Verón, S. R., and Jobbágy, E. G. (2013). Aproximación humana de la producción primaria en el Chaco Seco. *Ecol. Austral* 23, 44–54. doi:10.25260/EA.13.23.1.0.1191
- Rusconi, C. (1949). Sobre la hidrografía de las lagunas del Rosario. *Rev. del Mus. Hist. Nat. Mendoza* III, 3.
- Sarmiento, D. F. (1845). Facundo: civilización y barbarie en las pampas argentinas.
- Sbarra, N. (1961). Historia de las Aguadas y el Molino. La Plata: Editorial El Jagüel.
- Sioui, M. (2022). "Introduction: the need for indigenous knowledge based water and drought policy in changing world." in *Indigenous water and drought management in a changing world*. Editor M. Sioui (Oxford: Elsevier), 1–11. doi:10.1016/B978-0-12-824538-5.00001-7
- Sivapalan, M., Savenije, H. H., and Blöschl, G. (2012). Socio-hydrology: a new science of people and water. *Hydrol. Process* 26 (8), 1270–1276. doi:10.1002/hyp.8426
- Stringer, L. C., Mirzabaev, A., Benjaminsen, T. A., Harris, R. M., Jafari, M., Lissner, T. K., et al. (2021). Climate change impacts on water security in global drylands. *One Earth* 4 (6), 851–864. doi:10.1016/j.oneear.2021.05.010
- Stroosnijder, L., Moore, D., Alharbi, A., Argaman, E., Biazin, B., and Van den Elsen, E. (2012). Improving water use efficiency in drylands. *Curr. Opin. Environ. Sustain.* 4 (5), 497–506. doi:10.1016/j.cosust.2012.08.011
- Taddei, R. (2023). "Is there room for Indigenous knowledge in the global Climate Science Information efforts?," in *2nd global forum on climate science information for climate action national center of meteorology*. Abu Dhabi.
- Triviño, L. (1977). "Antropología del desierto: lineamientos y sugerencias para el estudio de las poblaciones humanas en zonas áridas," in *Buenos Aires: Fundación para la educación, la ciencia y la cultura*.
- Vignati, M. (1953). Un diario del Viaje por las Lagunas de Guanacache en el año 1789. *Aportes al Conoc. Antropológico la Prov. Mendoza. Notas del Mus. Eva Perón*. XV, 51–109.
- Vitali, G. (1940). Hidrología mendocina. Mendoza: L.VI. D'Accurcio.
- Wesselink, A., Kooy, M., and Warner, J. (2017). Socio-hydrology and hydrosocial analysis: toward dialogues across disciplines. *Wiley Interdiscip. Rev. Water* 4 (2), e1196. doi:10.1002/wat2.1196
- Zamorano, M. (1950). Las desaparecidas balsas de Guanacache. *Bol. Estud. Geográficos* 8, 165–218.
- Zarej, Z., Karami, E., and Keshavarz, M. (2020). Co-production of knowledge and adaptation to water scarcity in developing countries. *J. Environ. Manag.* 262, 110283. doi:10.1016/j.jenvman.2020.110283