



Erratum: Functional environmental genomics of a municipal landfill soil

Dick Roelofs*

Department of Ecological Science, VU University, Amsterdam, Netherlands
*Correspondence: dick.roelofs@vu.nl

Edited by:

Chris Vulpe, University of California, Berkeley, USA

Reviewed by:

Chris Vulpe, University of California, Berkeley, USA

A commentary on

Functional environmental genomics of a municipal landfill soil

by Roelofs, D. et al. (2012). *Front. Genet.* 3:85. doi: 10.3389/fgene.2012.00085

In Figure 2

An error has been identified in the legend of **Figure 2** after our article was

published in *Frontiers in Genetics*. The current description in the legend of **Figure 2** wrongly assigns red dots to soil samples and blue dots to extract samples.

The correct description in the legend of **Figure 2** is as follows:

Received: 09 April 2013; accepted: 11 April 2013; published online: 25 April 2013.

Citation: Roelofs D (2013) Erratum: Functional environmental genomics of a municipal landfill soil. *Front. Genet.* 4:69. doi: 10.3389/fgene.2013.00069

This article was submitted to *Frontiers in Toxicogenomics*, a specialty of *Frontiers in Genetics*.

Copyright © 2013 Roelofs. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in other forums, provided the original authors and source are credited and subject to any copyright notices concerning any third-party graphics etc.




FIGURE 2 | Effect of soil and extract on reproduction of *F. candida*. Blue dots indicate the number of *F. candida* juveniles in the jars after 28 days exposure to 6 dilutions of soil samples. Red dots indicate the number of juveniles retrieved after 28 days exposure to dilutions of extract samples. The lines indicate the dose-response curves derived from a logistic model. X-axis, Log2 transformed spiked-in concentrations; y-axis, percentage reproduction scaled to the control samples (set at 100%).