



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Frontiers Production Office,
✉ production.office@frontiersin.org

RECEIVED 22 August 2023
ACCEPTED 22 August 2023
PUBLISHED 31 August 2023

CITATION
Frontiers Production Office (2023),
Erratum: Functional and clinical analysis
of five *EDA* variants associated with
ectodermal dysplasia but with a hard-to-
predict significance.
Front. Genet. 14:1281631.
doi: 10.3389/fgene.2023.1281631

COPYRIGHT
© 2023 Frontiers Production Office. This
is an open-access article distributed
under the terms of the [Creative
Commons Attribution License \(CC BY\)](#).
The use, distribution or reproduction in
other forums is permitted, provided the
original author(s) and the copyright
owner(s) are credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Erratum: Functional and clinical analysis of five *EDA* variants associated with ectodermal dysplasia but with a hard-to-predict significance

Frontiers Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

X-linked hypohidrotic ectodermal dysplasia, Ectodysplasin A, variants of uncertain significance, *in silico* analysis, functional studies, serum *EDA* concentration, genotype-phenotype correlation

An Erratum on Functional and clinical analysis of five *EDA* variants associated with ectodermal dysplasia but with a hard-to-predict significance

by Gökdere S, Schneider H, Hehr U, Willen L, Schneider P and Maier-Wohlfart S (2022). *Front. Genet.* 13:934395. doi: 10.3389/fgene.2022.934395

Due to a production error, a formatting error was made. In [Table 1](#), in the third line of the column “Sweat volume in μL ” should be “11^d” instead of “114”. The corrected table appears below.

The publisher apologizes for this mistake. The original version of this article has been updated.

TABLE 1 Phenotypic features.

Code	Age in years	Skin	Scalp hair	Eyebrows/-lashes	Eyes	Respiratory problems	Current dental status	Reported heat sensitivity/intolerance	Body areas reportedly capable of sweating	Sweat ducts per cm ²	Sweat volume in μ L	Other
P1 ^a	16	Dry	Sparse, very light	Both sparse	Dry	No ^a	4 d.t. + 1 p.t.	Yes	None	0	0	Allergies
P1 ^b	16	Unremarkable	Rather sparse, light	Both sparse	Unremarkable	No	3 d.t. + 20 p.t.	No ^b	All-over	408	8	Allergies
P2	17	Dry, fissured	Sparse, light	Sparse/unremarkable	Mild photophobia	No ^c	9 d.t. + 10 p.t.	Yes	Hands, feet, genital area, bends of the elbows, hollows of the knees, armpits	62 ^d	11 ^d	Allergies, polythelia
P3	28	Very dry	Very sparse, very light	Both very sparse	Photophobia	Recurrent sinusitis, nasal crusting	2 d.t. + 0 p.t.	Yes	Feet	0	0	Bilateral athelia, asthenic habitus
P4	8	Dry, neurodermatitis	Rather normal, light	Very sparse/sparse	Unremarkable ^e	No ^f	10 d.t. + n.a.	Yes (mild)	Armpits, back	200	0	Allergies
P5	3	Dry, partly eczematous, aplasia cutis congenita (healed)	Sparse	Absent/sparse	Lacrimal duct stenosis	Nasal crusting	6 d.t. + n.a.	Episodes of hyperthermia in early infancy	None	n.a.	0	Impaired weight gain, sleep apnoea in first months of life

Abbreviations: d.t., deciduous teeth; p.t., permanent teeth; n.a., not assessed.

^aExcept for bronchitis and nasal crusting in infancy.

^bBut in infancy.

^cExcept for recurrent laryngitis and nasal crusting in infancy.

^dAssessed at the age of 6 years (Schneider et al., 2011).

^eExcept for recurrent conjunctivitis in early infancy.

^fExcept for recurrent nosebleeds in early infancy.