frontiers | Frontiers in Genetics

TYPE Correction
PUBLISHED 18 June 2024
DOI 10.3389/fgene.2024.1440665

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Dennis Shasha,
shasha@cims.nyu.edu

RECEIVED 29 May 2024
ACCEPTED 31 May 2024
PUBLISHED 18 June 2024

CITATION
Shen B, Coruzzi GM and Shasha D (2024), Corrigendum: Bipartite networks represent causality better than simple networks: Evidence, algorithms, and applications.
Front. Genet. 15:1440665.
doi: 10.3389/fgene.2024.1440665

Corrigendum: Bipartite networks represent causality better than simple networks: Evidence, algorithms, and applications

Bingran Shen[1], Gloria M. Coruzzi[2] and Dennis Shasha[1]*

[1]Courant Institute of Mathematical Sciences, Department of Computer Science, New York University, New York, United States, [2]Center for Genomics and Systems Biology, Department of Biology, New York University, New York, United States

KEYWORDS

RNA sequencing, gene regulatory network, causal inference, random forest, bipartite network

A Corrigendum on
Bipartite networks represent causality better than simple networks: evidence, algorithms, and applications

by Shen, B., Coruzzi, G., and Shasha, D. (2024). Front. Genet. 15:1371607. doi: 10.3389/fgene.2024.1371607

In the published article, an **Author name** was incorrectly written as "Gloria Curozzi." The corrected author name should read as "Gloria M. Coruzzi."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.