



# Corrigendum: There Is (Scientific) Strength in Numbers: A Comprehensive Quantitation of Fc Gamma Receptor Numbers on Human and Murine Peripheral Blood Leukocytes

Christina Kerntke<sup>1</sup>, Falk Nimmerjahn<sup>1,2\*</sup> and Markus Biburger<sup>1,2\*</sup>

<sup>1</sup> Division of Genetics, Department of Biology, Friedrich-Alexander University Erlangen-Nürnberg, Erlangen, Germany,

<sup>2</sup> Medical Immunology Campus Erlangen, Friedrich-Alexander University Erlangen-Nürnberg, Erlangen, Germany

## OPEN ACCESS

### Edited and reviewed by:

Latha P. Ganesan,  
The Ohio State University,  
United States

### \*Correspondence:

Falk Nimmerjahn  
falk.nimmerjahn@fau.de  
Markus Biburger  
markus.biburger@fau.de

### Specialty section:

This article was submitted to  
Molecular Innate Immunity,  
a section of the journal  
Frontiers in Immunology

**Received:** 20 December 2021

**Accepted:** 31 December 2021

**Published:** 20 January 2022

### Citation:

Kerntke C, Nimmerjahn F and  
Biburger M (2022) Corrigendum:  
There Is (Scientific) Strength in  
Numbers: A Comprehensive  
Quantitation of Fc Gamma Receptor  
Numbers on Human and Murine  
Peripheral Blood Leukocytes.  
*Front. Immunol.* 12:840026.  
doi: 10.3389/fimmu.2021.840026

**Keywords:** Fc receptors, antibodies, human leukocytes, murine leukocytes, quantification, receptor numbers, neutrophils, monocytes

## A Corrigendum on

### There Is (Scientific) Strength in Numbers: A Comprehensive Quantitation of Fc Gamma Receptor Numbers on Human and Murine Peripheral Blood Leukocytes


by Kerntke C, Nimmerjahn F and Biburger M (2020). *Front. Immunol.* 11:118. doi: 10.3389/fimmu.2020.00118

In the original article, an error occurred in **Figure 1E**. The median ABC [ $\times 10^3$  binding sites/cell] for anti-Fc $\gamma$ RI on neutrophils was shown as “71”. The correct number is “<1”, in agreement with the data presented in **Figure 1A** and deposited in the Figshare repository as well as the description in the text that among peripheral blood leukocytes of mice expression of Fc $\gamma$ RI is restricted to monocytes. The corrected **Figure 1E** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher’s Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Kerntke, Nimmerjahn and Biburger. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.



**FIGURE 1** | Fc gamma receptors on murine peripheral blood leukocytes. Depicted are box plots showing anti-FcR binding sites for (A) Fc $\gamma$ RI, (B) Fc $\gamma$ RIIb, (C) Fc $\gamma$ RIII, and (D) Fc $\gamma$ RIV on indicated leukocyte subsets together with (E) a tabular presentation of the median number of binding sites. n = 15–41 from 4 to 11 independent experiments.