



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Izabella Owsianka
✉ izabella.owsianka@uj.edu.pl












SPECIALTY SECTION
This article was submitted to
Vaccines and Molecular Therapeutics,
a section of the journal
Frontiers in Immunology

RECEIVED 31 January 2023
ACCEPTED 06 February 2023
PUBLISHED 07 March 2023

CITATION
Owsianka I, Pac A, Jachowicz E,
Gutkowska K, Szczuciński W, Maziarz B,
Sochacka-Tatara E, Heczko P, Sydor W,
Żóttowska B and Wójkowska-Mach J
(2023) Corrigendum: SARS-CoV-2
antibody response after mRNA
vaccination in healthcare workers
with and without previous COVID-19,
a follow-up study from the University
Hospital in Krakow, Poland.
Front. Immunol. 14:1155871.
doi: 10.3389/fimmu.2023.1155871

COPYRIGHT
© 2023 Owsianka, Pac, Jachowicz,
Gutkowska, Szczuciński, Maziarz,
Sochacka-Tatara, Heczko, Sydor,
Żóttowska and Wójkowska-Mach. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is permitted,
provided the original author(s) and the
copyright owner(s) are credited and that
the original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution or
reproduction is permitted which does not
comply with these terms.

Corrigendum: SARS-CoV-2 antibody response after mRNA vaccination in healthcare workers with and without previous COVID-19, a follow-up study from the University Hospital in Krakow, Poland

Izabella Owsianka ^{1,2*}, Agnieszka Pac ³,
Esteria Jachowicz ², Karolina Gutkowska ²,
Wiktor Szczuciński ², Barbara Maziarz ⁴,
Elżbieta Sochacka-Tatara ³, Piotr Heczko ²,
Wojciech Sydor ^{5,6}, Barbara Żóttowska ⁵
and Jadwiga Wójkowska-Mach ²

¹Doctoral School of Medical and Health Sciences, Jagiellonian University Medical College, Krakow, Poland, ²Department of Microbiology, Faculty of Medicine, Jagiellonian University Medical College, Krakow, Poland, ³Department of Epidemiology and Preventive Medicine, Faculty of Medicine, Jagiellonian University Medical College, Krakow, Poland, ⁴Department of Diagnostics, Department of Clinical Biochemistry, Faculty of Medicine, Jagiellonian University Medical College, Krakow, Poland, ⁵Center for Innovative Therapy, Clinical Research Coordination Center, University Hospital in Krakow, Krakow, Poland, ⁶Department of Rheumatology and Immunology, Jagiellonian University Medical College, Krakow, Poland

KEYWORDS

COVID-19, antibody levels, healthcare workers, COVID-19 immune response, mRNA vaccine against SARS-CoV-2

A Corrigendum on

SARS-CoV-2 antibody response after mRNA vaccination in healthcare workers with and without previous COVID-19, a follow-up study from the University Hospital in Krakow, Poland.

By Owsianka I, Pac A, Jachowicz E, Gutkowska K, Szczuciński W, Maziarz B, Sochacka-Tatara E, Heczko P, Sydor W, Żóttowska B and Wójkowska-Mach J (2023) *Front. Immunol.* 13:1071204. doi: 10.3389/fimmu.2022.1071204

In the published article, there was an error in the article title. Instead of “SARS-CoV-2 antibody response after mRNA vaccination in healthcare workers with and without previous COVID-19, a follow-up study from a university hospital in Poland during 6

months 2021”, it should be “SARS-CoV-2 antibody response after mRNA vaccination in healthcare workers with and without previous COVID-19, a follow-up study from the University Hospital in Krakow, Poland”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.