



# Corrigendum: Antarctic Krill Biomass and Flux Measured Using Wideband Echosounders and Acoustic Doppler Current Profilers on Submerged Moorings

George R. Cutter, Jr.<sup>1\*</sup>, Christian S. Reiss<sup>1</sup>, Sven Nylund<sup>2</sup> and George M. Watters<sup>1</sup>

<sup>1</sup>Southwest Fisheries Science Center, Antarctic Ecosystem Research Division, National Oceanic and Atmospheric Administration, La Jolla, CA, United States, <sup>2</sup>Nortek Group, Nortek AS, Rud, Norway

## OPEN ACCESS

### Approved by:

Frontiers Editorial Office  
Frontiers Media SA, Switzerland

### \*Correspondence:

George R. Cutter Jr.  
george.cutter@noaa.gov

### Specialty section:

This article was submitted to  
Ocean Observation,  
a section of the journal  
Frontiers in Marine Science

**Received:** 08 June 2022

**Accepted:** 09 June 2022

**Published:** 14 July 2022

### Citation:

Cutter GR Jr., Reiss CS,  
Nylund S and Watters GM (2022)  
Corrigendum: Antarctic Krill Biomass  
and Flux Measured Using  
Wideband Echosounders and  
Acoustic Doppler Current Profilers  
on Submerged Moorings.  
*Front. Mar. Sci.* 9:964737.  
doi: 10.3389/fmars.2022.964737

**Keywords:** Antarctic krill, flux, transport, biomass, Signature100, wideband echosounder, acoustic Doppler current profiler (ADCP)

A Corrigendum on: Antarctic Krill Biomass and Flux Measured Using Wideband Echosounders and Acoustic Doppler Current Profilers on Submerged Moorings. Cutter GR Jr, Reiss CS, Nylund S and Watters GM (2022) *Front. Mar. Sci.* 9:784469. doi: 10.3389/fmars.2022.784469

In the published article, there was an error. The article stated that the term  $p_{rec}$  represented power, but it actually represented amplitude, following the convention of Cochrane et al. (2003) cited in the article. A correction has been made to **Materials and Methods, Target Strength and Volume Backscattering Strength**, paragraph 3. The incorrect sentence previously stated:

“ $P = 20 \log_{10}(p_{rec})$ ; and  $p_{rec}$  is the received power.”

The corrected sentence appears below:

“ $P = 20 \log_{10}(p_{rec})$ ; and  $p_{rec}$  is the received amplitude.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher's Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Cutter, Reiss, Nylund and Watters. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.