



Editorial: Functional Metal-Organic Frameworks: Gas Sorption, Separation, and Heterogeneous Catalysis

Seong Huh ^{1*}, Youngmee Kim ^{2*}, Jian Lü ^{3*}, Krunoslav Užarević ^{4*} and Yong Yan ^{5*}

¹ Department of Chemistry, Hankuk University of Foreign Studies Seoul, Seoul, South Korea, ² Department of Chemistry and Nanoscience, Ewha Womans University, Seoul, South Korea, ³ College of Resources and Environment, Fujian Agriculture and Forestry University, Fuzhou, China, ⁴ Division of Physical Chemistry, Ruder Bošković Institute, Zagreb, Croatia, ⁵ Department of Chemistry, University of Liverpool, Liverpool, United Kingdom

Keywords: metal-organic frameworks (MOFs), catalysis, defected MOFs, Co-MOF-74 CPO-27-Co, gas sorption, thermochromic MOFs, POM@MOF composites, polyoxometalate MOF

Editorial on the Research Topic

OPEN ACCESS

Edited and reviewed by:

Jie-Sheng Chen,
Shanghai Jiao Tong University, China

*Correspondence:

Seong Huh
shuh@hufs.ac.kr
Youngmee Kim
ymeeekim@ewha.ac.kr
Jian Lü
jian_lu_fafu@163.com
Krunoslav Užarević
krunoslav.uzarevic@irb.hr
Yong Yan
yong.yan@liverpool.ac.uk

Specialty section:

This article was submitted to
Colloidal Materials and Interfaces,
a section of the journal
Frontiers in Materials

Received: 12 November 2019

Accepted: 28 November 2019

Published: 10 December 2019

Citation:

Huh S, Kim Y, Lü J, Užarević K and
Yan Y (2019) Editorial: Functional
Metal-Organic Frameworks: Gas
Sorption, Separation, and
Heterogeneous Catalysis.
Front. Mater. 6:326.
doi: 10.3389/fmats.2019.00326

Functional Metal-Organic Frameworks: Gas Sorption, Separation, and Heterogeneous Catalysis

Metal-organic frameworks (MOFs), or porous coordination polymers (PCPs), are a class of widely investigated porous materials (Li et al., 1999; Férey, 2008; Yuan et al., 2018). The combination of the rich coordination chemistry of metal centers and varied geometry of organic linkers has led to unprecedented structural versatility and tunability, which is also reflected in their chemical and physical properties. Today, MOFs are studied particularly for their potential application in storage (Ma and Zhou, 2010; Li et al., 2019), separation (Lin et al., 2019), water harvesting (Kalmutzki et al., 2018), harmful waste remediation (Bobbitt et al., 2017), catalysis (Zhu et al., 2017), batteries development (Baumann et al., 2019), electronics (Stavila et al., 2014), drug delivery (Stavila et al., 2014), and more (Tuffnell et al., 2019). Also, MOFs attracted significant attention for their dynamic properties (Coudert, 2015). such as well-demonstrated structural flexibility and ability to respond to external stimuli, leading to new and exciting properties such as negative linear compressibility and negative Poisson ratio. With a continually rising number of studies and publications, materials based on MOFs have now matured to be seriously considered for broad applications, and a growing number of MOFs is now commercially available. IUPAC, the International Union of Pure and Applied Chemistry, has enlisted MOFs into their list of 10 chemistry innovations and technologies that may change the world (Gomollón-Bel, 2019).

Here, we are proud to present the Research Topic “Functional Metal-Organic Frameworks: Gas Sorption, Separation, and Heterogeneous Catalysis,” which contains contemporary studies on MOFs, their properties, and potential applications. This Research Topic is comprised of four original research papers from seven different institutions. The work by Prof. Emmerling from BAM Institute in Berlin and colleagues (Villajos et al.) describes a new synthetic approach by partial linker substitution, which results in defected phases of a prototypical cobalt MOF, Co-MOF-74. The authors were mainly focused on the assessment of the stability of these new MOFs and the availability of the free coordination sites of cobalt phases. This study also shows how the introduced defects enable the more facile diffusion of gaseous guests, which can have a substantial impact on their application in catalysis and storage. Choi et al., describes a new synthetic approach toward exciting indium MOF based on anionic [In(carboxylate)₄]⁻ nodes. The high-quality crystals for

their study were obtained solely from the ionic-liquid solution. The authors studied the sorption of nitrogen, hydrogen, and carbon dioxide gases into their porous MOF, establishing facts about the porosity, cooperative binding, and the unusually high isosteric heat of hydrogen adsorption. Bommakanti and Das reports on new cobalt(II) MOF with bifunctional trigonal planar ligand based on 4,4'-bipyridine and carboxylic acid. This MOF displayed reversible thermochromic behavior, changing the color from orange to dark purple under elevated temperatures, which was directly correlated to the loss of coordinated solvent molecules and the change in the metal-node coordination sphere, leading to an amorphous material with tetrahedral cobalt(II) coordination. The contribution by Buru et al. is focused on encapsulation and the study of the influence of Keggin-type polyoxometalate (POM) movement on the catalytic properties of two zirconium MOFs. The authors show that both MOFs containing immobilized polyoxometalates exhibit a significant increase in catalytic activity when compared to MOFs or polyoxometalates alone. The authors also studied the activity

trends in both POM@MOF materials and have established different behavior based on the location of POM and content of the pores, thus showing the importance of the location of the active site on the heterogeneous support that was the MOFs role in this particular composite material.

As scientists involved in the field, we are very excited about the articles in this Research Topic, showing new and non-conventional approaches toward these exciting materials, and indicating the fast and dynamic changes happening in this area of research. We hope the readers will find in these articles new and useful information for their research and come with new directions for further developments in the field of MOFs and MOF composites.

AUTHOR CONTRIBUTIONS

All authors listed have made a substantial, direct and intellectual contribution to the work, and approved it for publication.

REFERENCES

- Baumann, A. E., Burns, D. A., Liu, B., and Thoi, V. S. (2019). Metal-organic framework functionalization and design strategies for advanced electrochemical energy storage devices. *Commun. Chem.* 2, 86. doi: 10.1038/s42004-019-0184-6
- Bobbitt, N. S., Mendonca, M. L., Howarth, A. J., Islamoglu, T., Hupp, J. T., Farha, O. K., et al. (2017). Metal-organic frameworks for the removal of toxic industrial chemicals and chemical warfare agents. *Chem. Soc. Rev.* 46, 3357–3385. doi: 10.1039/C7CS00108H
- Coudert, F.-X. (2015). Responsive metal-organic frameworks and framework materials: under pressure, taking the heat, in the spotlight, with friends. *Chem. Mater.* 27, 1905–1916. doi: 10.1021/acs.chemmater.5b00046
- Férey, G. (2008). Hybrid porous solids: past, present, future. *Chem. Soc. Rev.* 37, 191–214. doi: 10.1039/B618320B
- Gomollón-Bel, F. (2019). Ten chemical innovations that will change our world: IUPAC identifies emerging technologies in chemistry with potential to make our planet more sustainable. *Chem. Int.* 41, 12–17. doi: 10.1515/ci-2019-0203
- Kalmutzki, M. J., Diercks, C. S., and Yaghi, O. M. (2018). Metal-organic frameworks for water harvesting from air. *Adv. Mater.* 30:1704304. doi: 10.1002/adma.201704304
- Li, H., Eddaoudi, M., O'Keeffe, M., and Yaghi, O. M. (1999). Design and synthesis of an exceptionally stable and highly porous metal-organic framework. *Nature* 402, 276–279. doi: 10.1038/46248
- Li, H., Li, L., Lin, R.-B., Zhou, W., Zhang, Z., Xiang, S., et al. (2019). Porous metal-organic frameworks for gas storage and separation: status and challenges. *Energy Chem.* 1:100006. doi: 10.1016/j.enchem.2019.100006
- Lin, R.-B., Xiang, S., Xing, H., Zhou, W., and Chen, B. (2019). Exploration of porous metal-organic frameworks for gas separation and purification. *Coord. Chem. Rev.* 378, 87–103. doi: 10.1016/j.ccr.2017.09.027
- Ma, S., and Zhou, H.-C. (2010). Gas storage in porous metal-organic frameworks for clean energy applications. *Chem. Commun.* 46, 44–53. doi: 10.1039/B916295J
- Stavila, V., Talin, A. A., and Allendorf, M. D. (2014). MOF-based electronic and opto-electronic devices. *Chem. Soc. Rev.* 43, 5994–6010. doi: 10.1039/C4CS00096J
- Tuffnell, J. M., Ashling, C. W., Hou, J., Li, S., Longley, L., Ríos Gómez, M. L., et al. (2019). Novel metal-organic framework materials: blends, liquids, glasses and crystal-glass composites. *Chem. Commun.* 55, 8705–8715. doi: 10.1039/C9CC01468C
- Yuan, S., Feng, L., Wang, K., Pang, J., Bosch, M., Lollar, C., et al. (2018). Stable metal-organic frameworks: design, synthesis, and applications. *Adv. Mater.* 30:1704303. doi: 10.1002/adma.201704303
- Zhu, L., Liu, X.-Q., Jiang, H.-L., and Sun, L.-B. (2017). Metal-organic frameworks for heterogeneous basic catalysis. *Chem. Rev.* 117, 8129–8176. doi: 10.1021/acs.chemrev.7b00091

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2019 Huh, Kim, Lü, Užarević and Yan. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.