



OPEN ACCESS

APPROVED BY
Frontiers in Medicine Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Liangliang Yu
✉ yudanyu@zju.edu.cn

RECEIVED 15 February 2025

ACCEPTED 17 February 2025

PUBLISHED 27 February 2025

CITATION

Liu J and Yu L (2025) Corrigendum: Same duodenal neuroendocrine tumors, different endoscopic resection methods: a case report and literature review. *Front. Med.* 12:1577088. doi: 10.3389/fmed.2025.1577088

COPYRIGHT

© 2025 Liu and Yu. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Same duodenal neuroendocrine tumors, different endoscopic resection methods: a case report and literature review

Jinguo Liu^{1,2} and Liangliang Yu^{1*}

¹Department of Endoscopy Center, Sir Run Run Shaw Hospital, Zhejiang University, Hangzhou, China.

²Department of Gastroenterology, The Second Affiliated Hospital, Zhejiang Chinese Medical University, Hangzhou, China

KEYWORDS

neuroendocrine tumor, duodenal bulb, endoscopic resection, ESD, STER

A Corrigendum on

[Same duodenal neuroendocrine tumors, different endoscopic resection methods: a case report and literature review](#)

by Liu, J., and Yu, L. (2024). *Front Med.* 11:1401241. doi: 10.3389/fmed.2024.1401241

In the published article, there was an error regarding the affiliation(s) for [Jinguo Liu]. As well as having affiliation(s) [1], they should also have [2].

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.