



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Dorina Timofte
✉ d.timofte@liv.ac.uk

RECEIVED 05 March 2024
ACCEPTED 06 March 2024
PUBLISHED 20 March 2024

CITATION

Zendri F, Schmidt V, Mauder N, Loeffler A, Jepson RE, Isgren C, Pinchbeck G, Haldenby S and Timofte D (2024) Corrigendum: Rapid typing of *Klebsiella pneumoniae* and *Pseudomonas aeruginosa* by Fourier-transform Infrared spectroscopy informs infection control in veterinary settings. *Front. Microbiol.* 15:1396367. doi: 10.3389/fmicb.2024.1396367

COPYRIGHT

© 2024 Zendri, Schmidt, Mauder, Loeffler, Jepson, Isgren, Pinchbeck, Haldenby and Timofte. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Rapid typing of *Klebsiella pneumoniae* and *Pseudomonas aeruginosa* by Fourier-transform Infrared spectroscopy informs infection control in veterinary settings

Flavia Zendri¹, Vanessa Schmidt², Norman Mauder³, Anette Loeffler⁴, Rosanne Ellen Jepson⁴, Cajsja Isgren⁵, Gina Pinchbeck⁶, Sam Haldenby⁷ and Dorina Timofte^{1*}

¹Department of Veterinary Anatomy, Physiology and Pathology, Institute of Infection, Veterinary and Ecological Sciences, University of Liverpool, Neston, United Kingdom, ²Department of Small Animal Clinical Science, Institute of Infection, Veterinary and Ecological Sciences, University of Liverpool, Neston, United Kingdom, ³Bruker Daltonics, Bremen, Germany, ⁴Department of Clinical Science and Services, Royal Veterinary College Hawkshead Campus, Hatfield, Hertfordshire, United Kingdom, ⁵Western Counties Equine Hospital Ltd., Culmstock, United Kingdom, ⁶Department of Livestock and One Health, Institute of Infection, Veterinary and Ecological Sciences, University of Liverpool, Neston, United Kingdom, ⁷Centre for Genomic Research, University of Liverpool, Liverpool, United Kingdom

KEYWORDS

veterinary, infection control, Fourier-transform infrared (FTIR) spectroscopy, veterinary settings, companion animals, *Klebsiella pneumoniae*, *Pseudomonas aeruginosa*

A corrigendum on

[Rapid typing of *Klebsiella pneumoniae* and *Pseudomonas aeruginosa* by Fourier-transform Infrared spectroscopy informs infection control in veterinary settings](#)

by Zendri, F., Schmidt, V., Mauder, N., Loeffler, A., Jepson, R. E., Isgren, C., Pinchbeck, G., Haldenby, S., and Timofte, D. (2024). *Front. Microbiol.* 15:1334268. doi: 10.3389/fmicb.2024.1334268

In the published article, there was an error in affiliation 3. Instead of “School of Veterinary Science Small Animal Teaching Hospital, University of Liverpool, Neston, United Kingdom”, it should be “Bruker Daltonics, Bremen, Germany”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.