Check for updates

OPEN ACCESS

EDITED AND REVIEWED BY Detlev Boison, Rutgers, The State University of New Jersey, United States

*CORRESPONDENCE Junlei Chang ⊠ jl.chang@siat.ac.cn

[†]These authors have contributed equally to this work

RECEIVED 31 January 2024 ACCEPTED 18 March 2024 PUBLISHED 04 April 2024

CITATION

Hussain B, Fang C, Huang X, Feng Z, Yao Y, Wang Y and Chang J (2024) Corrigendum: Endothelial β-catenin deficiency causes blood-brain barrier breakdown via enhancing the paracellular and transcellular permeability. *Front. Mol. Neurosci.* 17:1379436. doi: 10.3389/fnmol.2024.1379436

COPYRIGHT

© 2024 Hussain, Fang, Huang, Feng, Yao, Wang and Chang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Endothelial β-catenin deficiency causes blood-brain barrier breakdown via enhancing the paracellular and transcellular permeability

Basharat Hussain^{1,2†}, Cheng Fang^{1†}, Xiaowen Huang¹, Ziying Feng^{1,2}, Yuxuan Yao¹, Yu Wang³ and Junlei Chang^{1*}

¹Shenzhen Key Laboratory of Biomimetic Materials and Cellular Immunomodulation, Institute of Biomedicine and Biotechnology, Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China, ²University of Chinese Academy of Sciences, Beijing, China, ³State Key Laboratory of Pharmaceutical Biotechnology, Department of Pharmacology and Pharmacy, Li Ka Shing Faculty of Medicine, The University of Hong Kong, Pok Fu Lam, Hong Kong SAR, China

KEYWORDS

blood-brain barrier, Wnt signaling, endothelial cells, tight junctions, transcytosis

A corrigendum on

Endothelial β -catenin deficiency causes blood-brain barrier breakdown via enhancing the paracellular and transcellular permeability

by Hussain, B., Fang, C., Huang, X., Feng, Z., Yao, Y., Wang, Y., and Chang, J. (2022). Front. Mol. Neurosci. 15:895429. doi: 10.3389/fnmol.2022.895429

In the published article, there was an error in Supplementary Table 1. At row 5 columns 2-4 incorrect information was provided for the rabbit anti-mouse Mfsd2a antibody used for immunofluorescence (IF) staining. Row 5, "Rabbit pAb anti-mouse Mfsd2a" only included "Abcam, Cambridge, US, Cat #117618, WB, 1:500" but should have also included, "homemade rabbit polyclonal antibody using an immunogen corresponding to the mouse MFSD2A C-terminus amino acids CSDTDSTELASIL, IF, 1:500".

The corrected Supplementary Table 1 has been published alongside the original article. The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.