



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Lirong Wang
✉ wanglirong@suda.edu.cn
Ruobing Zhang
✉ zhangrb@sibet.ac.cn

RECEIVED 13 November 2023
ACCEPTED 14 November 2023
PUBLISHED 27 November 2023

CITATION

Cheng A, Shi J, Wang L and Zhang R (2023)
Corrigendum: Learning the heterogeneous
representation of brain's structure from serial
SEM images using a masked autoencoder.
Front. Neuroinform. 17:1337766.
doi: 10.3389/fninf.2023.1337766

COPYRIGHT

© 2023 Cheng, Shi, Wang and Zhang. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](#). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted which
does not comply with these terms.

Corrigendum: Learning the heterogeneous representation of brain's structure from serial SEM images using a masked autoencoder

Ao Cheng^{1,2}, Jiahao Shi², Lirong Wang^{1,2*} and Ruobing Zhang^{2,3*}

¹School of Electronic and Information Engineering, Soochow University, Suzhou, China, ²Jiangsu Key Laboratory of Medical Optics, Suzhou Institute of Biomedical Engineering and Technology, Chinese Academy of Sciences, Suzhou, China, ³Institute of Artificial Intelligence, Hefei Comprehensive National Science Center, Hefei, China

KEYWORDS

neural segmentation, SEM image, masked autoencoder, image segmentation, self-supervised learning

A corrigendum on

[Learning the heterogeneous representation of brain's structure from serial SEM images using a masked autoencoder](#)

by Cheng, A., Shi, J., Wang, L., and Zhang, R. (2023). *Front. Neuroinform.* 17:1118419. doi: 10.3389/fninf.2023.1118419

In the published article, there was an error in the **Acknowledgements** section. We erroneously excluded contributions to this article from those who prepared the samples.

A correction has been made to the **Acknowledgements** section.

The corrected sentence appears below:

“We would like to thank Dingsan Luo and Renzheng Liu of the Jiangsu Key Laboratory of Medical Optics at the Suzhou Institute of Biomedical Engineering and Technology, Chinese Academy of Sciences, for their meticulous preparation of the mouse corpus callosum samples. We also would like to thank the Hanhua Lab from the Institute of Automation, Chinese Academy of Sciences for the corpus callosum SEM data.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.