



# Corrigendum: Development of a Routinely Applicable Imaging Protocol for Fast and Precise Middle Cerebral Artery Occlusion Assessment and Perfusion Deficit Measure in an Ovine Stroke Model: A Case Study

Andrea Maria Herrmann<sup>1,2†</sup>, Giorgio Franco Maria Cattaneo<sup>3†</sup>, Sebastian Alexander Eiden<sup>1</sup>, Manuela Wieser<sup>1</sup>, Elias Kellner<sup>4</sup>, Christoph Maurer<sup>5</sup>, Jörg Haberstroh<sup>6</sup>, Christoph Mülling<sup>2</sup>, Wolf-Dirk Niesen<sup>7</sup>, Horst Urbach<sup>1</sup>, Johannes Boltze<sup>8,9</sup>, Stephan Meckel<sup>1\*†</sup> and Mukesch Johannes Shah<sup>10†</sup>

<sup>1</sup> Department of Neuroradiology, Faculty of Medicine, Medical Center – University of Freiburg, University of Freiburg, Freiburg, Germany, <sup>2</sup> Faculty of Veterinary Medicine, Institute of Veterinary Anatomy, Histology and Embryology, Leipzig University, Leipzig, Germany, <sup>3</sup> Institute for Biomedical Engineering, University of Stuttgart, Stuttgart, Germany, <sup>4</sup> Department of MR Physics, Faculty of Medicine, Medical Center – University of Freiburg, University of Freiburg, Freiburg, Germany, <sup>5</sup> Department of Diagnostic and Interventional Neuroradiology, University Hospital Augsburg, Augsburg, Germany, <sup>6</sup> Department of Experimental Surgery, CEMT-FR, Faculty of Medicine, Medical Center – University of Freiburg, University of Freiburg, Freiburg, Germany, <sup>7</sup> Department of Neurology, Faculty of Medicine, Medical Center – University of Freiburg, University of Freiburg, Freiburg, Germany, <sup>8</sup> Fraunhofer Research Institution for Marine Biotechnology and Institute for Medical and Marine Biotechnology, University of Lübeck, Lübeck, Germany, <sup>9</sup> School of Life Sciences, University of Warwick, Coventry, United Kingdom, <sup>10</sup> Department of Neurosurgery, Faculty of Medicine, Medical Center – University of Freiburg, University of Freiburg, Freiburg, Germany

## OPEN ACCESS

**Approved by:**  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

**\*Correspondence:**  
Stephan Meckel  
stephanmeckel@gmail.com

<sup>†</sup>These authors have contributed  
equally to this work

### Specialty section:

This article was submitted to  
Stroke,  
a section of the journal  
Frontiers in Neurology

**Received:** 02 January 2020

**Accepted:** 14 January 2020

**Published:** 31 January 2020

### Citation:

Herrmann AM, Cattaneo GFM, Eiden SA, Wieser M, Kellner E, Maurer C, Haberstroh J, Mülling C, Niesen W-D, Urbach H, Boltze J, Meckel S and Shah MJ (2020) Corrigendum: Development of a Routinely Applicable Imaging Protocol for Fast and Precise Middle Cerebral Artery Occlusion Assessment and Perfusion Deficit Measure in an Ovine Stroke Model: A Case Study. *Front. Neurol.* 11:46. doi: 10.3389/fneur.2020.00046

**Keywords:** CT perfusion, DSA, MCAO, reperfusion, sheep stroke model, cerebral ischemia, translational research, brain imaging

## A Corrigendum on

### Development of a Routinely Applicable Imaging Protocol for Fast and Precise Middle Cerebral Artery Occlusion Assessment and Perfusion Deficit Measure in an Ovine Stroke Model: A Case Study

by Herrmann, A. M., Cattaneo, G. F. M., Eiden, S. A., Wieser, M., Kellner, E., Maurer, C., et al. (2019). *Front. Neurol.* 10:1113. doi: 10.3389/fneur.2019.01113

In the published article, there was an error in the allocation of the affiliation for the following authors: Horst Urbach and Stephan Meckel. Instead of affiliation 2 both authors should be affiliated to affiliation 1.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2020 Herrmann, Cattaneo, Eiden, Wieser, Kellner, Maurer, Haberstroh, Mülling, Niesen, Urbach, Boltze, Meckel and Shah. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.