



OPEN ACCESS

EDITED AND REVIEWED BY
Agnieszka J. Szczepek,
Charité University Medicine Berlin, Germany

*CORRESPONDENCE
Xiangming Meng
✉ xiangming_meng@hotmail.com

RECEIVED 19 April 2023
ACCEPTED 24 April 2023
PUBLISHED 09 May 2023

CITATION
Meng X, Wang J, Sun J and Zhu K (2023)
Corrigendum: COVID-19 and sudden
sensorineural hearing loss: a systematic review.
Front. Neurol. 14:1208650.
doi: 10.3389/fneur.2023.1208650

COPYRIGHT
© 2023 Meng, Wang, Sun and Zhu. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted which
does not comply with these terms.

Corrigendum: COVID-19 and sudden sensorineural hearing loss: a systematic review

Xiangming Meng^{1*}, Jing Wang², Jian Sun³ and Kangxu Zhu¹

¹Department of Otolaryngology, Wuxi Huishan District People's Hospital, Wuxi, China, ²Department of Otolaryngology, Huadong Sanatorium, Wuxi, China, ³Department of Rheumatology and Immunology, Affiliated Hospital of Jiangnan University, Wuxi, China

KEYWORDS

COVID-19, SARS-CoV-2, sudden sensorineural hearing loss, inner ear, incidence, glucocorticoids

A corrigendum on COVID-19 and sudden sensorineural hearing loss: a systematic review

by Meng, X., Wang, J., Sun, J., and Zhu, K. (2022). *Front. Neurol.* 13:883749.
doi: 10.3389/fneur.2022.883749

In the published article, there was an error. The word “not” has been missed in one of the sentences in the Conclusion, and for clarity the sentence has been reworded.

A correction has been made to the Conclusion. This sentence previously stated:

“However, the exact mechanisms of SARS-CoV-2 on the audio-vestibular system remain fully understood.”

The corrected sentence appears below:

“However, the exact mechanisms by which SARS-CoV-2 affects the audio-vestibular system remain unclear.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.