frontiers | Frontiers in Neurology

TYPE Correction
PUBLISHED 11 August 2023
DOI 10.3389/fneur.2023.1272223

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Yin Qin
✉ q301304@163.com

†These authors have contributed equally to this work

RECEIVED 03 August 2023
ACCEPTED 04 August 2023
PUBLISHED 11 August 2023

CITATION
Qin Y, Liu X, Guo X, Liu M, Li H and Xu S (2023) Corrigendum: Low-frequency repetitive transcranial magnetic stimulation restores dynamic functional connectivity in subcortical stroke. *Front. Neurol.* 14:1272223. doi: 10.3389/fneur.2023.1272223

Corrigendum: Low-frequency repetitive transcranial magnetic stimulation restores dynamic functional connectivity in subcortical stroke

Yin Qin[1,2*†], Xiaoying Liu[1,2†], Xiaoping Guo[1,2], Minhua Liu[1,2], Hui Li[3] and Shangwen Xu[3]

[1]Fuzong Clinical Medical College of Fujian Medical University, Fuzhou, Fujian, China, [2]Department of Rehabilitation Medicine, The 900th Hospital of Joint Logistic Support Force, PLA, Fuzhou, China, [3]Department of Radiology, The 900th Hospital of Joint Logistic Support Force, PLA, Fuzhou, China

KEYWORDS

subcortical stroke, transcranial magnetic stimulation, dynamic functional connectivity, resting-state functional magnetic resonance imaging, time-varying connectivity

A corrigendum on
Low-frequency repetitive transcranial magnetic stimulation restores dynamic functional connectivity in subcortical stroke

by Qin, Y., Liu, X., Guo, X., Liu, M., Li, H., and Xu, S. (2021) *Front Neurol.* 12:771034. doi: 10.3389/fneur.2021.771034

In the published article, there was an error in affiliations 1 & 2. These affiliations were mistakenly presented as "[1]Department of Rehabilitation Medicine, The 900th Hospital of Joint Logistic Support Force, PLA, Fuzhou, China. [2]Department of Rehabilitation Medicine, Fuzong Clinical Medical College of Fujian Medical University, Fuzhou, China." The correct affiliations were: "[1]Fuzong Clinical Medical College of Fujian Medical University, Fuzhou, Fujian, China. [2]Department of Rehabilitation Medicine, The 900th Hospital of Joint Logistic Support Force, PLA, Fuzhou, China."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.