

# **OPEN ACCESS**

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

\*CORRESPONDENCE
Zhaoying Chen

☑ chenzy\_nbey@163.com
Qiongfeng Guan
☑ guanqiongfeng@163.com

RECEIVED 06 November 2023 ACCEPTED 07 November 2023 PUBLISHED 17 November 2023

## CITATION

Zhang X, Fan W, Yu H, Li L, Chen Z and Guan Q (2023) Corrigendum: Single- and dual-task gait performance and their diagnostic value in early-stage Parkinson's disease. *Front. Neurol.* 14:1334223. doi: 10.3389/fneur.2023.1334223

## COPYRIGHT

© 2023 Zhang, Fan, Yu, Li, Chen and Guan. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Single- and dual-task gait performance and their diagnostic value in early-stage Parkinson's disease

Xiaodan Zhang, Weinv Fan, Hu Yu, Li Li, Zhaoying Chen\* and Qiongfeng Guan\*

Department of Neurology, Hwa Mei Hospital, University of Chinese Academy of Sciences, Ningbo, China

**KEYWORDS** 

gait analysis, dual task, wearable sensors, Parkinson's disease, diagnosis

# A corrigendum on

Single- and dual-task gait performance and their diagnostic value in early-stage Parkinson's disease

by Zhang, X., Fan, W., Yu, H., Li, L., Chen, Z., and Guan, Q. (2022). Front. Neurol. 13:974985. doi: 10.3389/fneur.2022.974985

In the published article, there was an error in the Funding statement. The Zhejiang Provincial Public Service and Application Research Foundation had incorrect grant numbers. The correct Funding statement appears below.

This study was supported by Zhejiang Provincial Public Service and Application Research Foundation (Grant Nos. LGF20H090007 and LGF21H090009) and Ningbo Medical Key Discipline (Grant No. 2022-B12).

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

# Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.