



## OPEN ACCESS

EDITED AND REVIEWED BY  
Renato Anghinah,  
University of São Paulo, Brazil

\*CORRESPONDENCE  
Marina Zeldovich  
✉ marina.zeldovich@uibk.ac.at

RECEIVED 18 January 2024  
ACCEPTED 01 March 2024  
PUBLISHED 11 March 2024

CITATION  
Zeldovich M, Krol L, Timmermann D, Krenz U,  
Arango-Lasprilla JC, Gioia G, Brockmann K,  
Koerte IK, Buchheim A, Roediger M,  
Kieslich M, von Steinbuechel N and Cunitz K  
(2024) Corrigendum: Psychometric evaluation  
and reference values for the German  
Postconcussion Symptom Inventory  
(PCSI-SR8) in children aged 8–12 years.  
*Front. Neurol.* 15:1372640.  
doi: 10.3389/fneur.2024.1372640

COPYRIGHT  
© 2024 Zeldovich, Krol, Timmermann, Krenz,  
Arango-Lasprilla, Gioia, Brockmann, Koerte,  
Buchheim, Roediger, Kieslich, von  
Steinbuechel and Cunitz. This is an  
open-access article distributed under the  
terms of the [Creative Commons Attribution  
License \(CC BY\)](#). The use, distribution or  
reproduction in other forums is permitted,  
provided the original author(s) and the  
copyright owner(s) are credited and that the  
original publication in this journal is cited, in  
accordance with accepted academic practice.  
No use, distribution or reproduction is  
permitted which does not comply with these  
terms.

# Corrigendum: Psychometric evaluation and reference values for the German Postconcussion Symptom Inventory (PCSI-SR8) in children aged 8–12 years

Marina Zeldovich<sup>1,2\*</sup>, Leonie Krol<sup>1</sup>, Dagmar Timmermann<sup>1</sup>,  
Ugne Krenz<sup>1</sup>, Juan Carlos Arango-Lasprilla<sup>3</sup>, Gerard Gioia<sup>4</sup>,  
Knut Brockmann<sup>5</sup>, Inga K. Koerte<sup>6</sup>, Anna Buchheim<sup>2</sup>,  
Maike Roediger<sup>7</sup>, Matthias Kieslich<sup>8</sup>, Nicole von Steinbuechel<sup>1,2</sup>  
and Katrin Cunitz<sup>2,9</sup>

<sup>1</sup>Institute of Medical Psychology and Medical Sociology, University Medical Center Goettingen, Goettingen, Germany, <sup>2</sup>Institute of Psychology, University of Innsbruck, Innsbruck, Austria, <sup>3</sup>Department of Psychology, Virginia Commonwealth University, Richmond, VA, United States, <sup>4</sup>Division of Pediatric Neuropsychology, Safe Concussion Outcome Recovery and Education Program, Children's National Health System, Department of Pediatrics and Psychiatry and Behavioral Sciences, George Washington University School of Medicine, Rockville, MA, United States, <sup>5</sup>Interdisciplinary Pediatric Center for Children with Developmental Disabilities and Severe Chronic Disorders, Department of Pediatrics and Adolescent Medicine, University Medical Center Goettingen, Goettingen, Germany, <sup>6</sup>Department of Child and Adolescent Psychiatry, Psychosomatics, and Psychotherapy, Ludwig-Maximilians-Universitaet Muenchen, Munich, Germany, <sup>7</sup>Department of Pediatric and Adolescent Medicine - General Pediatrics - Intensive Care Medicine and Neonatology, University Hospital Muenster, Muenster, Germany, <sup>8</sup>Department of Paediatric Neurology, Goethe-University Frankfurt/Main, Frankfurt, Germany, <sup>9</sup>Department of Psychiatry and Psychotherapy, University Medical Center Goettingen, Goettingen, Germany

## KEYWORDS

pediatric traumatic brain injury, post-concussion symptoms, patient-reported outcome measure (PROM), Postconcussion Symptom Inventory (PCSI), reference values

## A corrigendum on

## Psychometric evaluation and reference values for the German Postconcussion Symptom Inventory (PCSI-SR8) in children aged 8–12 years

Zeldovich, M., Krol, L., Timmermann, D., Krenz, U., Arango-Lasprilla, J. C., Gioia, G., Brockmann, K., Koerte, I. K., Buchheim, A., Roediger, M., Kieslich, M., von Steinbuechel, N., & Cunitz, K. (2023). *Front. Neurol.* 14:1266828. doi: 10.3389/fneur.2023.1266828

In the published article, there was an error in [Table 5](#) as published. There was an error in the sixth column containing the test statistic (t) and subsequently in the table footer (t, t-value). The statistic should be z (z-value). The corrected [Table 5](#) and its caption Results of negative binomial regression analyses appear below.

In the published article, there was an error in Supplementary Table S2. There was an error in the sixth column containing the test statistic (t) and subsequently in the table footer (t, t-value). The statistic should be z (z-value).

In the published article, there was an error in the Funding statement. The names of two funding organizations were misspelled (i.e., Senckenbergische Stiftung instead of Dr. Senckenbergische Stiftung and Christ'sche Stiftungen instead of Dr. Christ'sche Stiftungen). The correct Funding statement appears below.

## Funding

The author(s) declare financial support was received for the research, authorship, and/or publication of this article. The TBI sample research (principal investigator: NS) was funded by Dr. Senckenbergische Stiftung/Clementine Kinderhospital Dr. Christ'sche Stiftungen (Germany) and Uniscientia Stiftung (Switzerland). The general population sample research (principal investigator: MZ) was funded by Dr. Senckenbergische Stiftung/Clementine Kinderhospital Dr. Christ'sche Stiftungen (Germany). The authors acknowledge support by the Open Access Publication Funds of the Göttingen University. The authors declare that the funders had no role in the preparation of the manuscript or in the analysis of the data presented in this study.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

TABLE 5 Results of negative binomial regression analyses.

	Variable	Reference group	Estimate	S.E.	z	p
Total score	(Intercept)	-	2.22	0.26	8.44	<b>&lt;0.001</b>
	Age	-	-0.02	0.02	-0.80	0.421
	Male	Female	-0.12	0.07	-1.66	0.097
	No chronic health complaints	At least one chronic health complaint	-0.57	0.11	-5.40	<b>&lt;0.001</b>
Physical	(Intercept)	-	1.14	0.36	3.14	<b>0.002</b>
	Age	-	-0.02	0.03	-0.53	0.596
	Male	Female	-0.13	0.10	-1.33	0.185
	No chronic health complaints	At least one chronic health complaint	-0.58	0.14	-4.04	<b>&lt;0.001*</b>
Emotional	(Intercept)	-	0.91	0.23	3.94	<b>&lt;0.001</b>
	Age	-	-0.03	0.02	-1.15	0.250
	Male	Female	-0.13	0.06	-2.15	<b>0.032</b>
	No chronic health complaints	At least one chronic health complaint	-0.39	0.09	-4.46	<b>&lt;0.001*</b>
Cognitive	(Intercept)	-	1.06	0.33	3.16	<b>0.002</b>
	Age	-	-0.02	0.03	-0.74	0.461
	Male	Female	-0.09	0.09	-1.02	0.306
	No chronic health complaints	At least one chronic health complaint	-0.78	0.13	-6.13	<b>&lt;0.001*</b>
Fatigue	(Intercept)	-	-0.46	0.42	-1.08	0.281
	Age	-	0.02	0.04	0.41	0.681
	Male	Female	-0.07	0.11	-0.61	0.540
	No chronic health complaints	At least one chronic health complaint	-0.48	0.16	-2.98	<b>0.003*</b>

Estimate: regression coefficient; S.E.: standard error; z: z-value; p: p-value; values in bold are significant at 5%. Covariates additionally marked with an asterisk (\*) are significant at 1.25% (adjusted significance level after Bonferroni correction:  $\alpha_{adj} = 0.05/4 = 0.0125$ ).