



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Frontiers Production Office
✉ production.office@frontiersin.org

RECEIVED 24 May 2023
ACCEPTED 24 May 2023
PUBLISHED 09 June 2023

CITATION
Frontiers Production Office (2023) Erratum:
Viability of AMURA biomarkers from single-shell
diffusion MRI in clinical studies.
Front. Neurosci. 17:1228337.
doi: 10.3389/fnins.2023.1228337

COPYRIGHT
© 2023 Frontiers Production Office. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](#). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted which
does not comply with these terms.

Erratum: Viability of AMURA biomarkers from single-shell diffusion MRI in clinical studies

Frontiers Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

alternative metrics, AMURA, brain, diffusion magnetic resonance imaging, DTI, migraine

An Erratum on

Viability of AMURA biomarkers from single-shell diffusion MRI in clinical studies

by Martín-Martín, C., Planchuelo-Gómez, Á., Guerrero, Á. L., García-Azorín, D., Tristán-Vega, A., de Luis-García, R., and Aja-Fernández, S. (2023) *Front. Neurosci.* 17:1106350. doi: 10.3389/fnins.2023.1106350

Due to a production error, there was a mistake in [Figure 4](#) and [Figure 9](#) as published. [Figure 4](#) had a formatting issue and part of [Figure 9B](#) was missing. The corrected [Figure 4](#) and [Figure 9](#) appear below.

The publisher apologizes for this mistake. The original article has been updated.



