



OPEN ACCESS

EDITED AND REVIEWED BY
Jürgen Dammers,
Institute of Neuroscience and
Medicine, Germany

*CORRESPONDENCE

Yuzhu Guo
✉ yuzhuguo@buaa.edu.cn

RECEIVED 26 September 2023
ACCEPTED 04 December 2023
PUBLISHED 12 December 2023

CITATION

Guo Y, Li Y, Wei H-L and Zhao Y (2023)
Editorial: New theories, models, and AI
methods of brain dynamics, brain decoding and
neuromodulation. *Front. Neurosci.* 17:1302505.
doi: 10.3389/fnins.2023.1302505

COPYRIGHT

© 2023 Guo, Li, Wei and Zhao. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted which
does not comply with these terms.

Editorial: New theories, models, and AI methods of brain dynamics, brain decoding and neuromodulation

Yuzhu Guo^{1,2*}, Yang Li¹, Hua-Liang Wei³ and Yifan Zhao⁴

¹School of Automation Science and Electrical Engineering, Beihang University, Beijing, China, ²BALoT Brain-Computer Intelligence Joint Laboratory, Beijing, China, ³Department of Automatic Control and System Engineering, University of Sheffield, Sheffield, United Kingdom, ⁴Centre for Life-Cycle Engineering and Management, Cranfield University, Cranfield, United Kingdom

KEYWORDS

brain dynamics, brain connectivity, neuromodulation, brain decoding, neural coupling

Editorial on the Research Topic

New theories, models, and AI methods of brain dynamics, brain decoding and neuromodulation

The human brain is highly dynamic and complex, supporting a remarkable range of functions by dynamically integrating and coordinating different brain regions and networks across multiple spatial and temporal scales. Research on the human brain has become truly interdisciplinary involving medicine, neurobiology, engineering, and related fields. A thorough understanding of the mechanisms of neuromodulation actions is urgently needed for stimulation parameters optimization, response prediction, and consistent therapy. This Research Topic aims to combine top-down and bottom-up methods to produce robust results that allow for a meaningful interpretation in terms of the underlying brain dynamics with an emphasis on brain decoding and neuromodulation.

Since the nonlinear, non-stationary, and complex couplings in brain activity, extremely rich information, including temporal, spatial, frequency, phase, and connectivity features, is embedded in every single measurement (Cao et al., 2022). Many methods are dedicated to extracting specific features from the measurement. Even though more and more end-to-end deep models have been utilized for brain activity decoding, including convolutional neural networks, graphical neural networks, attention models, capsule networks, generative models, and so on, revealing the underlying mechanisms is essential for clinical practices (Li et al., 2023), especially, neuromodulation. Hence, an important alternative is to study these features as a whole and study the complex couplings among a wide range of brain activity (Li et al., 2022).

The collection of articles in this Research Topic showcases the diversity of theoretical and empirical developments across a wide spectrum of brain dynamics research into complex couplings. Although this Research Topic only accepts four articles following the review process, it still covers a surprisingly wide range of approaches. Liu et al. studied the cross-domain data augmentation and showed that combining spatial-temporal features can improve the richness of generated data and contribute to the identification of brain disorders; Kim et al. focused on the cross-frequency couplings (CFC) and the CFC- transcranial alternating current stimulation (CFC-tACS) was used to improve working memory performance and resulted in a significantly reduced response time; de Freitas Zanona et al. studied inter-stimulus coupling and showed that the somatosensory cortex (S1) repetitive transcranial magnetic stimulation (rTMS) and sensory stimulation (SS) alone or in combination the S1 excitability was changed, but only

their combination increased primary motor cortex (M1) excitability; Guo et al. revealed the connections between retinal microvascular changes and NMOSD.

In summary, this Research Topic highlights multiple methods for capturing brain dynamics and coupling analysis with high potential in a wide range of applications, such as brain disorder identification (Liu et al.), improvement of working memory (Kim et al.), treatment of stroke (de Freitas Zanona et al.) and biomarker discovery (Guo et al.), and so on. The brain dynamics and coupling analyses, especially, have far-reaching implications on neuromodulation.

Author contributions

YG: Writing—original draft. YL: Writing—review & editing. H-LW: Writing—review & editing. YZ: Writing—review & editing.

Funding

The author(s) declare financial support was received for the research, authorship, and/or publication of this article. This work

was supported by the National Key R&D Program of China (grant number 2023YFC2506600).

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The author(s) declared that they were an editorial board member of Frontiers, at the time of submission. This had no impact on the peer review process and the final decision.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

Cao, J., Zhao, Y., Shan, X., Wei, H.-L., Guo, Y., Chen, L., et al. Brain functional and effective connectivity based on electroencephalography recordings: a review. *Hum Brain Mapp.* (2022) 43, 860–79. doi: 10.1002/hbm.25683

Li, L., Luo, J., Li, Y., Zhang, L., and Guo, Y. Phase analysis of event-related potentials based on dynamic mode

decomposition. *Mathematics.* (2022) 10:4406. doi: 10.3390/math10234406

Li, Z., Chen, W., Zeng, X., Ni, J., Guo, Y., Zhang, H., et al. Dynamic functional connectivity assesses the progression of Parkinson's disease. *Innovat Med.* (2023) 1:100027. doi: 10.59717/j.xinn-med.2023.100027