



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Yun Jiao
✉ yunjiao@seu.edu.cn

RECEIVED 23 November 2023
ACCEPTED 28 November 2023
PUBLISHED 12 December 2023

CITATION
Chen R, Jiao Y, Zhu J-S and Wang X-H (2023)
Corrigendum: Frequency characteristics of
temporal and spatial concordance among
dynamic indices in inattentive and combined
subtypes of attention deficit hyperactivity
disorder. *Front. Neurosci.* 17:1343392.
doi: 10.3389/fnins.2023.1343392

COPYRIGHT
© 2023 Chen, Jiao, Zhu and Wang. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License
\(CC BY\)](#). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted which
does not comply with these terms.

Corrigendum: Frequency characteristics of temporal and spatial concordance among dynamic indices in inattentive and combined subtypes of attention deficit hyperactivity disorder

Ran Chen¹, Yun Jiao^{1*}, Jun-Sa Zhu¹ and Xun-Heng Wang²

¹Jiangsu Key Laboratory of Molecular and Functional Imaging, Department of Radiology, Zhongda Hospital, Medical School of Southeast University, Nanjing, China, ²Institute of Biomedical Engineering and Instrumentation, Hangzhou Dianzi University, Hangzhou, China

KEYWORDS

attention deficit hyperactivity disorder, resting-state fMRI, subtype, frequency dependence, concordance

A corrigendum on

[Frequency characteristics of temporal and spatial concordance among dynamic indices in inattentive and combined subtypes of attention deficit hyperactivity disorder](#)

by Chen, R., Jiao, Y., Zhu, J.-S., and Wang, X.-H. (2023). *Front. Neurosci.* 17:1196290. doi: 10.3389/fnins.2023.1196290

In the published article, there was an error in affiliation(s) [1, 2, 3]. Instead of “¹Jiangsu Key Laboratory of Molecular and Functional Imaging, Medical School of Southeast University, Nanjing, China. ²Department of Radiology, Zhongda Hospital, Nanjing, China. ³Institute of Biomedical Engineering and Instrumentation, Hangzhou Dianzi University, Hangzhou, China”, it should be “¹Jiangsu Key Laboratory of Molecular and Functional Imaging, Department of Radiology, Zhongda Hospital, Medical School of Southeast University, Nanjing, China. ²Institute of Biomedical Engineering and Instrumentation, Hangzhou Dianzi University, Hangzhou, China.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.