



OPEN ACCESS

EDITED AND REVIEWED BY
Ken Solt,
Harvard Medical School, United States

*CORRESPONDENCE
Mariana G. Figueiro
✉ mariana.figueiro@mountsinai.org

RECEIVED 18 April 2024
ACCEPTED 22 April 2024
PUBLISHED 06 May 2024

CITATION
Campbell E and Figueiro MG (2024)
Corrigendum: Postoperative cognitive
dysfunction: spotlight on light, circadian
rhythms, and sleep.
Front. Neurosci. 18:1419709.
doi: 10.3389/fnins.2024.1419709

COPYRIGHT
© 2024 Campbell and Figueiro. This is an
open-access article distributed under the
terms of the [Creative Commons Attribution
License \(CC BY\)](#). The use, distribution or
reproduction in other forums is permitted,
provided the original author(s) and the
copyright owner(s) are credited and that the
original publication in this journal is cited, in
accordance with accepted academic practice.
No use, distribution or reproduction is
permitted which does not comply with these
terms.

Corrigendum: Postoperative cognitive dysfunction: spotlight on light, circadian rhythms, and sleep

Ellie Campbell and Mariana G. Figueiro*

Light and Health Research Center, Department of Population Health Science and Policy, Icahn School of Medicine at Mount Sinai, New York, NY, United States

KEYWORDS

cardiac surgery, circadian rhythm, circadian rhythm disruption, cognitive dysfunction, sleep

A corrigendum on

Postoperative cognitive dysfunction: spotlight on light, circadian rhythms, and sleep

by Campbell, E., and Figueiro, M. G. (2024). *Front. Neurosci.* 18:1390216.
doi: 10.3389/fnins.2024.1390216

In the published article, there was an error. A paragraph from Section 2.2 was mistakenly duplicated in Section 2.1. **Section 2.1**, *The circadian system*, paragraph 3 previously stated:

“Clock genes, particularly the *PER2* gene, have also been associated with the homeostatic process of sleep. A common variant in *PER2* was shown to be associated with a 20-min reduction in slow wave sleep, which is a marker of sleep homeostasis (Chang et al., 2016). Those with a polymorphism in the *PER3* clock gene (*PER3(5/5)*) tend to be morning types and exhibit more rapid build-up of sleep pressure during sleep deprivation. These studies show the close link between clock genes and the sleep–wake cycle.”

This duplicate paragraph has now been removed from Section 2.1.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.