

OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Jennifer Cashin
☑ icashin@fhi360.org

SPECIALTY SECTION

This article was submitted to Nutritional Epidemiology, a section of the journal Frontiers in Nutrition

RECEIVED 15 February 2023 ACCEPTED 17 February 2023 PUBLISHED 02 March 2023

CITATION

Gribble K, Cashin J, Marinelli K, Vu DH and Mathisen R (2023) Corrigendum: First do no harm overlooked: Analysis of COVID-19 clinical guidance for maternal and newborn care from 101 countries shows breastfeeding widely undermined. Front. Nutr. 10:1166221. doi: 10.3389/fnut.2023.1166221

COPYRIGHT

© 2023 Gribble, Cashin, Marinelli, Vu and Mathisen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these

Corrigendum: First do no harm overlooked: Analysis of COVID-19 clinical guidance for maternal and newborn care from 101 countries shows breastfeeding widely undermined

Karleen Gribble¹, Jennifer Cashin^{2*}, Kathleen Marinelli³, Duong Hoang Vu [©] ⁴ and Roger Mathisen⁴

¹School of Nursing and Midwifery, Western Sydney University, Parramatta, NSW, Australia, ²Alive & Thrive Southeast Asia, FHI 360, Washington, DC, United States, ³Department of Pediatrics, University of Connecticut School of Medicine, Hartford, CT, United States, ⁴Alive & Thrive Southeast Asia, FHI 360, Hanoi, Vietnam

KEYWORDS

COVID-19, breastfeeding, policy, psychosocial support systems, rooming-in care

A corrigendum on

First do no harm overlooked: Analysis of COVID-19 clinical guidance for maternal and newborn care from 101 countries shows breastfeeding widely undermined

by Gribble, K., Cashin, J., Marinelli, K., Vu, D. H., and Mathisen, R. (2023). Front. Nutr. 9:1049610. doi: 10.3389/fnut.2022.1049610

In the published article, there was an error in Figure 6 as published. China and Mongolia were shaded white when they should have been shaded gray and counted among the countries with "no recommendation made."

The corrected Figure 6 appears below.

In the published article, there was an error in Figure 8. The 93 countries with "no recommendation made" should have been shaded gray instead of white.

The corrected Figure 8 appears below.

In the published article, there was an error in Figure 11 as published. The name of the country "South Sudan" was in the image when it should not have been.

The corrected Figure 11 appears below.

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Gribble et al. 10.3389/fnut.2023.1166221



Gribble et al. 10.3389/fnut.2023.1166221




FIGURE 8
Global distribution of recommendations on psychological support for infants of mothers with COVID-19 (data from 101 countries).

Gribble et al. 10.3389/fnut.2023.1166221



FIGURE 11
Global distribution of recommendations on wet nursing infants of mothers with COVID-19 (data from 101 countries).